

**WART REMOVER GEL- salicylic acid gel**  
**Meijer Distribution Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Meijer Wart Remover Gel**

***Active ingredient***

Salicylic acid 17% w/w

***Purpose***

Wart remover

***Uses***

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
- for removal of the plantar warts on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

***Warnings***

For external use only.

***Flammable***

keep away from fire and flame

***Do not use***

- on moles, birth marks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

***When using this product***

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap tube tightly and store at room temperature away from heat

***Stop use and ask a doctor if***

discomfort persists

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- after washing affected area, soak wart in for 5 minutes in comfortably warm water
- dry area thoroughly
- apply one drop of gel at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

**Other information**

store between 59° to 86°F (15° to 30°C)

**Inactive ingredients**

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

**Questions?**

Call 1-866-964-0939

**Principal Display Panel**

Meijer

Maximum Strength

wart remover gel

Salicylic Acid 17%/Wart Remover

Safely removes common & plantar warts


Convenient & easy

No drip formula

NET WT 0.25 OZ (7g)

meijer

Use for warts on feet & hands



**Drug Facts**

**Active ingredient** Purpose  
Salicylic acid 17% w/w.....Wart remover

**Uses** ■ for the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. ■ for removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

**Warnings**

**For external use only.**

**Flammable** ■ keep away from fire or flame.

**Do not use**

- on moles, birthmarks and warts with hair growing from them
- on genital warts, or warts on the face or mucous membranes
- on irritated, infected or reddened skin
- if you are a diabetic or if you have poor blood circulation

**When using this product** ■ if product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors ■ cap tube tightly and store at room temperature away from heat

**Stop use and ask a doctor if discomfort persists**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area
- may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply one drop of gel at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

**Other information**


■ store between 59° and 86°F (15° and 30°C) ■ avoid surrounding skin when applying medicated product

**Inactive ingredients** camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

**Questions?** Call 1-866-964-0939

\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound W®.

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com MADE IN USA WITH U.S. AND IMPORTED PARTS



meijer  
MAXIMUM STRENGTH  
Wart Remover Gel

meijer  
MAXIMUM STRENGTH  
Wart Remover Gel

SALICYLIC ACID 17%/ WART REMOVER

SAFELY REMOVES COMMON & PLANTAR WARTS

NET WT. 0.25 OZ. (7 g)

COMPARE TO COMPOUND W® ACTIVE INGREDIENT\*

Convenient & easy to use

No-drip formula



Actual Size

53-039ME-03

NO VARNISH AREA

PID 3713197



**WART REMOVER GEL**

salicylic acid gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0616
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 g

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ETHYL ACETATE</b> (UNII: 7684508NMZ)	
<b>HYPOPHOSPHOROUS ACID</b> (UNII: 8B1RL9B4ZJ)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:79481-0616-1	1 in 1 CARTON	08/27/2023	
1		7 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part358B	08/27/2023	

**Labeler** - Meijer Distribution Inc (006959555)

Revised: 8/2023

Meijer Distribution Inc