

**DURA - GUARD- iodine liquid  
IBA**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Dura-Guard**

**ACTIVE INGREDIENT:**

Iodine .....1.00%

(Provide 1.0% minimum Titratable Iodine)

**INERT INGREDIENTS:**

Glycerin.....2.00%

Other Inerts.....97.00%

(Includes Buffering Agents, Stabilizing Agents and Surfactants)

TOTAL:.....100.00%

This product contains highly effective levels of  
Free iodine for fast kill of mastitis causing organisms.

**GENERAL RECOMMENDATIONS**

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

**RECOMMENDED PROCEDURES FOR TEAT SANITATION**

**POST-MILKING (POST-DIPPING)**

Immediately after milking, dip all teats full length with DURA-GUARD Teat Dip.

**Ensure good coverage of all sides of the teats and teat orifices.**

**WARNING**

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

**AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.**

### **FIRST AID PROCEDURES**

**EYE CONTACT:** IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

**SKIN CONTACT:** WASH ANY SENSITIVE AREAS.

**INGESTION:** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

**ATTENTION**

**800-424-9300**

**Dura-Guard**

**ALWAYS SEEK IMMEDIATE MEDICAL**

**FOR MEDICAL EMERGENCIES CALL 1-**

- Stays On Teats When Applied
- Forms A Full Barrier With Plug
- Forms A Dry, Non-Tacky Film That Lasts Between Milkings
- Easily Removed Before Milking



NDC 29983-1060-8

- Less Drip
- Less Waste
- Compatible With Popular Pre-Dip Products

# DURA-GUARD

## SANITIZING 1% IODINE BARRIER TEAT DIP

A "TRUE" Barrier Teat Dip Containing Glycerin

Protects Against Both Contagious & Environmental Bacteria

Especially Formulated For Dairies Where NPE FREE Teat Dips Are Preferred Or Required

### ACTIVE INGREDIENT:

Iodine.....	1.00 %
(Provides A Full 1.0% Available Iodine As Used)	
INERT INGREDIENTS:	
Glycerin (As A Humectant And Skin Conditioner) .....	2.00 %
Other Inerts .....	97.00 %
(Includes Buffering Agents, Stabilizing Agents And Surfactants)	
TOTAL: .....	100.00 %

This product contains highly effective levels of free iodine for fast kill of mastitis causing organisms.

### GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

### RECOMMENDED PROCEDURES FOR TEAT SANITATION

**POST-MILKING (POST-DIPPING)**  
Immediately after milking, dip all teats full length with **DURA-GUARD TEAT DIP**. Ensure good coverage of all sides of the teats and teat orifices.



### WARNING

**DO NOT DILUTE THIS PRODUCT.**  
**DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.**  
**ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.**  
**PROTECT THIS PRODUCT FROM FREEZING.**

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**  
**AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.**

### FIRST AID PROCEDURES

**EYE CONTACT:** IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

**SKIN CONTACT:** WASH ANY SENSITIVE AREAS.

**INGESTION:** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION**  
**FOR MEDICAL EMERGENCIES CALL 1-800-424-9300**

## A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE:                      LOT NO.:                      NET CONTENTS: 55 GALLONS                      IBA STOCK # 260825                      321W

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

## DURA - GUARD

iodine liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:29983-1060
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	1.0 kg in 100 kg

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-1060-8	211.30 kg in 1 DRUM		
2	NDC:29983-1060-9	1056.52 kg in 1 CONTAINER		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/30/2015	

**Labeler** - IBA (019494160)

**Registrant** - IBA (019494160)

## Establishment

Name	Address	ID/FEI	Business Operations
Morgan Gallacher Inc. DBA Custom Chemical Formulators Inc.		028311595	manufacture, api manufacture, pack

Revised: 11/2025

IBA