

**CLEARLAX- polyethylene glycol 3350 powder, for solution**  
**STRATEGIC SOURCING SERVICES LLC**

-----  
**FOS peg 489**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 grams (cap filled to the indicated "17 GRAMS" line)

**Purpose**

Osmotic Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product** you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (800) 222-1222.

**Directions**

- **do not take more than directed unless advised by your doctor**

- the bottle top is a measuring cup marked to contain 17 grams of powder when filled to the indicated “17 GRAMS” line
- adults and children 17 years of age and older:
- use once a day
- fill to indicated “17 GRAMS” line in cap which is marked to indicate the correct dose 17 grams
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

### **Other information**

- store at 20° - 25°C (68° - 77°F)
- tamper-evident: do not use if foil seal under cap printed with “SEALED for YOUR PROTECTION” is missing, open or broken.

### **Inactive ingredients**

none

### **Questions or comments?**

**Call 833-358-6431** Monday to  
Friday 9:00am to 7:00pm EST

### **Package label**

NDC 70677-1068-1

COMPARE TO ACTIVE INGREDIENT IN MIRALAX™

Foster & Thrive™

# Clearlax®

## Polyethylene Glycol 3350

POWDER FOR SOLUTION,  
OSMOTIC LAXATIVE

UNFLAVORED POWDER | SUGAR FREE  
Dissolves in any beverage  
Relieves Occasional Constipation/Irregularity  
Softens Stool

**NET WT 8.3 OZ (238 g)**  
**14 ONCE-DAILY DOSES**

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Miralax®

©2023 McKesson Corporation  
Distributed by: McKesson Corp.,  
via Strategic Sourcing Services LLC  
Memphis, TN 38141  
Money Back Guarantee  
www.fosterandthrive.com

7116-0238-FT-EC Rev 05/2023

Tamper-evident: do not use if foil seal under cap printed with "SEALED for YOUR PROTECTION" is missing, open or broken.

Lot No.:  
Exp. Date:

Lift Here ↗

*Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool. Dissolves in Any Beverage*

3.0000"

**Drug Facts** (continued)

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are taking a prescription drug**

**When using this product** you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**Drug Facts** (continued)

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (800) 222-1222.

**Directions**

- do not take more than directed unless advised by your doctor
- the bottle cap is a measuring cup marked to contain 17 grams of powder when filled to the indicated "17 GRAMS" line
- adults and children 17 years of age and older:
  - use once a day
  - fill to indicated "17 GRAMS" line in cap which is marked to indicate the correct dose 17 grams
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing

**Drug Facts** (continued)

- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

**Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken

**Inactive ingredients** none

**Questions or comments?**  
Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

7116-0238-FT-EC Rev 05/2023

## CLEARLAX

polyethylene glycol 3350 powder, for solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70677-1068
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
--------------	-------	--------------	--

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1068-1	238 g in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2023	12/31/2026
2	NDC:70677-1068-2	510 g in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2023	06/30/2026

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090812	08/01/2023	12/31/2026

**Labeler** - STRATEGIC SOURCING SERVICES LLC (116956644)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)

Revised: 6/2025

STRATEGIC SOURCING SERVICES LLC