

**IRRITABLE BOWEL SYNDROME THERAPY- asafetida - bismuth subnitrate - bryonia alba root - activated charcoal - lycopodium clavatum spore - sodium carbonate - strychnos nux-vomica seed - veratrum album root - tablet, orally disintegrating
TRP Company**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Irritable Bowel Syndrome Therapy™ Fast Dissolving Tablets

Asafoetida HPUS 3x 6x 12x 18x

Bismuthum subnitricum HPUS 6x 12x 18x

Bryonia HPUS 6x 12x 18x

Carbo vegetabilis HPUS 6x 12x 18x

Lycopodium Clavatum HPUS 6x 12x 18x

Natrum carbonicum HPUS 6x 12x 18x

Nux vomica HPUS 6x 12x 18x

Veratrum album HPUS 6x 12x 18x

HPUS indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Asafoetida HPUS - Bloating, Cramping

Bismuthum subnitricum HPUS - Irritation

Bryonia HPUS - Dry, hard stools

Carbo vegetabilis HPUS - Indigestion, Belching

Lycopodium Clavatum HPUS - Loose stools, Flatulence

Natrum carbonicum HPUS - Stomach discomfort

Nux vomica HPUS - Irritability

Veratrum album HPUS - Irregularity

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Warnings:

USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- A physician should always be consulted to rule out serious causes.

Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.

Homeopathic remedies may not be effective for everyone.

Other information

- There are no known contraindications.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.
- Irritable Bowel Syndrome Therapy™ Homeopathic Fast Dissolving Tablet are homeopathic dilutions: see www.thereliefproducts.com for details.

Inactive Ingredients

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Do not use if tamper evident seal is torn, broken or missing.

www.thereliefproducts.com, 1-888-969-6855

Indications and usage

Uses:*

According to homeopathic indications these ingredients temporarily relieve symptoms such as: • loose stools • bloating • dry, hard stools • cramping • irritability • flatulence • irregularity • stomach discomfort after a diagnosis by a physician.

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Stop use

Stop use and ask a doctor if:

- You experience worsening symptoms.
- If symptoms last longer than 7 days.

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Natural Relief™

Irritable Bowel Syndrome Therapy™

Gluten Free

TRP THE RELIEF PRODUCTS®
NDC # 17312-019-14
NEW NAME™

Natural Relief™

Natural Relief™

Natural Relief™ harnesses the power of nature. Naturally sourced active ingredients that work gently and safely with your body.

Irritable Bowel Syndrome Therapy™

Irritable Bowel Syndrome Therapy™

FAST DISSOLVING TABLETS
Loose bowels / Flatulence
Bloating / Irregularity

100%
NATURAL
ACTIVE
INGREDIENTS



HOMEOPATHIC
70 TABLETS

***New name, same trusted formula, Natural Relief continues to deliver soothing relief.**

MEDICINA HOMEOPÁTICA | TABLETAS DE DISOLUCIÓN
SIN LACTOSA / SIN GLUTEN

Alivio temporal de:

Cólicos abdominales / Flatulencia, Hinchazón / Irregularidad
Drug Facts are in Spanish on the interior of this carton. Encontrará la información en español sobre este medicamento al interior de la caja.

© 2023 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Deluchi Lane, Suite# 208 Reno, NV 89502
Questions or Comments? 888-969-6855
www.thereliefproducts.com

Drug Facts

Active ingredients Purpose
Asafoetida HPUS 3X, 6X, 12X, 18X...Bloating, cramping
Bismuthum subnitricum HPUS 6X, 12X, 18X...Irritation
Bryonia HPUS 6X, 12X, 18X...Dry, hard stools
Carbo vegetabilis HPUS 6X, 12X, 18X...Indigestion, belching
Lycopodium clavatum HPUS 6X, 12X, 18X...Loose stools, flatulence
Natrium carbonicum HPUS 6X, 12X, 18X...Stomach discomfort
Nux vomica HPUS 6X, 12X, 18X...Irritability
Veratrum album HPUS 6X, 12X, 18X...Irregularity
HPUS indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

• According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Loose stools • Bloating • Dry, hard stools • Cramping • Irritability • Flatulence • Irregularity • Stomach discomfort; after serious causes have been ruled out by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

• **A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.** • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • If pregnant or breast-feeding, ask a health professional before use. • **Keep out of reach of children.** • In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if: • You experience worsening of symptoms. • Symptoms last longer than 7 days.

Drug Facts (continued)

Directions

• Suitable for adults and children 2 years and over. Children under the age of 2: Consult a physician before use. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. • Individual results may vary.

Other information

• Store at room temperature 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Irritable Bowel Syndrome Therapy™ Fast Dissolving Tablets are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

Questions or comments

1-888-969-6855
8 am to 4 pm; Monday - Friday

Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.



Ini 0115
R0223



THE RELIEF PRODUCTS®
NDC #17312-019-14

Natural Relief™

Irritable Bowel Syndrome Therapy™

FAST DISSOLVING TABLETS

HOMEOPATHIC

70 Tablets

Active ingredients

Asafoetida HPUS 3X, 6X, 12X, 18X, Bismuthum subnitricum HPUS 6X, 12X, 18X, Bryonia HPUS 6X, 12X, 18X, Carbo vegetabilis HPUS 6X, 12X, 18X, Lycopodium clavatum HPUS 6X, 12X, 18X, Natrium carbonicum HPUS 6X, 12X, 18X, Nux vomica HPUS 6X, 12X, 18X, Veratrum album HPUS 6X, 12X, 18X

HPUS indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Directions

• Suitable for adults and children 2 years and over. Children under the age of 2: Consult a physician before use. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. • Individual results may vary.

Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate,

Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

Other information

• Refer to outer carton for complete information. • Store at room temperature 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Irritable Bowel Syndrome Therapy™ Fast Dissolving Tablets are homeopathic dilutions, for details see www.thereliefproducts.com.

© 2023 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Deluchi Lane, Suite #208, Reno, NV 89502

Questions or Comments? www.thereliefproducts.com, 888-969-6855

Do not use if tamper evident seal is torn, broken or missing.

Ini1115
R0223

NO VARNISH

IRRITABLE BOWEL SYNDROME THERAPY

asafoetida - bismuth subnitrate - bryonia alba root - activated charcoal - lycopodium clavatum spore - sodium carbonate - strychnos nux-vomica seed - veratrum album root - tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-019
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	ASAFETIDA	3 [hp_X]
BISMUTH SUBNITRATE (UNII: H19J064BA5) (BISMUTH CATION - UNII:ZS9CD18YE)	BISMUTH SUBNITRATE	6 [hp_X]
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_X]
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	6 [hp_X]
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	6 [hp_X]
SODIUM CARBONATE (UNII: 45P3261C7T) (CARBONATE ION - UNII:7UJQ5OPE7D)	SODIUM CARBONATE	6 [hp_X]
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	6 [hp_X]
VERATRUM ALBUM ROOT (UNII: QNS6W5US1Z) (VERATRUM ALBUM ROOT - UNII:QNS6W5US1Z)	VERATRUM ALBUM ROOT	6 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
MANNITOL (UNII: 3OWL53L36A)	
SORBITOL (UNII: 506T60A25R)	
CROSPVIDONE (UNII: 68401960MK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
COPOVIDONE (UNII: D9C330MD8B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	DIAMOND	Size	13mm
Flavor		Imprint Code	TRP
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-019-14	1 in 1 PACKAGE	05/05/2015	
1		70 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/01/2011	

Labeler - TRP Company (105185719)

Registrant - TRP Company (105185719)

Revised: 12/2025

TRP Company