IRRITABLE BOWEL SYNDROME THERAPY- asafetida - bismuth subnitrate bryonia alba root - activated charcoal - lycopodium clavatum spore - sodium carbonate - strychnos nux-vomica seed - veratrum album root - tablet, orally disintegrating TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Irritable Bowel Syndrome Therapy[™] Fast Dissolving Tablets

Asafoetida HPUS 3x 6x 12x 18x Bismuthum subnitricum HPUS 6x 12x 18x Bryonia HPUS 6x 12x 18x Carbo vegetabilis HPUS 6x 12x 18x Lycopodium Clavatum HPUS 6x 12x 18x Natrum carbonicum HPUS 6x 12x 18x Nux vomica HPUS 6x 12x 18x Veratrum album HPUS 6x 12x 18x HPUS indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Asafoetida HPUS - Bloating, Cramping

Bismuthum subnitricum HPUS - Irritation

Bryonia HPUS - Dry, hard stools

Carbo vegetabilis HPUS - Indigestion, Belching

Lycopodium Clavatum HPUS - Loose stools, Flatulence

Natrum carbonicum HPUS - Stomach discomfort

Nux vomica HPUS - Irritability

Veratrum album HPUS - Irregularity

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Warnings:

USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- A physician should always be consulted to rule out serious causes.

Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.

Homeopathic remedies may not be effective for everyone.

Other information

- There are no known contraindications.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.
- Irritable Bowel Syndrome Therapy[™] Homeopathic Fast Dissolving Tablet are homeopathic dilutions: see www.thereliefproducts.com for details.

Inactive Ingredients

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Do not use if tamper evident seal is torn, broken or missing.

www.thereliefproducts.com, 1-888-969-6855

Indications and usage

Uses:*

According to homeopathic indications these ingredients temporarily relieve symptoms such as: • loose stools • bloating • dry, hard stools • cramping • irritability • flatulence • irregularity • stomach discomfort after a diagnosis by a physician.

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Stop use

Stop use and ask a doctor if:

- You experience worsening symptoms.
- If symptoms last longer than 7 days.

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Syndrome Therapy"

Gluten Free

THE RELIEF PRODUCTS* NDC#17312-019-14



lrritable Bowel Syndrome Therapy[™]

FAST DISSOLVING TABLETS Loose bowels / Flatulence Bloating / Irregularity

> 100% NATURAL ACTIVE INGREDIENTS

(GIF)







Natural Relief^{*} harnesses the power of nature. Naturally sourced active ingredients that work gently and safely with your body.

Irritable Bowel Syndrome Therapy^{...}

*New name, same trusted formula, Natural Relief continues to deliver soothing relief. MEDICINA HOMEOPÁTICA | TABLETAS DE DISOLUCIÓN SIN LACTOSA / SIN GLUTEN Alivio temporal de: Cálosa abdimias (Elabulenia, Hinchazón / Imenularidad

Colicos abdominals / Flatulencia, Hinchazón / Irregularidad Drug Facts are in Spanish on the Interior of this carton. Encontrara la información en español sobre este medicamento al interior de la caja. © 2023 All rights reserved to TRP Company, Inc. Manufactured exclusively for TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502 Questions or Comments? 888-969-6855 www.thereliefproducts.com

Drug Facts

Active ingredients Purpose Asafoetida HPUS 3X, 6X, 12X, 18X...Bloating, cramping Bismuthum subnitricum HPUS 6X, 12X, 18X...Irritation ...Dry, hard stools Bryonia HPUS 6X, 12X, 18X. Carbo vegetabilis HPUS 6X, 12X, 18X......Indigestion, belching Lycopodium clavatum HPUS 6X, 12X, 18X. ..Loose stools, flatulence Natrum carbonicum HPUS 6X, 12X, 18X..... Stomach discomfor Nux vomica HPUS 6X, 12X, 18X. ...Irritabilit ...Irregularity Veratrum alburn HPÚS 6X, 12X, 18. "HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States. Uses*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Loose stools • Bloating • Dry, hard stools • Cramping • Irritability • Flatulence Irregularity • Stomach discomfort, after serious causes have been ruled out by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

 A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.
 This product is intended to complement, not replace, standard medical treatment.
 Initial worsening of symptoms may occur.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children.
 In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if: • You experience worsening of symptoms. • Symptoms last longer than 7 days.

Drug Facts (continued)

Directions

 Suitable for adults and children 2 years and over.
 Children under the age of 2: Consult a physician before use.

 Dissolve entire tablet under tongue.
 Do not chew or swallow whole.
 Take 1 tablet 3 times a day or as directed by a physician.
 Use up to 6 times a day as needed.
 Take at least 10 minutes before or at least 10 minutes after eating or dinking.
 Homeopathic remedies may not be effective for everyone.
 Individual results may vary.

Other information

 Store at room temperature 15° to 30° C (59° to 86° F).
 Keep bottle tightly closed.
 Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no knowid side effects or contraindications.
 Initiable Bowel Syndrome Therapy" Fast Dissolving Tablets are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

Questions or comments 1-888-969-6855 8 am to 4 pm; Monday - Friday

Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

PLEASE RECYCLE

Ini 0115 B0223

 Mature Size And S

IRRITABLE BOWEL SYNDROME THERAPY

asafetida - bismuth subnitrate - bryonia alba root - activated charcoal - lycopodium clavatum spore - sodium carbonate - strychnos nux-vomica seed - veratrum album root - tablet, orally disintegrating

| Product Information | | | | | |
|--|----------------|----------------|------------|----------|----------|
| Product Type | HUMAN OTC DRUG | ltem Code (Sou | rce) | NDC:1731 | 2-019 |
| Route of Administration | ORAL | | | | |
| | | | | | |
| Active Ingredient/Active Moiety | | | | | |
| Ingredient Name | | | Basis of S | trength | Strength |
| ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1) | | ASAFETIDA | | 3 [hp_X] | |

| BISMUTH SUBNITRATE (UNII: H19J064BA5) (BISMUTH CATION - UNII:ZS9CD1I8YE) | BISMUTH SUBNITRATE | 6 [hp_X] |
|---|-------------------------------|----------|
| BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B) | BRYONIA ALBA ROOT | 6 [hp_X] |
| ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10) | ACTIVATED CHARCOAL | 6 [hp_X] |
| LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479) | LYCOPODIUM CLAVATUM SPORE | 6 [hp_X] |
| SODIUM CARBONATE (UNII: 45P3261C7T) (CARBONATE ION - UNII:7UJQ50PE7D) | SODIUM CARBONATE | 6 [hp_X] |
| STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX- VOMICA SEED - UNII:269XH13919) | STRYCHNOS NUX- VOMICA SEED | 6 [hp_X] |
| VERATRUM ALBUM ROOT (UNII: QNS6W5US1Z) (VERATRUM ALBUM ROOT - UNII:QNS6W5US1Z) | VERATRUM ALBUM ROOT | 6 [hp_X] |

| Inactive Ingredients | | | | |
|--|----------|--|--|--|
| Ingredient Name | Strength | | | |
| MANNITOL (UNII: 30WL53L36A) | | | | |
| SORBITOL (UNII: 506T60A25R) | | | | |
| CROSPOVIDONE (UNII: 68401960MK) | | | | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | | | | |
| COPOVIDONE (UNII: D9C330MD8B) | | | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | | | |
| LACTOSE (UNII: J2B2A4N98G) | | | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | | | |
| | | | | |

| Product Characteris | tics |
|---------------------|------|
| Cala | |

| Color | white | Score | no score |
|----------|---------|--------------|----------|
| Shape | DIAMOND | Size | 13mm |
| Flavor | | Imprint Code | TRP |
| Contains | | | |

| Pac | kaging | |
|-----|--------|--|
| | | |

| # | ltem Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|---|-------------------------|-----------------------|
| 1 | NDC:17312-019- 14 | 1 in 1 PACKAGE | 05/05/2015 | |
| 1 | | 70 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| | | | | |

| Marketing Information | | | | |
|---------------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 12/01/2011 | | |
| | | | | |

Labeler - TRP Company (105185719)

Registrant - TRP Company (105185719)

Revised: 9/2023

TRP Company