

**BROAD SPECTRUM SPF50 SPF 50- avobenzone, homosalate octisalate, gel  
NAKED SUNDAYS PTY LTD**

-----  
**NAKED SUNDAYS CABANA CLEAR WATER GEL SERUM 30mL**

**ACTIVE INGREDIENTS**

Avobenzone 3%

Homosalate 10%

Octisalate 5%

**Purpose**

Sunscreen

**USES**

Helps prevent sunburn.  
If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

**WARNINGS**

Warnings: For external use only.  
Skin Cancer/Skin Aging Alert:  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. Do not use on damaged or broken skin.  
When using this product: Keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor: If rash occurs. Keep out of reach of children: If product is swallowed, get medical help or contact a Poison Control Center right away. Use a water-resistant sunscreen if swimming or sweating.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

## DIRECTIONS

- SPRAY 7 TIMES WITH MOUTH AND LIPS CLOSED 8-10" AWAY FROM FACE 15 MINUTES BEFORE SUN EXPOSURE.
- Reapply after 80 minutes of swimming or sweating.
- Reapply immediately after towel drying.
- Reapply at least every 2 hours.
- Children under 3 years of age: Ask a doctor.

## SUN PROTECTION MEASURES:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10.00AM - 2.00PM
- Wear long-sleeved shirts, pants, hats, and sunglasses

## INACTIVE INGREDIENTS

Inactive Ingredients:

Water, Butyloctyl Salicylate,  
Propylene Glycol, Acrylates  
Copolymer, Euphorbia Cerifera  
(Candelilla) Wax, Phenoxyethanol,  
Hydroxyacetophenone,  
Acrylates/C10-30 Alkyl Acrylate  
Crosspolymer, Glycerin, Tocopheryl  
Acetate, Polyacrylate  
Crosspolymer-6, Ethylhexylglycerin,  
Sodium Hyaluronate, Sodium  
Hydroxide, Terminalia Ferdinandiana  
(Kakadu Plum) Fruit Extract,  
Disodium EDTA, Citric Acid

## OTHER INFORMATION

Other Information:

Protect the product in this container from excessive heat and direct sun.

Directions: Apply generously 15 minutes before sun exposure. Use a water-resistant sunscreen if swimming or sweating. Reapply immediately after towel drying. Reapply at least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
Limit time in the sun, especially from 10AM - 2PM  
Wear long-sleeved shirts, pants, hats, and

sunglasses Children under 6 months of age: Ask a doctor.

**Directions:**

Apply generously 15 minutes before sun exposure. Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Sun Protection Measures:**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10AM - 2PM. Wear long-sleeved shirts, pants, hats, and sunglasses

**Label**



**DIRECTIONS:** Shake well before use. Apply liberally and evenly, covering at least 2mg (1%) of mineral oil-free sunscreen. Avoid or use with caution. Reapply every 80 minutes, especially after swimming, sweating or towel drying. Sunburned or tanned skin. **WARNING:** Avoid eye area. For external use only. Do not use on children or damaged skin. Avoid prolonged use in shade. Use to avoid sunburn. If irritation occurs, discontinue use and consult with your doctor. If product is unlabeled, get medical help as ordered by doctor. Shake before use. See us for more information on our website.

**Drug Facts**  
**Active ingredients:** Avobenzone 3%, Homosalate 0.5%, Octisalate 0.5% (Sunscreen)

©2019 Naked Sundays LLC. All rights reserved. 28120 90057 6

Label 1  
Outer Label

**Uses:** Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:** For external use only.

- Do not use on damaged or broken skin.
- When using this product, keep out of eyes. Rinse with water if it enters.
- Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Apply generously 15 minutes before sun exposure. Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Label 2  
Inner Label - Left

**Drug Facts (continued)**

- Limit time in the sun, especially from 10AM - 2PM.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive ingredients:** Acrylates Copolymer, Acrylates/C10-12 Alkyl Acrylate Crosspolymer, Butyl Dimethyl Silylate, Citric Acid, Dimethyl EDTA, Ethylhexylglycerin, Euphorbia Cerifera (Candelilla) Wax, Glycerin, Hydroxyacetophenone, Phenoxyethanol, Polyacrylate Copolymer-6, Propylene Glycol, Sodium Hyaluronate, Sodium Hydroxide, Terminalia Ferdinandiana (Kakadu Plum) Fruit Extract, Tocopheryl Acetate, Water.

**Other information:** Protect the product in this container from excessive heat and direct sun. Store below 30°C (86°F).

**Questions?** [info@naked Sundays.com](http://info@naked Sundays.com)

Label 3  
Inner Label - Right

**NAKED SUNDAYS**  
CABANACLEAR™ SPF50  
WATER GEL SERUM

**Drug Facts:**

**Active Ingredients:** Purpose:  
Avobenzone 3% Sunscreen  
Homosalate 6% Sunscreen  
Octisalate 5% Sunscreen

**Use:**  
Helps prevent sunburn.  
If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:** For external use only.  
Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. Do not use on damaged or broken skin.  
When using this product: Keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor: If rash occurs.  
Keep out of reach of children: If product is swallowed, get medical help or contact a Poison Control Center right away. Use a water-resistant sunscreen if swimming or sweating.

**Directions:**  
Apply generously 15 minutes before sun exposure. Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10AM - 2PM. Wear long-sleeved shirts, pants, hats, and sunglasses.

MADE IN USA  
FORMULATED IN AUSTRALIA  
Distributed by:  
Lily Harper International Inc.  
132 N. MADISON AVE #933  
MADISON, CA 93702  
NAKEDSUNDAYS.COM

**NAKED SUNDAYS**

SPF 50  
CabanaClear™  
WATER GEL SERUM

BROAD SPECTRUM SPF50  
50mL / 1.69 fl. Oz

**Drug Facts:**

**Active Ingredients:** Purpose:  
Avobenzone 3% Sunscreen  
Homosalate 6% Sunscreen  
Octisalate 5% Sunscreen

**Use:**  
Helps prevent sunburn.  
If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:** For external use only.  
Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. Do not use on damaged or broken skin.  
When using this product: Keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor: If rash occurs.  
Keep out of reach of children: If product is swallowed, get medical help or contact a Poison Control Center right away. Use a water-resistant sunscreen if swimming or sweating.

**Directions:**  
Apply generously 15 minutes before sun exposure. Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10AM - 2PM. Wear long-sleeved shirts, pants, hats, and sunglasses.

MADE IN USA  
FORMULATED IN AUSTRALIA  
Distributed by:  
Lily Harper International Inc.  
132 N. MADISON AVE #933  
MADISON, CA 93702  
NAKEDSUNDAYS.COM

VEGAN  
FRIENDLY

CRUELTY  
FREE

BEAUTY  
SCREEN™

FRAGRANCE  
FREE

WITH  
ANTIOXIDANTS

VEGAN  
FRIENDLY

CRUELTY  
FREE

BEAUTY  
SCREEN™

FRAGRANCE  
FREE

WITH  
ANTIOXIDANTS

## BROAD SPECTRUM SPF50 SPF 50

avobenzone, homosalate octisalate, gel

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:81104-801 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE        | 3 g in 100 mL  |
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE        | 10 g in 100 mL |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE        | 5 g in 100 mL  |

### Inactive Ingredients

| Ingredient Name                                       | Strength |
|---|----------|
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)          |          |
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)     |          |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)  |          |
| <b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)    |          |
| <b>POLYACRYLATE-1 CROSSPOLYMER</b> (UNII: R5P9Z5WD6D) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                    |          |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)          |          |
| <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)            |          |
| <b>KAKADU PLUM</b> (UNII: 0ZQ1D2FDLI)                 |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                       |          |
| <b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)       |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)            |          |
| <b>ACRYLATES CROSSPOLYMER-4</b> (UNII: GEV2EL4D9G)    |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492Z3ZT)              |          |
| <b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)         |          |

**Packaging**

| # | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:81104-801-01 | 30 mL in 1 CONTAINER; Type 0: Not a Combination Product | 08/30/2023           |                    |
| 2 | NDC:81104-801-02 | 50 mL in 1 CONTAINER; Type 0: Not a Combination Product | 04/01/2024           |                    |
| 3 | NDC:81104-801-03 | 15 mL in 1 TUBE; Type 0: Not a Combination Product      | 01/11/2026           |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 06/30/2023           |                    |

**Labeler** - NAKED SUNDAYS PTY LTD (746918845)

Revised: 1/2026

NAKED SUNDAYS PTY LTD