

**FARMASI BB- avobenzone, octinoxate, homosalate, octocrylene cream  
TAN ALIZE KOZMETIK VE TEMIZLIK URUNLERI SANAYI VE TICARET ANONIM  
SIRKETI**

-----  
**Farmasi BB Cream**

**Drug Facts:**

**Active Ingredient:**

Butyl Methoxydibenzoylmethane 2.95% Ethylhexyl Methoxycinnamate 7.35%  
Homosalate 9.79% Octocrylene 6.15%

**Purpose**

Sunscreen

**Uses:**

- Helps prevent sunburn.
- if used as directed with other sun protection measures (see ), decreases the risk of skin cancer and early skin aging caused by the sun. **Directions**

**Warnings:**

**For external use only.**

**Do not use**

on damaged or broken skin.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

**For Sunscreen Use**

- Apply generously 15 minutes before sun exposure. Reapply at least every 2 hours.

- Reapply atleast every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including. **Sun Protection Measures:**
- Limit time in the sun, especially from 10 a.m. – 2 p.m.,
- wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor.

**Other Information:**

- Protect this product from excessive heat and direct sun. May stain some fabrics.

**Inactive Ingredients:**

Water/Aqua, C 12-15 Alkyl Benzoate, Peg-100 Stearate, Glyceryl Stearate, Cetearyl Alcohol, Glycerin, Silica, Cyclopentasiloxane, Ceteareth-20, Dicaprylyl Carbonate, Ethylhexyl Palmitate, Phenoxyethanol, Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Tocopheryl Acetate, Trehalose, Urea, Serine, Pentylene Glycol, Xanthan Gum, Algin, Caprylyl Glycol, Sodium Hyaluronate, Pullulan, Disodium EDTA, Triethanolamine.

**Questions or Comments?**

info@farmasius.com **(833) 432-7627**

Monday - Friday (9 a.m - 9 p.m. EST)

**Package Labeling:**



DR.C.TUNA

Sun Body Lotion Loción Corporal Lotion Pour Le Corps

50 SPF

150 ml e 5.1 fl.oz.

Drug Facts:

Active Ingredient: Butyl Methoxydibenzoylmethane 2.95%, Sunscreen; Ethylhexyl Methoxycinnamate 7.35%, Sunscreen; Homosalate 9.79%, Sunscreen; Octocrylene 6.15%, Sunscreen

Uses: Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: For Sunscreen Use: Apply generously 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. to 2 p.m.; wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: Ask a doctor.

Other Information: Protect this product from excessive heat and direct sun. May stain some fabrics.

Inactive Ingredients: Water/Aqua, C-12-15 Alkyl Benzoate, Peg-100 Stearate, Glyceryl Stearate, Cetaryl Alcohol, Glycerin, Silica, Cyclopentasiloxane, Ceteareth-20, Dicaprylyl Carbonate, Ethylhexyl Palmitate, Phenoxyethanol, Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Tocopheryl Acetate, Triethanolamine, Urea, Sesame, Pentaerythritol, Xanthan Gum, Alginate, Caprylyl Glycol, Sodium Hyaluronate, Pulbulan, Disodium EDTA, Triethanolamine.

Questions or Comments? info@farmasi.com (833) 432-7627 Monday - Friday (9 a.m. - 9 p.m. EST)

Manufactured by: Tan-Alice Kosmetik ve Tirmizlik Ürünleri San. ve Tic. A.Ş. Ornekl Mah. Ürün Cad. No: 32 / 34997 Çekmeköy / ISTANBUL. Made in TÜRKİYE / Hecho en Turquía. Distributed by: Farmasi US, LLC, 2315 NW 107TH AVE, STE. 1B 12, DORAL, FL 33172 - FARMASI COSMETICS RO S.R.L. Bucuresti Sectorul 1, Calea Floreasca, Nr. 246c, Etaj 18, Romania. - Farmasi S de RL de CV, FCM2010146Y8, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcañalia Miguel Hidalgo, Ciudad de Mexico, 11520 - FARMASI COSMETICS CANADA INC. GOWLING WLG. (CANADA), LLP, Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5 - Farmasi Cosmetics GmbH, Unterföhring-Mediapark, Feingassestrasse 6, 85774 München. - FARMASI BEWELL DOMINICAN REPUBLIC S.R.L., Avenida Winston Churchill, Torre Citibank, Acropolis, Piso 14 Enis Piantini, Santo Domingo. - FARMASI SPAIN, SOCIEDAD LIMITADA, en Calle Murriana 379, Entlo. 1º, 8021, Barcelona. Importado por: FAR COSMETICS MEXICO S. de RL de CV, FCM2010146Y8, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcañalia Miguel Hidalgo, Ciudad de Mexico, 11520. Imported by: Far Cosmetics Sdn Bhd, Level 21-08 & 09, Q Sentral 2A, Jalan Stesen Sentral 2, KL Sentral Kuala Lumpur 50470, Malaysia.

Información del Medicamento:

Ingredientes activos: Butil Metoxidibenzoilmetano 2.95%, Protector solar; Etilhexil Metoxicinamato 7.35%, Protector solar; Homosalato 9.79%, Protector solar; Octocrieno 6.15%, Protector solar

Uso: Ayuda a prevenir las quemaduras solares si se usa como se indica con otras medidas de protección solar (ver Instrucciones), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol.

Advertencias: Solo para uso externo. No usar sobre piel dañada o rasgada. Durante el uso del producto mantener alejado de los ojos. Enjuague con agua para eliminar. Deje de usar y pregunte al médico si se produce una erupción. Mantener fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o comuníquese con un centro de control de intoxicaciones de inmediato.

Para uso de protector solar: Aplicar generosamente 15 minutos antes de la exposición al sol. Vuelva a aplicar al menos cada 2 horas. Use un protector solar resistente al agua si está nadando o sudando. Medidas de protección solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un valor de FPS de amplio espectro de 15 o más y otras medidas de protección solar incluidas. Limite el tiempo de exposición al sol, especialmente de 10 a.m. a 2 p.m., use camisas de manga larga, pantalones, sombreros y gafas de sol. Niños menores de 6 meses: consulte a un médico.

Otra información: Proteja este producto del calor excesivo y del sol directo. Puede manchar algunas telas.

Inactive Ingredients: Water/Aqua, C-12-15 Alkyl Benzoate, Peg-100 Stearate, Glyceryl Stearate, Cetaryl Alcohol, Glycerin, Silica, Cyclopentasiloxane, Ceteareth-20, Dicaprylyl Carbonate, Ethylhexyl Palmitate, Phenoxyethanol, Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Tocopheryl Acetate, Triethanolamine, Urea, Sesame, Pentaerythritol, Xanthan Gum, Alginate, Caprylyl Glycol, Sodium Hyaluronate, Pulbulan, Disodium EDTA, Triethanolamine.

Preguntas o comentarios? info@farmasi.com (833) 432-7627 Lunes a viernes (9 a.m. - 9 p.m. EST)

Fabricado por: Tan-Alice Kosmetik ve Tirmizlik Ürünleri San. ve Tic. A.Ş. Ornekl Mah. Ürün Cad. No: 32 / 34997 Çekmeköy / ISTANBUL. Made in TÜRKİYE / Hecho en Turquía. Distribuido por: Farmasi US, LLC, 2315 NW 107TH AVE, STE. 1B 12, DORAL, FL 33172 - FARMASI COSMETICS RO S.R.L. Bucuresti Sectorul 1, Calea Floreasca, Nr. 246c, Etaj 18, Romania. - Farmasi S de RL de CV, FCM2010146Y8, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcañalia Miguel Hidalgo, Ciudad de Mexico, 11520 - FARMASI COSMETICS CANADA INC. GOWLING WLG. (CANADA), LLP, Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5 - Farmasi Cosmetics GmbH, Unterföhring-Mediapark, Feingassestrasse 6, 85774 München. - FARMASI BEWELL DOMINICAN REPUBLIC S.R.L., Avenida Winston Churchill, Torre Citibank, Acropolis, Piso 14 Enis Piantini, Santo Domingo. - FARMASI SPAIN, SOCIEDAD LIMITADA, en Calle Murriana 379, Entlo. 1º, 8021, Barcelona. Importado por: FAR COSMETICS MEXICO S. de RL de CV, FCM2010146Y8, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcañalia Miguel Hidalgo, Ciudad de Mexico, 11520. Imported by: Far Cosmetics Sdn Bhd, Level 21-08 & 09, Q Sentral 2A, Jalan Stesen Sentral 2, KL Sentral Kuala Lumpur 50470, Malaysia.

Sun Body Lotion Loción Corporal Lotion Pour Le Corps

Dr. C. Tuna SPF 50 Body Lotion helps prevent sunburn while providing hydration thanks to its lightweight, non-oily formula enriched with Hyaluronic Acid. It is suitable for all skin types.

Dr. C. Tuna FPS 50 Loción Corporal protege del daño solar en la piel, aportando hidratación gracias a su fórmula ligera sin sensación grasosa enriquecida con Ácido Hialurónico. Compatible con todos los tipos de piel.

FARMASI farmasi.com

150 ml e 5.1 fl.oz.



2001978 8690131125400

↑ Batch No / Man. Date ↑

**Drug Facts:**

Active Ingredient:	Purpose
Butyl Methoxydibenzoylmethane 2.95%	Sunscreen
Ethylhexyl Methoxycinnamate 7.35%	Sunscreen
Homosalate 9.79%	Sunscreen
Octocrylene 6.15%	Sunscreen

**Uses:**

• Helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:**

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

**For Sunscreen Use**

• Apply generously 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating. • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including. • Limit time in the sun, especially from 10 a.m.–2 p.m., • wear long-sleeved shirts, pants, hats and sunglasses. • Children under 6 months of age: Ask a doctor.

**Other Information:**

• Protect this product from excessive heat and direct sun. May stain some fabrics.

**Inactive Ingredients:**

Water/Aqua, C 12-15 Alkyl Benzoate, Peg-100 Streate, Glyceryl Stearate, Cetearyl Alcohol, Glycerin, Silica, Cyclopentasiloxane, Ceteareth-20, Dicaprylyl Carbonate, Ethylhexyl Palmitate, Phenoxyethanol, Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Tocopheryl Acetate, Trehalose, Urea, Serine, Pentylene Glycol, Xanthan Gum, Alginate, Caprylyl Glycol, Sodium Hyaluronate, Pullulan, Disodium EDTA, Triethanolamine.

**Questions or Comments?**

info@farmasius.com (833) 432-7627  
Monday – Friday (9 a.m. – 9 p.m. EST)

**Manufactured by:** Tan-Alize Kozmetik ve Temizlik Ürünleri San. ve Tic. A.Ş. Ömerli Mah. Uran Cad. No: 32 / 34797 Çekmeköy / İSTANBUL **Made in TÜRKİYE / Hecho en Turquía.** **Distributed by:** - Farmasi US LLC 2315 NW 107 TH AVE, STE 1B 12, DORAL, FL 33172 - FARMASI COSMETICS RO S.R.L. București Sectorul 1, Calea FLOREASCA, Nr. 246c, Etaj 18. Romania. - Farmasi S. de R.L. de C.V. FCM201014J22 Blvd. Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcaldia Miguel Hidalgo, Ciudad de México, 11520. - FARMASI COSMETICS CANADA INC. GOWLING WLG (CANADA) LLP Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5. - Farmasi Cosmetics GmbH, Unterföhring-Mediapark, Feringastrasse 6, 85774 München. - FARMASI BE WELL DOMINICAN REPUBLIC, S.R.L., Avenida. Winston Churchill, Torre Citibank, Acropolis, Piso 14 Ens Piantini, Santo Domingo. - FARMASI SPAIN, SOCIEDAD LIMITADA, en Calle Muntaner 379. Entlo. 1º. 8021. Barcelona. **Importado por:** FAR COSMETICS MEXICO S. de R.L. de C.V. FCM2010146Y8. Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcaldia Miguel Hidalgo, Ciudad de México, 11520. **Imported by:** Far Cosmetics Sdn Bhd. Level 21-08 & 09, Q Sentral 2A, Jalan Stesen Sentral 2, KL Sentral Kuala Lumpur 50470, Malaysia.

DR.C.TUNA

Sun  
Body Lotion

50  
SPF

FARMASI

farmasi.com

150 ml e 5.1 fl.oz.

4001275



150 ml e 5.1 fl.oz.

**FARMASI BB**

avobenzone, octinoxate, homosalate, octocrylene cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:78317-056
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	29.5 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	73.5 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	97.9 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	61.5 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>UREA</b> (UNII: 8W8T17847W)
<b>SERINE</b> (UNII: 452VLY9402)
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>PULLULAN</b> (UNII: 8ZQ0AYU1TT)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78317-056-00	1 in 1 CARTON	10/03/2023	
1		150 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/03/2023	

**Labeler** - TAN ALIZE KOZMETIK VE TEMIZLIK URUNLERI SANAYI VE TICARET ANONIM SIRKETI (365979587)