

POCKET PEPTO PEPTO BISMOL- bismuth subsalicylate tablet
Procter & Gamble Manufactura S de RL de CV

POCKET PEPTO
Pepto Bismol®
Bismuth Subsalicylate
Upset Stomach Reliever/Antidiarrheal
CHEWABLES CHERRY

Drug Facts

Active ingredient (in each tablet)

Bismuth subsalicylate 262 mg

Purpose

Upset stomach reliever and antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - belching
 - fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin) • taking other salicylate products

Do not use if

you have

- an ulcer

- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- chew or dissolve in mouth
- adults and children 12 years and over: 2 tablets (1 dose) every 1/2 hour or 4 tablets (2 doses) every hour as needed for diarrhea
- 2 tablets (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- **each tablet contains:** calcium 140 mg, magnesium 9 mg
- salicylate 99 mg
- low sodium

- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

adipic acid, calcium carbonate, D&C Red No. 27 aluminum lake, FD&C Red No. 40 aluminum lake, flavor, magnesium stearate, mannitol, povidone, saccharin sodium, talc

Questions?

1-800-717-3786

TAMPER EVIDENT: Do not use if the printed inner wrap is broken or missing.

MADE IN MEXICO

DIST. BY PROCTER & GAMBLE

CINCINNATI, OH 45202

PRINCIPAL DISPLAY PANEL - 12 Tablet Carton

POCKET PEPTO

Pepto Bismo®

Bismuth Subsalicylate
Upset Stomach Reliever/ Antidiarrheal

CHEWABLES

CHERRY

5 SYMPTOMRELIEF

NAUSEA
HEARTBURN
INDIGESTION
UPSET STOMACH
DIARRHEA

12 CHEWABLE TABLETS



POCKET PEPTO PEPTO BISMOL

bismuth subsalicylate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58933-017
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
ADIPIC ACID (UNII: 76A0JE0FKJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TALC (UNII: 7SEV7J4R1U)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	16mm
Flavor	CHERRY	Imprint Code	Pepto;Bismol
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58933-017-12	1 in 1 CARTON	06/01/2019	
1		12 in 1 VIAL, PLASTIC; Type 0: Not a Combination Product		
2	NDC:58933-017-24	2 in 1 CARTON	06/01/2019	
2		12 in 1 VIAL, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	06/01/2019	

Labeler - Procter & Gamble Manufactura S de RL de CV (812807550)

Revised: 10/2025

Procter & Gamble Manufactura S de RL de CV