

ANTI-DIARRHEAL, CASEYS 4GOOD- loperamide hcl tablet
ANTI-DIARRHEAL, CVP HEALTH- loperamide hcl tablet
Lil' Drug Store Products, Inc.

Anti-Diarrheal

Drug Facts

Drug Facts

Active ingredient

Active ingredient (in each caplet)

Loperamide HCl, USP 2 mg

Purpose

Purpose

Anti-diarrheal

Use

Use

Controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Warnings

Allergy alert

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to Loperamide HCl.

Heart alert

Heart alert: Taking more than directed can cause serious heart problems or death.

Do not use

Do not use if you have bloody or black stool

Ask a doctor before use if you have

Ask a doctor before use if you have

- fever
- mucus in the stool

- a history of liver disease
- a history of abnormal heart rhythm

Ask a doctor or pharmacist

Ask a doctor or pharmacist before use if you are taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product

When using this product tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9 - 11 years (60 - 95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6 - 8 years (48 - 59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children 2 - 5 years (34 - 47 lbs)	ask a doctor
children under 2 (up to 33 lbs)	do not use

Other information

Other information

- store between 68-77°F (20-25°C)

Inactive ingredients

Inactive ingredients

anhydrous lactose, croscarmellose sodium, crospovidone, D&C Yellow no. 10 aluminum lake, FD&C Blue no. 1 aluminum lake, hydrogenated vegetable oil, magnesium stearate, powdered cellulose, pregelatinized starch

Questions or comments?

Questions or comments?

call toll-free **1-877-507-6516**(M-F 8AM - 4:30PM CST)

Anti-Diarrheal 4ct, CVP [®] HEALTH

Compare to the
active ingredient in
Imodium [®] A-D*

**Anti-
Diarrheal**

**Loperamide HCl Tablets,
USP 2mg**

**Controls the Symptoms
of Diarrhea**

[caplet image]

actual size

4 Caplets*

CVP [®]

HEALTH



Anti-Diarrheal 4ct, Casey's 4good™

Compare to the active ingredient in *Imodium® A-D**

Anti-Diarrheal
Loperamide HCl Tablets, USP 2mg
Controls the symptoms of diarrhea

[Casey's logo]

[caplet image]

actual size

4 CAPLETS**



ANTI-DIARRHEAL, CASEYS 4GOOD

loperamide hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6359
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
CROSPROVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
STARCH, CORN (UNII: O8232NY3SJ)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
HYDROGENATED COTTONSEED OIL (UNII: Z82Y2C65EA)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	123
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6359-2	2 in 1 CARTON	08/01/2023	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074091	08/01/2023	

ANTI-DIARRHEAL, CVP HEALTH

loperamide hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6559
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
CROSPROVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
HYDROGENATED COTTONSEED OIL (UNII: Z82Y2C65EA)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	123
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6559-2	2 in 1 CARTON	05/06/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074091	05/06/2022	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(66715-6359, 66715-6559)

Revised: 12/2024

Lil' Drug Store Products, Inc.