

**RUBBER DUCKY SPF 50 UNFRAGRANCED SUNSCREEN- avobenzone 3%,
homosalate 10%, octocrylene 6% lotion
Derma Care Research Labs, LLC**

Rubber Ducky SPF 50 FF Sunscreen Lotion

Active Ingredients

Avobenzone 3%, Homosalate 10%, Octocrylene 6%

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin. **When using this product** keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash occurs.

Keep Out of Reach of Children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun protection measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measure including:

- limit time in the sun, especially from 10 am to 2 pm
- wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: ask a doctor.

Inactive Ingredients

Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water

Label

Rubber Ducky®
NO-OX® Sunscreen
UNFRAGRANCED



"Like Water Off A Duck's Back"



Broad Spectrum SPF 50
Water Resistant (80 Minutes)
Reef Friendly
Paraben Free
Oil Free

Net Wt. 5 oz (142 g)

Drug Facts

Active ingredients	Purpose
Avobenzene 3%.....	Sunscreen
Homosalate 10%.....	Sunscreen
Octocrylene 6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash or irritation develops and lasts.

Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure.
• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours.

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • children under 6 months of age: ask a doctor.

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics.

Inactive ingredients Aluminum Starch Octenylsuccinate, Butyloctyl Salicylate, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Triethanolamine, VP/Eicosene Copolymer, Water.

Distributed by:
Rubber Ducky Sunscreen
North Padre Island, TX 78418
512-827-2433
www.sunblocks.com
info@sunblocks.com

MADE IN USA
with domestic and
foreign components

Item # 453



Rubber Ducky®

NO-OX® Sunscreen

UNFRAGRANCED



"Like Water Off A Duck's Back"



**Broad Spectrum SPF 50
Water Resistant (80 Minutes)**

**Reef Friendly
Paraben Free
Oil Free**

Net Wt. 12 oz (340 g)

Drug Facts

Active ingredients	Purpose
Avobenzone 3%.....	Sunscreen
Homosalate 10%.....	Sunscreen
Octocrylene 6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash or irritation develops and lasts.
Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

• apply liberally 15 minutes before sun exposure.
 • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours.
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • children under 6 months of age: ask a doctor.

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics.

Inactive ingredients Aluminum Starch Octenylsuccinate, Butyloctyl Salicylate, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Triethanolamine, VP/Eicosene Copolymer, Water.

Distributed by:
 Rubber Ducky Sunscreen
 North Padre Island, TX 78418
 512-827-2433
 www.sunblocks.com
 info@sunblocks.com

MADE IN USA
 with domestic and
 foreign components

Item #426



RUBBER DUCKY SPF 50 UNFRAGRANCED SUNSCREEN

avobenzone 3%, homosalate 10%, octocrylene 6% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72839-515
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 940 (UNII: 4Q93RCW27E)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	

DIMETHICONE 200 (UNII: RGS4T2AS00)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
TROLAMINE (UNII: 9O3K93S3TK)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)	
SORBITOL (UNII: 506T60A25R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72839-515-05	142 g in 1 TUBE; Type 0: Not a Combination Product	05/10/2023	
2	NDC:72839-515-12	340 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/10/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/10/2023	

Labeler - Derma Care Research Labs, LLC (116817470)

Registrant - Derma Care Research Labs, LLC (116817470)

Establishment

Name	Address	ID/FEI	Business Operations
Derma Care Research Labs		116817470	manufacture(72839-515)

Revised: 12/2024

Derma Care Research Labs, LLC