

FIRST AID ANTISEPTIC- benzalkonium 0.13%, lidocaine hcl 2.5% spray
Meijer

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients	Purpose
Benzalkonium 0.13%	First Aid Antiseptic
Lidocaine HCl 2.5%	Pain Relieving Spray

Uses

First aid to help prevent bacterial contamination or skin infection, and for temporary relief of pain and itching associated with minor: cuts, scrapes, burns, sunburn, skin irritations

Warnings

☐ **For external use only**

☐ **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

When using this product☐

- do not use in or near the eyes
- do not apply over large area of the body or in large quantities
- do not apply over raw surfaces or blistered areas

☐ **Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days, or clear up and occur again within a few days

☐ **Keep out of reach of children**

☐ If swallowed get medical help or contact a Poison Control Center right away

Directions

• Adults and children 2 years and older: clean the affected area. Apply small amount on the area 1-3 times daily; may be covered with a sterile bandage (let dry first) • Children Under 2 years: Consult a physician.

Other information

Avoid excessive heat

Inactive ingredients

Diazolidinyl Urea, Disodium EDTA, Fragrance, Methylparaben, Nonoxynol 9, Propylene Glycol, Propylparaben, Sodium Phosphate Dibasic, Water

Questions? 888-309-9030

meijer Compare to Bactine® active ingredients*

No Sting

First Aid Antiseptic Spray
Benzalkonium Cl 0.13% • Lidocaine Hydrochloride 2.5%

Soothing Cleansing Spray
Maximum Strength Antiseptic to Kill Germs
Helps Relieve Pain on Contact

To unlock, push in tab and twist right. To lock, twist left until locked.

5 FL OZ (148 mL)

Drug Facts

Active ingredients	Purpose
Benzalkonium Cl 0.13%.....	First Aid Antiseptic
Lidocaine HCl 2.5%.....	Pain Relief

Uses First aid to help prevent skin infection and bacterial contamination and for temporary relief of itching and pain associated with minor: • scrapes • burns • cuts • skin irritations • sunburns

Warnings
For external use only
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

When using this product • do not use in or near the eyes • do not apply over large areas of the body or in large quantities • do not apply over raw surfaces or blistered areas

Stop use and ask a doctor if • condition worsens • symptoms persist for more than 7 days, or clear up and occur again within a few days.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions • Adults and children 2 years and older: clean the affected area. Apply small amount on the area 1-3 times daily; may be covered with a sterile bandage (let dry first) • Children Under 2 Years: Consult a physician.

Other information Avoid excessive heat

Inactive ingredients Diazolidinyl Urea, Disodium EDTA, Fragrance, Methylparaben, Nonoxynol 9, Propylene Glycol, Propylparaben, Sodium Phosphate Dibasic, Water.

Questions? 866-483-2846

*This product is not manufactured or distributed by Bayer HealthCare, L.L.C. distributor of Bactine®

DIST. BY MEIJER DISTRIBUTION, INC.
2929 WALKER AVE NW,
GRAND RAPIDS, MI 49544
www.meijer.com

7 13733 79549 4

FIRST AID ANTISEPTIC

benzalkonium 0.13%, lidocaine hcl 2.5% spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-805
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	25 mg in 1 mL

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)

BENZALKONIUM CHLORIDE

1.3 mg
in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Diazolidinyl Urea (UNII: H5RIZ3MPW4)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
Methylparaben (UNII: A2I8C7HI9T)	
NONOXYNOL-9 (UNII: 48Q180SH9T)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Propylparaben (UNII: Z8IX2SC1OH)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
Water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-805-04	148 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/07/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/07/2013	

Labeler - Meijer (006959555)

Registrant - Product Quest Mfg (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(41250-805) , label(41250-805)

Revised: 7/2018

Meijer