

**NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN
BROAD SPECTRUM SPF 50- avobenzene, homosalate, octisalate, and
octocrylene spray
Johnson & Johnson Consumer Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Neutrogena[®] Beach Defense[®] water + sun protection sunscreen spray
BROAD SPECTRUM SPF50**

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Avobenzene 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product**
- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it
- **Stop use and ask a doctor if** rash occurs

- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away
- **Danger: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions

- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

Questions or Comments?

Call toll-free **800-299-4786** or **215-273-8755** (collect). www.neutrogena.com

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 184 g Can Label

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Beach

Defense®

water + sun

protection

sunscreen spray

BROAD SPECTRUM SPF 50

50

helioplex®

broad spectrum uva•uvb

oxybenzone free

water resistant (80 minutes)

NET WT 6.5 OZ (184 g)

Neutrogena[®]

DERMATOLOGIST RECOMMENDED BRAND

Beach Defense[®]
water + sun protection
sunscreen spray

BROAD SPECTRUM SPF 50

50

helioplex[®]
broad spectrum uva-uvb
oxybenzone free
water resistant (80 minutes)

NET WT 6.5 OZ (184 g)

Beach-strength uva/uvb sun protection

Lightweight, fast drying, oxybenzone free

Drug Facts

Active ingredients
Avobenzone (3%), Homosalate (10%), Octisalate (5%), Octocrylene (10%) Sunscreen

Purpose
Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
■ For external use only ■ Do not use on damaged or broken skin ■ When using this product ■ keep out of eyes. Rinse with water to remove. ■ keep away from face to avoid breathing it ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away ■ **Danger: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (49°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4-6 inches from the skin to apply. Rub in. ■ do not spray directly into face. Spray on hands and then apply to face. Rub in. ■ do not apply in windy conditions ■ Use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ children under 6 months of age: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

Inactive ingredients
Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

Questions? Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com

30051145

9 86800 11254 0

Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558
©J&J 2022 Pat. www.jjcpats.com DOT 20 M5706

NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, and octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0600	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	30 mg in 1 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	100 mg in 1 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	50 mg in 1 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	100 mg in 1 g	
Inactive Ingredients				
Ingredient Name				Strength
ALCOHOL (UNII: 3K9958V90M)				
ISOBUTANE (UNII: BXR49TP611)				
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)				
POLYESTER-7 (UNII: 0841698D2F)				
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0600-7	184 g in 1 CAN; Type 0: Not a Combination Product	09/01/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph not final	part352		09/01/2019	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.