

**NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN  
BROAD SPECTRUM SPF 50- avobenzone, homosalate, octisalate, and  
octocrylene spray  
Kenvue Brands LLC**

-----  
**Neutrogena<sup>®</sup> Beach Defense<sup>®</sup> water + sun protection sunscreen spray  
BROAD SPECTRUM SPF50**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions*** ), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product**
- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it
- **Stop use and ask a doctor if** rash occurs
  
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away
- **Danger: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying

- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

### **Inactive ingredients**

Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

### **Questions or Comments?**

Call toll-free **800-299-4786** or **215-273-8755** (collect). [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

Kenvue Brands LLC  
Summit, NJ 07901

### **PRINCIPAL DISPLAY PANEL - 184 g Can Label**

Neutrogena®

### **DERMATOLOGIST RECOMMENDED BRAND**

**Beach**

**Defense®**

**water + sun**

**protection**

**sunscreen spray**

**BROAD SPECTRUM SPF 50**

**50**

**helioplex®**

**broad spectrum uva•uvb**

oxybenzone free

water resistant (80 minutes)

NET WT 6.5 OZ (184 g)

**Neutrogena®**

Beach-strength uva/uvb sun protection  Lightweight, fast drying, oxybenzone free

DERMATOLOGIST RECOMMENDED BRAND

**Beach Defense®**  
water + sun protection  
sunscreen spray  
BROAD SPECTRUM SPF 50  
**50**  
helioplex® broad spectrum uva-uvb  
oxybenzone free  
water resistant (80 minutes)  
NET WT 6.5 OZ (184 g)

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone (3%), Homosalate (10%), Octisalate (5%), Octocrylene (10%)	Sunscreen
<b>Uses</b> ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b>	
<ul style="list-style-type: none"> <li>■ For external use only</li> <li>■ Do not use on damaged or broken skin</li> <li>■ When using this product</li> <li>■ keep out of eyes. Rinse with water to remove.</li> <li>■ Keep away from face to avoid breathing it</li> <li>■ Stop use and ask a doctor if rash occurs</li> <li>■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away</li> <li>■ Danger: Flammable. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.</li> </ul>	
<b>Directions</b> ■ spray liberally and spread evenly by hand 15 minutes before sun exposure	
<ul style="list-style-type: none"> <li>■ hold container 4-6 inches from the skin to apply. Rub in.</li> <li>■ do not spray directly into face.</li> <li>Spray on hands and then apply to face. Rub in.</li> <li>■ do not apply in windy conditions</li> <li>■ use in a well-ventilated area</li> <li>■ reapply: ■ after 80 minutes of swimming or sweating</li> <li>■ immediately after towel drying</li> <li>■ at least every 2 hours</li> <li>■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>■ wear long-sleeved shirts, pants, hats and sunglasses</li> <li>■ children under 6 months of age: Ask a doctor</li> </ul>	
<b>Other information</b> ■ protect this product from excessive heat and direct sun ■ may stain some fabrics	
<b>Inactive ingredients</b> Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate	
<b>Questions?</b> Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com	

30061166

0 86800 11254 9

## NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, and octocrylene spray

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:69968-0600

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0600-7	184 g in 1 CAN; Type 0: Not a Combination Product	09/01/2019	
2	NDC:69968-0600-2	2 in 1 CARTON	09/01/2019	
2		184 g in 1 CAN; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/01/2019	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 11/2025

Kenvue Brands LLC