ALLERGY CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - runny nose
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

age (yr)	dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- each 5 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate
- Protect from light. Store in outer carton until contents are used

Inactive ingredients

anhydrous citric acid, D&C red #33, RD&C red#40, flavors, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, and sucrose

Questions or comments?

Call 1-888-309-9030

Principal Display Panel

Compare to active ingredient of Children's Benadryl® Allergy*

For Ages 6 to 11 Years

Children's

Allergy

Diphenhydramine HCI

Antihistamine

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itching of the nose or throat

Alcohol free

Provides allergy symptom relief

Bubble Gum Flavor

FOR AGES 6-11

Dosing Cup included

FL OZ (mL)

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Product Label

Drug Facts (continued)

Other information

- each 5 mL contains: sodium 6 mg
 store between 20-25°C (68-77°F). Do not refrigerate.
 protect from light. Store in outer carton until contents are used.

Inactive ingredients citric acid, D&C red #33, FD&C red #40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium

Questions or comments?

*This product is not manufactured or distributed by McNeil

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING

DISTRIBUTED BY OLD EAST MAIN CO. 100 MISSION RIDGE, GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed! (888) 309-9030



For Ages 6 to 11 Years

Diphenhydramine HCl

12.5 mg per 5 mL

Oral Solution

Antihistamine

Itchy, watery eyes
 Itchy nose or throat

4 FL OZ (118 mL)

ORAL

Sneezing

Runny nose

Alcohol free

Compare to the active ingredient of Children's Allergy



Compare to the active ingredient of Children's Allergy'

For Ages 6 to 11 Years

Diphenhydramine HCl 12.5 mg per 5 mL **Oral Solution Antihistamine**

- Relieves:
 Sneezing
- Runny nose
- Itchy, watery eyes
 Itchy nose or throat

Alcohol free



4 FL OZ (118 mL)

Drug Facts Active ingredient (in each 5 mL)

Purpose

Diphenhydramine HCI 12.5 mg. . Antihistamin

 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
sneezing runny nose itchy, watery eyes
thing of the nose or throat

Warnings

- with any other product containing diphenhydramine, even one used on the skin
 to make a child sleepy

- Ask a doctor before use if the child has Ask a doctor before use if the child has a a breathing problem such as chronic bronchitis glaucoma a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
 sedatives and tranquilizers may increase drowsiness
 excitability may occur, especially in children
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
 measure only with dosing cup provided. Do not use
 any other dosing device.
 mL = milliliter
- keep dosing cup with product
 find the right dose on the chart below

Age (yr)	Dose (mL)	
children 6 to 11 years	5 mL to 10 mL	
children 2 to 5 years	do not use unless directed by a doctor	
children under 2 years	do not use	,



DOLLAR GENERAL HEALTH Children's Allergy Bubble Gum

ALLERGY CHILDRENS ALLERGY

diphenhydramine hydrochloride liquid

Product Information

Route of Administration

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55910-891

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) **DIPHENHYDRAMINE** 12.5 mg (DIPHENHYDRAMINE - UNII:8GTS82S83M) **HYDROCHLORIDE** in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLOXAMER 407 (UNII: TUF2IVW3M2)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)		
SUCROSE (UNII: C151H8M554)		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging Packag			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:55910- 891-04	1 in 1 BOX	03/31/2018	
1	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/31/2018	

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 10/2023 Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)