NAFRINSE PACKETSKIT GRAPE- sodium fluoride powder Young Dental Manufacturing I, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Convinience KIT -20 pack of Nafrinse packets, a polyethylene jug, dispenser pump, plastic cups, paper napkins, and trash bag with ties

Inactives

Saccharin Sodium, Potassium Sorbate, Citric Acid, Flavoring

Dye

Warning:

This Packet contains sodium fluoride powder, contents poisonous if swallowed. keep away from children. Store in a dry place at controlled room temperature. For professional use only.

DO NOT SWALLOW

MISSUSE If child swallows dispensed amount of mouth rinse in a cup:

1. Do not panic -this amount should not hurt the child

2. In rare cases the child may feel slightly nauseous.

The child may have a serving of milk or ice cream to relieve the nausea. EMERGENCY TREATMENT If a child swallows more than one dispensed amount in a cup or powder contents of the fluoride mouth rinse packet call the Poison Control Center at 800-222-1222

Directions

Mix contents with stated amount of tap water until dissolved (read directions on jug label) Makes an 0.2 % solution of sodium fluoride mouthrinse aftert dilution. Swish 10 ml (2 teaspoons) around vigorously in the mouth for one minute and then spit out. To be used once a week.

DIRECTIONS: Mix contents with stated amount of tap water until dissolved (read directions on jug label). Makes an 0.2% solution of solution fluoride mounthrisse after dilution. Swish 10 m. (2 teaspoons) around vigorously in the mouth for one minute and then spit out. To be used once a week.

Sodium Fluoride MouthIntes Powder Sodium Fluoride MouthIntes Powder Currone: His Reacer Contraines Sciolates In Londier Powder Contraines Sciolates In Several Joseph Contraction Fluores In Several Joseph Contraction Fluores Floores Market Sciences Sciences

TEAR RESISTANT PACKET



Real Control of the second and the s


Associate It a chick availows dispensed amount of mouthnises in a cop: 1. Do not parks – this amount should not her the chick may have a service of milk or loc orsam to relieve the nausea. Essenancy machines and the formation of the nausea and the chick and the service of the nausea power contents of the fluories mouthnines potate call the power contents of the fluories mouthnines potate call the

DIRECTIONS: Mix contents with stated amount of tap water until dissolved (read directions on jug label). Makes an 0.2% solution of solutim fluoride mounthrinse after dilution. Swish 10 mL (2 taspoons) around vigorously in the mount for one minute and then spit out. To be used once a week. DIRECTIONS: Mix contents with stated amount of tap water until dissolved (read directions on jug label). Makes an 0.2% solution of solution fluoride mounthrines efter dilution. Swish 10 m. (2 teaspoons) around vigorously in the mouth for one minute and then splt out. To be used once a week.



TEAR RESISTANT PACKET

The abic swallows dispersed ascent of mathinking in a cut; 1. Do not panic - this amount should not hurt the child. 2. In rare cases the child may feel slightly naresours. The child may have a service of milk or ica cereation and relative the nausea. **Backbacker / Text/Text/ Backbacker / Text/Text/** Te child wallows more than one dispersed amount in a cup or powder contents of the fluored modultines patket call the Phase Costrol Certificat al 400-222-222.



| NAFRINSE PACKET sodium fluoride powder | FSKIT GRAPE | | | | | |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------------------------|--------------------|--|--|--|
| | | | | | | |
| Product Information | | | | | | |
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) NDC:0273-8009 | | | | |
| Route of Administration | DENTAL | | | | | |
| | | | | | | |
| Active Ingredient/Active Moiety | | | | | | |
| | Ingredient Name | Basis of St | rength Strength | | | |
| Sodium Fluoride (UNII: 8ZYQ1 | 474W7) (Fluoride Ion - UNII:Q80VPU408O) | 1g in 1g | | | | |
| Inactive Ingredients | | | | | | |
| | Strength | | | | | |
| SACCHARIN SODIUM (UNII: SI | | | | | | |
| Potassium Sorbate (UNII: 1VPU | | | | | | |
| ANHYDROUS CITRIC ACID (U | NII: XF417D3PSL) | | | | | |
| Product Characteristics | | | | | | |
| Color | S | Score | | | | |
| Shape | S | Size | | | | |
| Flavor | GRAPE (grape) | Imprint Code | | | | |
| Contains | ontains | | | | | |
| | | | | | | |
| Packaging | | | | | | |
| # Item Code | Package Description | Marketing Start Date | Marketing End Date | | | |
| 1 NDC:0273-8009-02 20 in 1 k | DC:0273-8009-02 20 in 1 KIT 0 DC:0273-8009-01 3 g in 1 PACKET; Type 1: Convenience Kit of Co-Package | | | | | |
| 1 NDC:02/3-8009-01 3 g in 1 f | PACKE1; Type 1: Convenience Kit of Co-Packag | 99 | | | | |
| Marketing Information | | | | | | |
| | plication Number or Monograph Citation | Marketing Start Date | Marketing End Date | | | |
| unapproved drug other | | 09/25/2017 | | | | |

Labeler - Young Dental Manufacturing I, LLC (006309355)

Registrant - Young Dental Manufacturing I, LLC (006309355)

| Establishment | | | | | |
|-------------------------------------|---------|-----------|----------------------------|--|--|
| Name | Address | ID/FEI | Business Operations | | |
| Medical Products Laboratories, Inc. | | 002290302 | manufacture(0273-8009) | | |