

**MEDI-FIRST NON-ASPIRIN- acetaminophen tablet, coated**  
**MEDIQUE APAP- acetaminophen tablet, coated**  
**MEDI-FIRST PLUS NON-ASPIRIN- acetaminophen tablet, coated**  
**MEDI FIRST PLUS NON-ASPIRIN- acetaminophen tablet, coated**  
**DOVER AMINOPHEN- acetaminophen tablet, coated**  
**DOVER AMINOFEN- acetaminophen tablet, coated**  
**Unifirst First Aid Corporation**

-----  
**Acetaminophen 325 mg**

### ***Drug Facts***

#### ***Active ingredient (in each tablet)***

Acetaminophen 325 mg

#### ***Purpose***

Pain reliever/fever reducer

#### ***Uses***

temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- minor arthritis pain
- backache
- the common cold
- toothache
- premenstrual and menstrual cramps

temporarily reduces fever

#### ***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### ***Allergy alert:***

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### ***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

- liver disease

**Ask a doctor or pharmacist before use if**

- you are taking the blood thinning drug warfarin

**Stop using and ask a doctor if**

- pain gets worse and lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose Warning:**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not use more than directed (see overdose warning)**

**Adults and children: (12 years and over)**

- take 2 tablets every 4 to 6 hours while symptoms last.
- do not take more than 10 tablets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

**Children under 12 years:**

- ask a doctor

**Other information**

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

**Inactive ingredients**

corn starch\*, hypromellose, polyethylene glycol, povidone (K-30)\*, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide\*

May contain\*

**Questions or comments?** 1-800-634-7680

**Medique Apap**

Medique ®



Medi-First®

Non-Aspirin

Pain Reliever/Fever Reducer

Aches, Fever ● Acetaminophen 325 mg

Compare active ingredient to:

Tylenol®

This Package is For Households Without Young Children

Tamper Evident Unit Dose Packets

100 Tablets

(50 x 2)

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> <span style="float: right;"><b>Purpose</b></span> Acetaminophen 325 mg <span style="float: right;">Pain reliever/fever reducer</span></p> <p><b>Uses</b> temporarily relieves minor aches and pains due to: ■ headache ■ muscular aches ■ minor arthritis pain ■ backache ■ the common cold ■ toothache ■ premenstrual and menstrual cramps temporarily reduces fever</p> <p><b>Warnings</b> <b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Allergy alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ hives ■ rash If a skin reaction occurs, stop use and seek medical help right away. <b>Do not use</b> ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. Ask a doctor before use if you have ■ liver disease (continued on opposite panel)</p>	<p><b>MEDI-FIRST®</b> <b>Non-Aspirin</b></p> <p><b>Pain Reliever/Fever Reducer</b> ✓ Aches, Fever - Acetaminophen 325 mg</p> <p>Pull to Open</p> <p>Compare active ingredient to: <b>Tylenol®</b> Registered Trademark of McNeil Consumer Products</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.</p> <p>Tamper Evident Unit Dose Packets</p>	<p><b>Drug Facts (continued)</b></p> <p>Ask a doctor or pharmacist before use if ■ you are taking the blood thinning drug warfarin</p> <p><b>Stop use and ask a doctor if</b> ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</p> <p><b>Overdose warning:</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p><b>Directions</b> ■ do not use more than directed (see overdose warning)</p> <p><b>Adults and children (12 years and over)</b> ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor</p> <p><b>Children under 12 years:</b> ask a doctor</p> <p><b>Other information</b> ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper-evident sealed packets ■ do not use any opened or torn packets</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-30), pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide</p> <p><b>Questions or comments?</b> 1-800-634-7880</p> <p><b>MEDI-FIRST</b> Reorder #80333 Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7880 www.mediqueproducts.com</p> <p>3 47682 80333 9</p>
<p>Retain carton for complete product information</p>			

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> <span style="float: right;"><b>Purpose</b></span> Acetaminophen 325 mg <span style="float: right;">Pain reliever/fever reducer</span></p> <p><b>Uses</b> temporarily relieves minor aches and pains due to: ■ headache ■ muscular aches ■ minor arthritis pain ■ backache ■ the common cold ■ toothache ■ premenstrual and menstrual cramps temporarily reduces fever</p> <p><b>Warnings</b> <b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Allergy alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ hives ■ rash If a skin reaction occurs, stop use and seek medical help right away. <b>Do not use</b> ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. Ask a doctor before use if you have ■ liver disease (continued on opposite panel)</p>	<p><b>MEDI-FIRST®</b> <b>Non-Aspirin</b></p> <p><b>Pain Reliever/Fever Reducer</b> ✓ Aches, Fever - Acetaminophen 325 mg</p> <p>Pull to Open</p> <p>Compare active ingredient to: <b>Tylenol®</b> Registered Trademark of McNeil Consumer Products</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.</p> <p>Tamper Evident Unit Dose Packets</p>	<p><b>Drug Facts (continued)</b></p> <p>Ask a doctor or pharmacist before use if ■ you are taking the blood thinning drug warfarin</p> <p><b>Stop use and ask a doctor if</b> ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</p> <p><b>Overdose warning:</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p><b>Directions</b> ■ do not use more than directed (see overdose warning)</p> <p><b>Adults and children (12 years and over)</b> ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor</p> <p><b>Children under 12 years:</b> ask a doctor</p> <p><b>Other information</b> ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper-evident sealed packets ■ do not use any opened or torn packets</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-30), pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide</p> <p><b>Questions or comments?</b> 1-800-634-7880</p> <p><b>MEDI-FIRST</b> Reorder #80333 Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7880 www.mediqueproducts.com</p> <p>3 47682 80333 9</p>
<p>Retain carton for complete product information</p>			

## Medi-First Plus Non Aspirin

Medi First® Plus

Non-Aspirin

Acetaminophen 325mg

Pull to Open

This Package is For Households Without Young Children

Pain Reliever/Fever Reducer

Compare active ingredient to:

Tylenol®

Registered Trademark of McNeil Consumer

Tamper Evident Unit Dose Packets

100 Tablets

(50 x 2's)

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> Acetaminophen 325 mg <span style="float: right;"><b>Purpose</b> Pain reliever/fever reducer</span></p> <p><b>Uses</b> temporarily relieves minor aches and pains due to: ■ headache ■ muscular aches ■ minor arthritis pain ■ backache ■ the common cold ■ toothache ■ premenstrual and menstrual cramps temporarily reduces fever</p> <p><b>Warnings</b> <b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Allergy alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b> ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product</p> <p>Ask a doctor before use if you have: ■ liver disease (continued on opposite panel)</p> <p style="text-align: center;"><b>Retain carton for complete product information</b></p>	<p style="text-align: center;">100 Tablets (50 x 2's)</p> <p style="text-align: center;"><b>MEDI FIRST Plus</b></p> <p style="text-align: center;"><b>Non-Aspirin</b></p> <p style="text-align: center;"><b>Acetaminophen 325 mg</b></p> <p style="text-align: center;">Pull To Open</p> <p style="text-align: center;">THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.</p> <p style="text-align: center;">Compare active ingredient to: <b>Tylenol</b> Registered Trademark of McNeil Consumer</p> <p style="text-align: center;">Tamper Evident Unit Dose Packets</p> <p style="text-align: center;"><b>Retain carton for complete product information</b></p>	<p><b>Drug Facts (continued)</b></p> <p>Ask a doctor or pharmacist before use if ■ you are taking the blood thinning drug warfarin</p> <p><b>Stop use and ask a doctor if</b> ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p> <p><b>Overdose warning:</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p><b>Directions</b> ■ do not use more than directed (see overdose warning)</p> <p><b>Adults and children (12 years and over)</b> ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor</p> <p><b>Children under 12 years:</b> ask a doctor</p> <p><b>Other information</b> ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper-evident sealed packets ■ do not use any opened or torn packets</p> <p style="text-align: center;"><b>Retain carton for complete product information</b></p>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-30), pregelatinized starch, purified water, sodium starch glycolate, stearic acid, titanium dioxide *may contain</p> <p><b>Questions or comments?</b> 1-800-634-7680</p> <p style="text-align: right;">Reorder #0333</p> <p style="text-align: right;">Manufactured for Medi First Plus Fort Myers, FL 33967 USA 1-800-634-7680 www.mediappproduct.com</p> <p style="text-align: center;">3 47682 90333 6</p>
--	---	--	---

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> Acetaminophen 325 mg <span style="float: right;"><b>Purpose</b> Pain reliever/fever reducer</span></p> <p><b>Uses</b> temporarily relieves minor aches and pains due to: ■ headache ■ muscular aches ■ minor arthritis pain ■ backache ■ the common cold ■ toothache ■ premenstrual and menstrual cramps temporarily reduces fever</p> <p><b>Warnings</b> <b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Allergy alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b> ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product</p> <p>Ask a doctor before use if you have: ■ liver disease (continued on opposite panel)</p> <p style="text-align: center;"><b>Retain carton for complete product information</b></p>	<p style="text-align: center;">100 Tablets (50 x 2's)</p> <p style="text-align: center;"><b>MEDI FIRST Plus</b></p> <p style="text-align: center;"><b>Non-Aspirin</b></p> <p style="text-align: center;"><b>Acetaminophen 325 mg</b></p> <p style="text-align: center;">Pull To Open</p> <p style="text-align: center;">THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.</p> <p style="text-align: center;">Compare active ingredient to: <b>Tylenol</b> Registered Trademark of McNeil Consumer</p> <p style="text-align: center;">Tamper Evident Unit Dose Packets</p> <p style="text-align: center;"><b>Retain carton for complete product information</b></p>	<p><b>Drug Facts (continued)</b></p> <p>Ask a doctor or pharmacist before use if ■ you are taking the blood thinning drug warfarin</p> <p><b>Stop use and ask a doctor if</b> ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p> <p><b>Overdose warning:</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p><b>Directions</b> ■ do not use more than directed (see overdose warning)</p> <p><b>Adults and children (12 years and over)</b> ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor</p> <p><b>Children under 12 years:</b> ask a doctor</p> <p><b>Other information</b> ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper-evident sealed packets ■ do not use any opened or torn packets</p> <p style="text-align: center;"><b>Retain carton for complete product information</b></p>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-30), pregelatinized starch, purified water, sodium starch glycolate, stearic acid, titanium dioxide *may contain</p> <p><b>Questions or comments?</b> 1-800-634-7680</p> <p style="text-align: right;">Reorder #0333</p> <p style="text-align: right;">Manufactured for Medi First Plus Fort Myers, FL 33967 USA 1-800-634-7680 www.mediappproduct.com</p> <p style="text-align: center;">3 47682 90333 6</p>
--	---	--	---

## Dover Aminofen

Dover Aminofen

Acetaminophen 325 MG

Pain Reliever-Fever Reducer

This Package is for Households withoutn Young Children.

Dover Pharmaceutical

Products of the highest quality and effectiveness

Tamper Evident

Sealed Packets

Unit Dose Packs

500 Tablets

(250 Packets of 2)

All Dover Pharmaceutical formulas conform to federal regulations

Antihistamine free  
 No danger of drowsiness  
 Sugar Free  
 for safer use by diabetics  
 Salt free  
 Minimizes high blood pressure  
 Caffeine Free  
 Avoids over stimulation

<p>All Dover Pharmaceutical formulas conform to federal regulations</p> <ul style="list-style-type: none"> <li>■ <b>Antihistamine Free</b> No danger from the drowsiness side effects of antihistamines.</li> <li>■ <b>Salt Free</b> For safer use by those with hypertension (high blood pressure) or others on sodium restricted diets.</li> <li>■ <b>Sugar Free</b> Contains no sucrose or dextrose for safer use by diabetics. Diabetes is the leading cause of blindness and third most frequent cause of death in the U.S.</li> <li>■ <b>Caffeine Free</b> Avoids possibility of excess stimulation and hyperactivity.</li> </ul>	<p>All Dover Pharmaceutical formulas conform to federal regulations</p> <ul style="list-style-type: none"> <li>■ <b>Antihistamine Free</b> No danger of drowsiness</li> <li>■ <b>Salt Free</b> Minimizes high blood pressure</li> <li>■ <b>Sugar Free</b> No danger of drowsiness</li> <li>■ <b>Sugar Free</b> For safer use by diabetics</li> <li>■ <b>Caffeine Free</b> Avoids over stimulation</li> </ul>	<p>All Dover Pharmaceutical formulas conform to federal regulations</p> <ul style="list-style-type: none"> <li>■ <b>Antihistamine Free</b> No danger from the drowsiness side effects of antihistamines.</li> <li>■ <b>Salt Free</b> For safer use by those with hypertension (high blood pressure) or others on sodium restricted diets.</li> <li>■ <b>Sugar Free</b> Contains no sucrose or dextrose for safer use by diabetics. Diabetes is the leading cause of blindness and third most frequent cause of death in the U.S.</li> <li>■ <b>Caffeine Free</b> Avoids possibility of excess stimulation and hyperactivity.</li> </ul>	<p>All Dover Pharmaceutical formulas conform to federal regulations</p> <ul style="list-style-type: none"> <li>■ <b>Antihistamine Free</b> No danger of drowsiness</li> <li>■ <b>Salt Free</b> Minimizes high blood pressure</li> <li>■ <b>Sugar Free</b> For safer use by diabetics</li> <li>■ <b>Caffeine Free</b> Avoids over stimulation</li> </ul>																
<table border="1"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <td><b>Active Ingredient (in each tablet)</b> Acetaminophen 325 mg</td> <td><b>Purpose</b> Pain reliever/fever reducer</td> </tr> <tr> <td colspan="2"><b>Uses</b> Temporarily relieves minor aches and pains due to: ■ headache ■ minor arthritis pain ■ backache ■ the common cold ■ influenza ■ menstrual and menstrual cramps temporarily reduces fever</td> </tr> <tr> <td colspan="2"><b>Warnings</b> User warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Always read:</b> Acetaminophen may cause severe liver reactions. Symptoms may include: ■ skin redness ■ hives ■ rash If a skin reaction occurs, stop use and seek medical help right away</td> </tr> <tr> <td colspan="2"><b>Directions</b> ■ <b>Do not use more than directed (see overdose warning)</b> <b>Adults and children (12 years and over)</b> ■ Take 2 tablets every 4 to 6 hours while symptoms last. ■ Do not take more than 10 tablets in 24 hours, unless directed by a doctor. ■ Do not use for more than 10 days unless directed by a doctor.</td> </tr> <tr> <td colspan="2"><b>Other information</b> ■ Use only with temperature (SP) 98°F (37°C) ■ Larger tablet sealed packets ■ Do not use if opened or torn packets</td> </tr> <tr> <td colspan="2"><b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-302), polybutadiene resin, sodium starch glycolate, stearic acid, titanium dioxide* may contain</td> </tr> <tr> <td colspan="2"><b>Questions or comments?</b> 1-800-634-7100</td> </tr> </table> <p>Retain carton for complete product information</p>	Drug Facts		<b>Active Ingredient (in each tablet)</b> Acetaminophen 325 mg	<b>Purpose</b> Pain reliever/fever reducer	<b>Uses</b> Temporarily relieves minor aches and pains due to: ■ headache ■ minor arthritis pain ■ backache ■ the common cold ■ influenza ■ menstrual and menstrual cramps temporarily reduces fever		<b>Warnings</b> User warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Always read:</b> Acetaminophen may cause severe liver reactions. Symptoms may include: ■ skin redness ■ hives ■ rash If a skin reaction occurs, stop use and seek medical help right away		<b>Directions</b> ■ <b>Do not use more than directed (see overdose warning)</b> <b>Adults and children (12 years and over)</b> ■ Take 2 tablets every 4 to 6 hours while symptoms last. ■ Do not take more than 10 tablets in 24 hours, unless directed by a doctor. ■ Do not use for more than 10 days unless directed by a doctor.		<b>Other information</b> ■ Use only with temperature (SP) 98°F (37°C) ■ Larger tablet sealed packets ■ Do not use if opened or torn packets		<b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-302), polybutadiene resin, sodium starch glycolate, stearic acid, titanium dioxide* may contain		<b>Questions or comments?</b> 1-800-634-7100		<p>Dover <b>Aminofen</b>    PAIN RELIEVER-FEVER REDUCER    ACETAMINOPHEN 325 mg</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN</p> <p>Dover Pharmaceutical    Products of the highest quality and effectiveness</p> <p>TAMPER EVIDENT Sealed Packets</p> <p>UNIT DOSE PACKS    500 TABLETS    (250 PACKETS OF 2)</p>	<p>Dover <b>Aminofen</b>    PAIN RELIEVER-FEVER REDUCER    ACETAMINOPHEN 325 mg</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN</p> <p>Dover Pharmaceutical    Products of the highest quality and effectiveness</p> <p>TAMPER EVIDENT Sealed Packets</p> <p>UNIT DOSE PACKS    500 TABLETS    (250 PACKETS OF 2)</p> <p>Manufactured for    Medique Products, Fort Myers, FL 33967</p>	<p>Dover <b>Aminofen</b>    PAIN RELIEVER-FEVER REDUCER    ACETAMINOPHEN 325 mg</p> <p>TAMPER EVIDENT Sealed Packets</p> <p>UNIT DOSE PACKS    500 TABLETS    (250 PACKETS OF 2)</p> <p>Product No. 1625303    Manufactured for    Medique Products    Fort Myers, FL 33967    1-800-634-7100    www.mediqueproducts.com</p>
Drug Facts																			
<b>Active Ingredient (in each tablet)</b> Acetaminophen 325 mg	<b>Purpose</b> Pain reliever/fever reducer																		
<b>Uses</b> Temporarily relieves minor aches and pains due to: ■ headache ■ minor arthritis pain ■ backache ■ the common cold ■ influenza ■ menstrual and menstrual cramps temporarily reduces fever																			
<b>Warnings</b> User warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Always read:</b> Acetaminophen may cause severe liver reactions. Symptoms may include: ■ skin redness ■ hives ■ rash If a skin reaction occurs, stop use and seek medical help right away																			
<b>Directions</b> ■ <b>Do not use more than directed (see overdose warning)</b> <b>Adults and children (12 years and over)</b> ■ Take 2 tablets every 4 to 6 hours while symptoms last. ■ Do not take more than 10 tablets in 24 hours, unless directed by a doctor. ■ Do not use for more than 10 days unless directed by a doctor.																			
<b>Other information</b> ■ Use only with temperature (SP) 98°F (37°C) ■ Larger tablet sealed packets ■ Do not use if opened or torn packets																			
<b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-302), polybutadiene resin, sodium starch glycolate, stearic acid, titanium dioxide* may contain																			
<b>Questions or comments?</b> 1-800-634-7100																			

<p>All Dover Pharmaceutical formulas conform to federal regulations</p> <ul style="list-style-type: none"> <li>■ <b>Antihistamine Free</b> No danger from the drowsiness side effects of antihistamines.</li> <li>■ <b>Salt Free</b> For safer use by those with hypertension (high blood pressure) or others on sodium restricted diets.</li> <li>■ <b>Sugar Free</b> Contains no sucrose or dextrose for safer use by diabetics. Diabetes is the leading cause of blindness and third most frequent cause of death in the U.S.</li> <li>■ <b>Caffeine Free</b> Avoids possibility of excess stimulation and hyperactivity.</li> </ul>	<p>All Dover Pharmaceutical formulas conform to federal regulations</p> <ul style="list-style-type: none"> <li>■ <b>Antihistamine Free</b> No danger of drowsiness</li> <li>■ <b>Salt Free</b> Minimizes high blood pressure</li> <li>■ <b>Sugar Free</b> For safer use by diabetics</li> <li>■ <b>Caffeine Free</b> Avoids over stimulation</li> </ul>	<p>All Dover Pharmaceutical formulas conform to federal regulations</p> <ul style="list-style-type: none"> <li>■ <b>Antihistamine Free</b> No danger from the drowsiness side effects of antihistamines.</li> <li>■ <b>Salt Free</b> For safer use by those with hypertension (high blood pressure) or others on sodium restricted diets.</li> <li>■ <b>Sugar Free</b> Contains no sucrose or dextrose for safer use by diabetics. Diabetes is the leading cause of blindness and third most frequent cause of death in the U.S.</li> <li>■ <b>Caffeine Free</b> Avoids possibility of excess stimulation and hyperactivity.</li> </ul>	<p>All Dover Pharmaceutical formulas conform to federal regulations</p> <ul style="list-style-type: none"> <li>■ <b>Antihistamine Free</b> No danger of drowsiness</li> <li>■ <b>Salt Free</b> Minimizes high blood pressure</li> <li>■ <b>Sugar Free</b> For safer use by diabetics</li> <li>■ <b>Caffeine Free</b> Avoids over stimulation</li> </ul>																
<table border="1"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <td><b>Active Ingredient (in each tablet)</b> Acetaminophen 325 mg</td> <td><b>Purpose</b> Pain reliever/fever reducer</td> </tr> <tr> <td colspan="2"><b>Uses</b> Temporarily relieves minor aches and pains due to: ■ headache ■ minor arthritis pain ■ backache ■ the common cold ■ influenza ■ menstrual and menstrual cramps temporarily reduces fever</td> </tr> <tr> <td colspan="2"><b>Warnings</b> User warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Always read:</b> Acetaminophen may cause severe liver reactions. Symptoms may include: ■ skin redness ■ hives ■ rash If a skin reaction occurs, stop use and seek medical help right away</td> </tr> <tr> <td colspan="2"><b>Directions</b> ■ <b>Do not use more than directed (see overdose warning)</b> <b>Adults and children (12 years and over)</b> ■ Take 2 tablets every 4 to 6 hours while symptoms last. ■ Do not take more than 10 tablets in 24 hours, unless directed by a doctor. ■ Do not use for more than 10 days unless directed by a doctor.</td> </tr> <tr> <td colspan="2"><b>Other information</b> ■ Use only with temperature (SP) 98°F (37°C) ■ Larger tablet sealed packets ■ Do not use if opened or torn packets</td> </tr> <tr> <td colspan="2"><b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-302), polybutadiene resin, sodium starch glycolate, stearic acid, titanium dioxide* may contain</td> </tr> <tr> <td colspan="2"><b>Questions or comments?</b> 1-800-634-7100</td> </tr> </table> <p>Retain carton for complete product information</p>	Drug Facts		<b>Active Ingredient (in each tablet)</b> Acetaminophen 325 mg	<b>Purpose</b> Pain reliever/fever reducer	<b>Uses</b> Temporarily relieves minor aches and pains due to: ■ headache ■ minor arthritis pain ■ backache ■ the common cold ■ influenza ■ menstrual and menstrual cramps temporarily reduces fever		<b>Warnings</b> User warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Always read:</b> Acetaminophen may cause severe liver reactions. Symptoms may include: ■ skin redness ■ hives ■ rash If a skin reaction occurs, stop use and seek medical help right away		<b>Directions</b> ■ <b>Do not use more than directed (see overdose warning)</b> <b>Adults and children (12 years and over)</b> ■ Take 2 tablets every 4 to 6 hours while symptoms last. ■ Do not take more than 10 tablets in 24 hours, unless directed by a doctor. ■ Do not use for more than 10 days unless directed by a doctor.		<b>Other information</b> ■ Use only with temperature (SP) 98°F (37°C) ■ Larger tablet sealed packets ■ Do not use if opened or torn packets		<b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-302), polybutadiene resin, sodium starch glycolate, stearic acid, titanium dioxide* may contain		<b>Questions or comments?</b> 1-800-634-7100		<p>Dover <b>Aminofen</b>    PAIN RELIEVER-FEVER REDUCER    ACETAMINOPHEN 325 mg</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN</p> <p>Dover Pharmaceutical    Products of the highest quality and effectiveness</p> <p>TAMPER EVIDENT Sealed Packets</p> <p>UNIT DOSE PACKS    500 TABLETS    (250 PACKETS OF 2)</p>	<p>Dover <b>Aminofen</b>    PAIN RELIEVER-FEVER REDUCER    ACETAMINOPHEN 325 mg</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN</p> <p>Dover Pharmaceutical    Products of the highest quality and effectiveness</p> <p>TAMPER EVIDENT Sealed Packets</p> <p>UNIT DOSE PACKS    500 TABLETS    (250 PACKETS OF 2)</p> <p>Manufactured for    Medique Products, Fort Myers, FL 33967</p>	<p>Dover <b>Aminofen</b>    PAIN RELIEVER-FEVER REDUCER    ACETAMINOPHEN 325 mg</p> <p>TAMPER EVIDENT Sealed Packets</p> <p>UNIT DOSE PACKS    500 TABLETS    (250 PACKETS OF 2)</p> <p>Product No. 1625303    Manufactured for    Medique Products    Fort Myers, FL 33967    1-800-634-7100    www.mediqueproducts.com</p>
Drug Facts																			
<b>Active Ingredient (in each tablet)</b> Acetaminophen 325 mg	<b>Purpose</b> Pain reliever/fever reducer																		
<b>Uses</b> Temporarily relieves minor aches and pains due to: ■ headache ■ minor arthritis pain ■ backache ■ the common cold ■ influenza ■ menstrual and menstrual cramps temporarily reduces fever																			
<b>Warnings</b> User warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Always read:</b> Acetaminophen may cause severe liver reactions. Symptoms may include: ■ skin redness ■ hives ■ rash If a skin reaction occurs, stop use and seek medical help right away																			
<b>Directions</b> ■ <b>Do not use more than directed (see overdose warning)</b> <b>Adults and children (12 years and over)</b> ■ Take 2 tablets every 4 to 6 hours while symptoms last. ■ Do not take more than 10 tablets in 24 hours, unless directed by a doctor. ■ Do not use for more than 10 days unless directed by a doctor.																			
<b>Other information</b> ■ Use only with temperature (SP) 98°F (37°C) ■ Larger tablet sealed packets ■ Do not use if opened or torn packets																			
<b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone (K-302), polybutadiene resin, sodium starch glycolate, stearic acid, titanium dioxide* may contain																			
<b>Questions or comments?</b> 1-800-634-7100																			

# MEDI-FIRST NON-ASPIRIN

acetaminophen tablet, coated

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-058
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE K30 (UNII: U725QWY32X)				
STARCH, CORN (UNII: O8232NY3SJ)				
<b>Product Characteristics</b>				
Color	white ((White to Off-White))	Score	no score	
Shape	ROUND	Size	9mm	
Flavor		Imprint Code	G323	
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-058-13	250 in 1 BOX	03/27/2024	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-058-33	50 in 1 BOX	03/27/2024	
2		2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-058-48	125 in 1 BOX	03/27/2024	
3		2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-058-99	2 in 1 PACKET; Type 0: Not a Combination Product	03/27/2024	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	03/27/2024		

## MEDIQUE APAP

acetaminophen tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-057
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3S)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

### Product Characteristics

<b>Color</b>	white ((white to Off-White))	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	G323
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-057-13	250 in 1 BOX	03/27/2024	
1	NDC:47682-057-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-057-36	75 in 1 BOX	03/27/2024	
2	NDC:47682-057-99	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-057-48	125 in 1 BOX	03/27/2024	
3	NDC:47682-057-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-057-64	12 in 1 BOX	03/27/2024	
4	NDC:47682-057-99	2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-057-99	2 in 1 PACKET; Type 0: Not a Combination Product	03/27/2024	

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M013	03/27/2024	

## MEDI-FIRST PLUS NON-ASPIRIN

acetaminophen tablet, coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-059
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

### Product Characteristics

Color	white ((White to Off-White))	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	G323
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-059-33	50 in 1 BOX	03/27/2024	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-059-48	125 in 1 BOX	03/27/2024	
2		2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/27/2024	

## MEDIQUE APAP

acetaminophen tablet, coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-145
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	10mm
Flavor		Imprint Code	AZ;234
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-145-32	6 in 1 BOX	12/30/2008	08/01/2018
1	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-145-64	12 in 1 BOX	12/30/2008	
2	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-145-36	75 in 1 BOX	12/30/2008	

3	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-145-48	125 in 1 BOX	12/30/2008	
4	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-145-13	250 in 1 BOX	12/30/2008	
5	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product		
6	NDC:47682-145-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/30/2008	

## MEDI-FIRST NON-ASPIRIN

acetaminophen tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-803
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z 65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;234
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-803-33	50 in 1 BOX	12/30/2008	
1	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-803-48	125 in 1 BOX	12/30/2008	
2	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-803-13	250 in 1 BOX	12/30/2008	
3	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-803-92	750 in 1 BOX	12/30/2008	12/01/2022
4	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-803-50	25 in 1 BOX	06/03/2019	
5	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product		
6	NDC:47682-803-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/30/2008	

## MEDI FIRST PLUS NON-ASPIRIN

acetaminophen tablet, coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-903
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	

**POLYETHYLENE GLYCOL** (UNII: 3WJQ0SDW1A)

**POVIDONE** (UNII: FZ989GH94E)

**SODIUM STARCH GLYCOLATE TYPE A POTATO** (UNII: 5856J3G2A2)

**STARCH, CORN** (UNII: O8232NY3SJ)

**STEARIC ACID** (UNII: 4ELV7Z65AP)

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;234
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-903-33	50 in 1 BOX	12/30/2008	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-903-48	125 in 1 BOX	12/30/2008	
2		2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/30/2008	

## DOVER AMINOPHEN

acetaminophen tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-303
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL</b> (UNII: 3WJQ05DW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;234
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-303-13	250 in 1 BOX	12/30/2008	
1	NDC:47682-303-99	2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/30/2008	

## DOVER AMINOFEN

acetaminophen tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-060
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white ((White to Off-White))	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	G323
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-060-13	250 in 1 BOX	03/27/2024	
1	NDC:47682-060-99	2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/27/2024	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation