

**FIRST AID ANTIBIOTIC PLUS BURN RELIEF-  
bacitracinzinc,neomycinsulfate,polymyxinbsulfate,pramoxinehci ointment  
Trifecta Pharmaceuticals USA LLC**

-----  
**Globe First Aid Antibiotic Plus Burn Relief**

**Active Ingredient**

Pramoxine HCl

**Purpose Section**

External Analgesic

**Active Ingredient**

Polymyxin B Sulfate

**Purpose**

First Aid Antibiotic

**Active Ingredient**

Bacitracin Zinc

**Purpose**

First Aid Antibiotic

Neomycin Sulfate

**Purpose**

First Aid Antibiotic

**Uses**

First Aid to help prevent infection and for the temporary relief of pain or discomfort in minor cuts, scrapes and burns.

**Warnings**

For external Use Only

## **Do Not Use**

Do Not use

- In the eyes
- Over large areas of the body
- If you are allergic to any of the ingredients

## **Ask Doctor before use if you have**

- Deep or puncture wounds
- Animal Bites
- Serious Burns

## **Stop Use and ask a doctor if**

- Condition persists or gets worse
- You need to use longer than 1 week
- A rash or other allergic reaction develops
- symptoms persist for more than 1 week or clear up and occur again within a few days

## **Directions**

Adults and children 2 years of age and older:

- Clean the affected area and dry thoroughly.
- Apply a small amount of this product , an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Children under 2 years old: ask a doctor

## **Inactive Ingredients**

White Petrolatum

## **Questions**

Call 1-888-296-9067

## **Storage Information**

- Store at 20° to 25°C (68° to 77°F).
- See carton or tube crimp for lot number and expiration date

## **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center immediately.

# Other Information

Distributed By:

Trifecta Pharmaceuticals USA®

101 NE Third Avenue, Suite 1500

Fort Lauderdale, FL. 33301 USA

www.trifecta-pharma.com

## OUTSIDE BOX



# INNER TUBE

NDC: 69396-138-02

Compare to the active ingredients in Neosporin® + Burn Relief

FIRST AID ANTIBIOTIC  
+Burn Relief

Maximum Strength Pain Relieving Ointment

Relieves Pain and Prevents Infection in Minor Cuts, Burns and Scrapes

Triple Antibiotic Infection Protection

Bacitracin Zinc  
Neomycin Sulfate  
PolymyxinB Sulfate  
Pramoxine HCl

NET WT. 2 oz. (57g)

**DRUG FACTS**

Active ingredients	Purpose
Bacitracin Zinc 500 units	First aid antibiotic
Neomycin Sulfate 3.5 mg	First aid antibiotic
Polymyxin B Sulfate 10,000 units	First aid antibiotic
Pramoxine HCl 10 mg	External analgesic

**Uses**  
First aid to help prevent infection and for the temporary relief of pain or discomfort in minor:  
• Cuts • Scrapes • Burns

**Warnings**  
For external use only.

**Do not use**

- In the eyes
- Over large areas of the body
- If you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- Deep or puncture wounds
- Animal bites
- Serious burns

**Stop use and ask a doctor if**

- Condition persists or gets worse
- You need to use longer than 1 week
- A rash or other allergic reaction develops
- Symptoms persist for more than 1 week, or clear up and occur again within a few days

**Keep out of the reach of children.**  
If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions**

**Adults and children 2 years of age and older:**

- Clean the affected area and dry thoroughly.
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

**Children under 2 years of age:** ask a doctor

**Other information**

- Store at 20° to 25°C (68° to 77°F).
- See carton or tube crimp for lot number and expiration date.

**Inactive ingredient**  
White petrolatum

**Questions?**  
Call 1-888-266-0067

Distributed by:  
**Trifecta Pharmaceuticals USA®**  
101 NE Third Avenue, Suite 1500  
FL Lauderdale, FL 33301 USA  
[www.trifecta-pharma.com](http://www.trifecta-pharma.com)

## FIRST AID ANTIBIOTIC PLUS BURN RELIEF

bacitracinzinc,neomycinsulfate,polymxinbsulfate,pramoxinehci ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69396-138
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW0521)	BACITRACIN	500 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69396-138-02	1 in 1 BOX	09/04/2023	
1		57 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	09/04/2023	

**Labeler** - Trifecta Pharmaceuticals USA LLC (079424163)

Revised: 12/2024

Trifecta Pharmaceuticals USA LLC