

**NIGHTTIME SLEEP AID- diphenhydramine hydrochloride solution
WALGREEN COMPANY**

Nighttime Sleep-Aid

Drug Facts

Active ingredient (in each 30 mL dose cup)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222

Directions

- take only one dose per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- **each 30 mL dose cup contains:**potassium 5 mg; sodium 10 mg
- store at room temperature

Inactive ingredients

anhydrous citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, potassium citrate, purified water, sodium benzoate, sorbitol, sucralose.

Questions or comments?

1-866-467-2748

Principal Display Panel - 354 mL Label

Compare to the active ingredient in ZzzQuil™ Nighttime Sleep-Aid*

Nighttime Sleep-aid

Diphenhydramine HCl

Non-Habit Forming

Makes you fall asleep fast

Alcohol-Free

Cherry Vanilla Flavor

Naturally and Artificially Flavor

Not for Pain, Not for Colds, Just for Sleep

12 FL. OZ. (354 ml)

***This product is not manufactured or distributed by Procter & Gamble, the distributor of ZzzQuil™ Nighttime Sleep-Aid.**

DISTRIBUTED BY:

WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Walgreens.com ©2017 Walgreen Co.

Package Label for Nighttime Sleep-Aid

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINK BAND IS MISSING OR BROKEN

Drug Facts (continued)

Other information
 ■ each 30 mL dose cup contains: potassium 5 mg; sodium 10 mg
 ■ store at room temperature

Inactive ingredients anhydrous citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, potassium citrate, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments? 1-866-467-2748

Walgreens Pharmacist Recommended
 Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
 *This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® ZzzQuil™ Nighttime Sleep-Aid.



LOT: _____

EXP: _____

NDC 0363-7300-12

Walgreens

Compare to the active ingredient in Vicks® ZzzQuil™ Nighttime Sleep-Aid

Sugar Free

Sleep Aid

DIPHENHYDRAMINE HCl 50 mg / NIGHTTIME SLEEP AID

Nighttime

• Non-habit forming



12 FL OZ (354 mL) Cherry Vanilla flavor
naturally & artificially flavored

NOT FOR PAIN. NOT FOR COLDS. JUST FOR SLEEP.

Drug Facts

Active ingredient (in each 30 mL dose cup) Purpose
 Diphenhydramine HCl 50 mg.....Nighttime sleep-aid

Uses ■ for the relief of occasional sleeplessness
 ■ reduces time to fall asleep if you have difficulty falling asleep

Warnings
Do not use
 ■ for children under 12 years of age
 ■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
 ■ a breathing problem such as emphysema, or chronic bronchitis
 ■ glaucoma
 ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions ■ take only one dose per day (24 hours)
 ■ only use dose cup provided

adults & children 12 yrs & over 30 mL at bed time if needed or as directed by a doctor
 children under 12 yrs do not use

Package Label for Nighttime Sleep Aid Twin-Pack

TWIN PACK NDC 0363-7300-04

Walgreens

Compare to the active ingredient in Vicks® ZzzQuil™ Nighttime Sleep-Aid

Sugar Free

Sleep Aid

DIPHENHYDRAMINE HCl 50 mg / NIGHTTIME SLEEP AID

Nighttime

• Non-habit forming



NOT FOR PAIN. NOT FOR COLDS. JUST FOR SLEEP.

2 BOTTLES - 12 FL OZ (354 mL) EACH / 24 FL OZ (708 mL) TOTAL

Drug Facts

Active ingredient (in each 30 mL dose cup) Purpose
 Diphenhydramine HCl 50 mg.....Nighttime sleep-aid

Uses ■ for the relief of occasional sleeplessness
 ■ reduces time to fall asleep if you have difficulty falling asleep

Warnings
Do not use
 ■ for children under 12 years of age
 ■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
 ■ a breathing problem such as emphysema, or chronic bronchitis
 ■ glaucoma
 ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions ■ take only one dose per day (24 hours)
 ■ only use dose cup provided

adults & children 12 yrs & over 30 mL at bed time if needed or as directed by a doctor
 children under 12 yrs do not use

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINK BAND IS MISSING OR BROKEN

LOT: _____

EXP: _____

NIGHTTIME SLEEP AID

diphenhydramine hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7300
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY, VANILLA	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7300-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/25/2020	
2	NDC:0363-7300-24	2 in 1 CELLO PACK	01/25/2020	
2		354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	01/25/2020	

Labeler - WALGREEN COMPANY (008965063)

Revised: 11/2025

WALGREEN COMPANY