

ISOPROPYL ALCOHOL- isopropyl alcohol liquid
Epic Medical Supply Corp.

Isopropyl Alcohol 91%

Drug Facts

Active ingredient

Isopropyl alcohol 91%

Purpose

First Aid Antiseptic

Uses

- first aid to help prevent the risk of infection in:
 - minor cuts
 - scrapes
 - burns

Warnings

For external use only

Flammable

- keep away from fire or flame, heat, spark, electrical. Flash point 72°F.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply 1 to 3 times daily

Other information

- does not contain, nor is intended as a substitute for grain or ethyl alcohol
- will produce serious gastric disturbances if taken internally

Inactive ingredient

purified water

PRINCIPAL DISPLAY PANEL

Epic Medical Supply

91% by Volume

ISOPROPYL ALCOHOL

First Aid Antiseptic

Square bottle uses less plastic than a similarly sized round bottle

Recyclable (If available in your area)

TAMPER EVIDENT CAP FOR YOUR PROTECTION.

IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

Warning

Flammable

Manufactured for Epic Medical Supply Corp

Lakewood New Jersey 08701

www.epicmedsupply.com



NDC 82749-004-16
REF: 613-1176

ISOPROPYL ALCOHOL

91%

FIRST AID ANTISEPTIC



Made in USA

TAMPER EVIDENT CAP FOR YOUR
PROTECTION. IF RING-BAND IS
DETACHED FROM CAP OR
MISSING DO NOT USE.

**WARNING:
FLAMMABLE!**



16 FL. OZ. (473 mL)

Manufactured for:
Epic Medical Supply Corp
Lakewood, NJ 08701
www.epicmedsupply.com
1-07-D0042 N05EF

16 FL. OZ. (473 mL)

Drug Facts

Active ingredient **Purpose**
Isopropyl alcohol 91% . . . First Aid Antiseptic

Uses • first aid to help prevent the risk of infection in • minor cuts • scrapes • burns

Warnings For external use only

Flammable

- keep away from fire or flame, heat, spark, electrical
- Flash point 72°F.
- do not use with electrocautery procedures.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area
• apply 1 to 3 times daily

Other information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive ingredient purified water



ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82749-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	91 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82749-004-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/13/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/13/2023	

Labeler - Epic Medical Supply Corp. (101423894)

Revised: 11/2024

Epic Medical Supply Corp.