

POISON IVY - xerophyllum asphodeloides, aconitum nap., anacardium occidentale, apis mel., bryonia, cantharis, croton, graphites, grindelia, mezereum, nux vom., ranunc. bulb., rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Poison Ivy

INDICATIONS & USAGE SECTION

Poison Ivy Formulated for symptoms associated with poison ivy, oak and sumac such as itching, burning, pain, swelling and blistering.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

ACTIVE INGREDIENT SECTION

Xerophyllum asphodeloides 30x, Aconitum nap. 15x, Anacardium occidentale 15x, Apis mel. 15x, Bryonia 15x, Cantharis 15x, Croton 15x, Graphites 15x, Grindelia 15x, Mezereum 15x, Nux vom. 15x, Ranunc. bulb. 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sulphur 15x, Echinacea 3x, Rumex crisp. 3x, Taraxacum 3x, Urtica ur. 3x.

PURPOSE SECTION

Formulated for symptoms associated with poison ivy, oak and sumac such as itching, burning, pain, swelling and blistering.

INACTIVE INGREDIENT SECTION

Gluten-free, non-GMO, beet-derived sucrose pellets.

QUESTIONS? SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

PREGNANCY OR BREAST FEEDING SECTION

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days.

KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

www.newtonlabs.net
 Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warnings: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
 homeopathics™ **PRO**

NDC#
 55714-4477-1

Nurturing Naturally Since 1987™

**Poison
 Ivy**

*Formulated for
 symptoms associated
 with poison ivy, oak and
 sumac such as itching,
 burning, pain, swelling
 and blistering.*

1 oz (28.35 g)

Dispensed by healthcare professionals only.
 Not for over-the-counter sale.

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

Active Ingredients: Xerophyllum asphodeloides 30x, Aconitum nap. 15x, Anacardium orientale 15x, Apis mel. 15x, Bryonia 15x, Cantharis 15x, Croton 15x, Graphites 15x, Grindelia 15x, Mezereum 15x, Nux vom. 15x, Ranunc. bulb. 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sulphur 15x, Echinacea 3x, Rumex crisp. 3x, Taraxacum 3x, Urtica ur. 3x.

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

Stock# **R039** Lot#

www.newtonlabs.net
 Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warnings: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
 homeopathics™ **PRO**

NDC#
 55714-4477-1

Nurturing Naturally Since 1987™

**Poison
 Ivy**

*Formulated for
 symptoms associated
 with poison ivy, oak and
 sumac such as itching,
 burning, pain, swelling
 and blistering.*

1 oz (28.35 g)

Dispensed by healthcare professionals only.
 Not for over-the-counter sale.

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

Active Ingredients: Xerophyllum asphodeloides 30x, Aconitum nap. 15x, Anacardium orientale 15x, Apis mel. 15x, Bryonia 15x, Cantharis 15x, Croton 15x, Graphites 15x, Grindelia 15x, Mezereum 15x, Nux vom. 15x, Ranunc. bulb. 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sulphur 15x, Echinacea 3x, Rumex crisp. 3x, Taraxacum 3x, Urtica ur. 3x.

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

Stock# **R039** Lot#

POISON IVY

xerophyllum asphodeloides, aconitum nap., anacardium occidentale, apis mel., bryonia, cantharis, croton, graphites,

grindelia, mezereum, nux vom., ranunc. bulb., rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:55714-4477
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Xerophyllum Asphodeloides (UNII: 9I4XB1GP2B) (Xerophyllum Asphodeloides - UNII:9I4XB1GP2B)	Xerophyllum Asphodeloides	30 [hp_X] in 1 g
Aconitum Napellus (UNII: U0NQ8555JD) (Aconitum Napellus - UNII:U0NQ8555JD)	Aconitum Napellus	15 [hp_X] in 1 g
Anacardium Occidentale Fruit (UNII: 4A10JR4E7E) (Anacardium Occidentale Fruit - UNII:4A10JR4E7E)	Anacardium Occidentale Fruit	15 [hp_X] in 1 g
Apis Mellifera (UNII: 7S82P3R43Z) (Apis Mellifera - UNII:7S82P3R43Z)	Apis Mellifera	15 [hp_X] in 1 g
Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 g
Lytta Vesicatoria (UNII: 3Q034RO3BT) (Lytta Vesicatoria - UNII:3Q034RO3BT)	Lytta Vesicatoria	15 [hp_X] in 1 g
Croton Tiglium Seed (UNII: 0HK2GZK66E) (Croton Tiglium Seed - UNII:0HK2GZK66E)	Croton Tiglium Seed	15 [hp_X] in 1 g
Graphite (UNII: 4QQN74LH4O) (Graphite - UNII:4QQN74LH4O)	Graphite	15 [hp_X] in 1 g
Grindelia Hirsutula Flowering Top (UNII: IDB0NAZ6AI) (Grindelia Hirsutula Flowering Top - UNII:IDB0NAZ6AI)	Grindelia Hirsutula Flowering Top	15 [hp_X] in 1 g
Daphne Mezereum Bark (UNII: X2N6E405GV) (Daphne Mezereum Bark - UNII:X2N6E405GV)	Daphne Mezereum Bark	15 [hp_X] in 1 g
Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 g
Ranunculus Bulbosus (UNII: AEQ8NXJ0MB) (Ranunculus Bulbosus - UNII:AEQ8NXJ0MB)	Ranunculus Bulbosus	15 [hp_X] in 1 g
Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	15 [hp_X] in 1 g
Smilax Regelii Root (UNII: 2H1576D5WG) (Smilax Regelii Root - UNII:2H1576D5WG)	Smilax Regelii Root	15 [hp_X] in 1 g
Echinacea, Unspecified (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	3 [hp_X] in 1 g
Rumex Crispus Root (UNII: 9N1RM2S62C) (Rumex Crispus Root - UNII:9N1RM2S62C)	Rumex Crispus Root	3 [hp_X] in 1 g
Taraxacum Officinale (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375)	Taraxacum Officinale	3 [hp_X] in 1 g
Urtica Urens (UNII: IHN2NQ5OF9) (Urtica Urens - UNII:IHN2NQ5OF9)	Urtica Urens	3 [hp_X] in 1 g
Sulfur (UNII: 70FD1KFU70) (Sulfur - UNII:70FD1KFU70)	Sulfur	15 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Sucrose (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4477-1	28.35 g in 1 BOTTLE, GLASS		
2	NDC:55714-4477-2	56.7 g in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4477)

Revised: 6/2011

Newton Laboratories, Inc.