PRIMA SANITIZING PRE AND POST TEAT DIP- hydrogen peroxide solution Delaval

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DeLaval
Prima
Sanitizing pre and post teat dip
Sanitizante pre y post ordeno

Sanitizing pre and post teat dip Sanitizante pre y post ordeno

ACTIVE INGREDIENTS:

Hydrogen Peroxide 0.5% with 5% Glycerin Contains FD and C Yellow No. 6 Accelerated Hydrogen Peroxide

US Patent No.: 7,632,523

Other patents pending

The Accelerated Hydrogen Peroxide technology and logo are the property of Virox Technologies Inc. and are being used under license.

1266-J0116

 H_2O_2

NPE FREE Formula

KEEP OUT OF REACH OF CHILDREN

!CAUTION

MANTENER FUERA DEL ALCANCE DE LOST NINOS

!CUIDADO

1266

NDC NUMBER: 55756-266

SI USTED NO PUEDE LEER ESTA ETIQUETA POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.

Eye Contact: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, store in a warm room and shake well

before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not for human use

Additional Information on Material Safety Data Sheet

GENERAL INSTRUCTIONS

- Use at full strength. (Do not dilute.)
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip foaming cup before each milking. Use fresh teat dip for each milking.
- Foaming solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not pour used dip back into original container.
- Do not use **DeLaval Prima** for cleaning or sanitizing equipment.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.

PRE DIPPING

- Remove excess soil and forestrip. (If water is used, use minimal amount and dry thoroughly with clean, single-service paper towel before forestripping.)
- Dip teats with **DeLaval Prima** to base of udder.
- Allow 15 to 30 seconds contact time.
- Dry tests thoroughly with a clean, single-service paper towel.
- Attach milking unit.

POST DIPPING


- Immediately after removing milking unit, dip or spray teats with **DeLaval Prima** teat dip. Do not wipe.
- If outside temperature is below freezing, allow **DeLaval Prima** teat dip to air dry on teats before cow leaves the parlor; or allow teat dip to remain on teats for one minute, then dry teats with single service paper towel. Failure to follow these instructions may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.** 11100 N. Congress Avenue Kansas City, MO 64153 Phone: 816-891-7700 Manufactured by: WestAgro, Inc. © 2018, Made in USA

NET CONTENTS:

LOT NO.:

EXP. DATE:



KEEP OUT OF REACH OF CHILDREN

A CAUTION

MANTENER FUERA DEL ALCANCE DE **LOS NIÑOS**



SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID
Contact with product can cause irritation to eyes. Avoid contact with eyes

If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL
THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact
with food or feed, Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product
has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container
before disposing of in a safe manner. Do not store in direct sunlight.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use Additional Information on Safety Data Sheet

GENERAL INSTRUCTIONS

- Use at full strength. (Do not dilute.)
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip foaming cup before each milking. Use fresh teat dip for each milking.
- Foaming solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not pour used dip back into original container.
 Do not use DeLaval Prima™ for cleaning or sanitizing equipment.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.

PRE-DIPPING

- Remove excess soil and forestrip. (If water is used, use a minimal amount and dry thoroughly with clean, single-service paper towel before forestripping.)
- Dip teats with DeLaval Prima™ to base of udder.
- . Allow 15 to 30 seconds contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- · Attach milking unit.

POST-DIPPING

- Immediately after removing milking unit, dip or spray teats with **DeLaval Prima**[™] teat dip. Do not wipe.
- teats with **DeLaval Prima** in teat dip. Do not wipe.
 If outside temperature is below freezing, allow **DeLaval Prima** ** teat dip to air-dry on teats before
 cow leaves the parlor; or allow teat dip to remain on
 teats for one minute, then dry teats with a singleservice paper towel. Failure to follow these directions
 may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.** 11100 N. Congress Avenue Kansas City, MO 64153 Phone: 816-891-7700 Manufactured by: WestAgro, Inc., © 2018, Made in USA

NET CONTENTS: 55 US GAL. (208.2 L)

LOT NO .:

EXP. DATE:



PRIMA SANITIZING PRE AND POST TEAT DIP

TOPICAL

hydrogen peroxide solution

Product Information

Route of Administration

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-266
--------------	-----------------	--------------------	---------------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hydrogen Peroxide (UNII: BBX060 AN9 V) (Hydrogen Peroxide - UNII: BBX060 AN9 V)	Hydrogen Peroxide	5.1 g in 1 L

Packaging Package Description **Marketing Start Date Marketing End Date** Item Code 1 NDC:55756-266-08 19 L in 1 CONTAINER 56.8 L in 1 CONTAINER 2 NDC:55756-266-02 3 NDC:55756-266-01 208.4 L in 1 DRUM 4 NDC:55756-266-27 1042.2 L in 1 DRUM

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved drug other		0 1/0 1/20 12				

Labeler - Delaval (173704867)

Registrant - WestAgro, Inc. (069288728)

Establishment			
Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, label, manufacture, pack, api manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		002222368	analysis, label, manufacture, pack, api manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		0 4 4 6 1 0 1 4 0	analysis, label, manufacture, pack, api manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
JBZ Dairy Advantage Inc		0 16 9 1428 7	repack

Establishment			
Name	Address	ID/FEI	Business Operations
Agri-Service LLC		147765796	repack

Establishment			
Name	Address	ID/FEI	Business Operations
Graham Dairy Supply Inc		0 14157770	repack

Revised: 6/2018 Delaval