# SPORT SUNSCREEN SPF 50 DAYLOGIC- avobenzone 3.0% homosalate 13.0% octisalate 5.0% octocrylene 5.0% oxybenzone 6.0% lotion Rite Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 13%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 5%	Sunscreen
Oxybenzone 6%	Sunscreen

**Uses** • helps prevent sunburn

Warnings
For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

• apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

### Other information

• protect this product from excessive heat and direct sun • may stain fabrics

# **Inactive ingredients**

Water,
Propylene Glycol, Neopentyl Glycol Diheptanoate,
Polyamide-8, Styrene/Acrylates Copolymer,
Tocopherol, Retinyl Palmitate, Acrylates/C10-30
Alkyl Acrylate Crosspolymer, Benzyl Alcohol,
Caprylic/Capric Triglyceride, Chlorphenesin,
Diethylhexyl Syringylidenemalonate, Disodium
EDTA, Oleth-3, Sodium Ascorbyl Phosphate,
Triethanolamine, Fragrance.

Questions? 1-800-RITEAID (1-800-748-3243)



Drug Facts

Active ingredients Purpose
Avobenzone 3% Sunscreen
Homosoleta 129 Sunscreen

 Homosalate
 13%
 Sunscreen

 Octisalate
 5%
 Sunscreen

 Octocrylene
 5%
 Sunscreen

 Oxybenzone
 6%
 Sunscreen

Uses • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water or sweating • provides high protection against sunburn.

## Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure
• reapply: • after 80 minutes of swimming or sweating • immediately
after towel drying • at least every 2 hours • Sun Protection
Measures. Spending time in the sun increases your risk of skin
cancer and early skin aging. To decrease this risk, regularly use a
sunscreen with a broad spectrum SPF of 15 or higher and other sun
protection measures including: • limit time in the sun, especially from
10 a.m. − 2 p.m. • wear long-sleeve shirts, pants, hats, and
sunglasses • children under 6 months: Ask a doctor

Other information • protect this product from excessive

heat and direct sun • may stain fabrics.

Inactive ingredients Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Benzyl Alcohol, Caprylic/Capric Triglyceride, Chlorphenesin, Diethylhexyl Syringylidenemalonate, Disodium EDTA, Fragrance, Neopentyl Glycol Diheptanoate, Oleth-3, Polyamide-8, Propylene Glycol, Retinyl Palmitate, Sodium Ascorbyl Phosphate, Styrene/Acrylates Copolymer, Tocopherol, Triethanolamine, Water.

Questions? 1-800-RITEAID (1-800-748-3243)

DISTRIBUTED BY: RITE AID 30 HUNTER LANE CAMP HILL, PA 17011

MADE IN THE USA WITH DOMESTIC AND FOREIGN COMPONENTS look great feel great 0

 $\infty$ 

#### SPORT SUNSCREEN SPF 50 DAYLOGIC

avobenzone 3.0% homosalate 13.0% octisalate 5.0% octocrylene 5.0% oxybenzone 6.0% lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-7794
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Avobenzone (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	Avobenzone	3 g in 100 mL	
Homosalate (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	Ho mo sa la te	13 g in 100 mL	
Octisalate (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	Octisalate	5 g in 100 mL	
Octocrylene (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	Octocrylene	5 g in 100 mL	
Oxybenzone (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	Oxybenzone	6 g in 100 mL	

CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)  Benzyl Alcohol (UNII: LKG8494WBH)  MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)  Chlorphenesin (UNII: 1670 DAL4SZ)  Diethylhexyl Syringylidenemalonate (UNII: 3V5U97P248)  EDETATE DISO DIUM (UNII: 7FLD9 1C86K)  Neopentyl Glycol Diheptanoate (UNII: 5LKW3C543X)  Oleth-3 (UNII: BQZ26235UC)  Propylene Glycol (UNII: 6DC9Q167V3)  VITAMIN A PALMITATE (UNII: 1D1K0N0 VVC)	
Benzyl Alcohol (UNII: LKG8494WBH)  MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)  Chlorphenesin (UNII: 1670 DAL4SZ)  Diethylhexyl Syringylidenemalonate (UNII: 3V5U97P248)  EDETATE DISO DIUM (UNII: 7FLD9 1C86K)  Neopentyl Glycol Diheptanoate (UNII: 5LKW3C543X)  Oleth-3 (UNII: BQZ26235UC)  Propylene Glycol (UNII: 6DC9Q167V3)  VITAMIN A PALMITATE (UNII: 1D1K0 N0 VVC)	ngth
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)  Chlorphenesin (UNII: 1670 DAL4SZ)  Diethylhexyl Syringylidenemalonate (UNII: 3V5U97P248)  EDETATE DISO DIUM (UNII: 7FLD9 1C86K)  Neopentyl Glycol Diheptanoate (UNII: 5LKW3C543X)  Oleth-3 (UNII: BQZ26235UC)  Propylene Glycol (UNII: 6DC9Q167V3)  VITAMIN A PALMITATE (UNII: 1D1K0N0 VVC)	
Chlorphenesin (UNII: 1670 DAL4SZ)  Diethylhexyl Syringylidenemalonate (UNII: 3V5U97P248)  EDETATE DISODIUM (UNII: 7FLD91C86K)  Neopentyl Glycol Diheptanoate (UNII: 5LKW3C543X)  Oleth-3 (UNII: BQZ26235UC)  Propylene Glycol (UNII: 6DC9Q167V3)  VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
Diethylhexyl Syringylidenemalonate (UNII: 3V5U97P248)  EDETATE DISODIUM (UNII: 7FLD91C86K)  Neopentyl Glycol Diheptanoate (UNII: 5LKW3C543X)  Oleth-3 (UNII: BQZ26235UC)  Propylene Glycol (UNII: 6DC9Q167V3)  VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)  Neopentyl Glycol Diheptanoate (UNII: 5LKW3C543X)  Oleth-3 (UNII: BQZ26235UC)  Propylene Glycol (UNII: 6DC9Q167V3)  VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
Neopentyl Glycol Diheptanoate (UNII: 5LKW3C543X)  Oleth-3 (UNII: BQZ26235UC)  Propylene Glycol (UNII: 6DC9Q167V3)  VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
Oleth-3 (UNII: BQZ26235UC)  Propylene Glycol (UNII: 6DC9Q167V3)  VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
Propylene Glycol (UNII: 6DC9Q167V3)  VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
Sodium Ascorbyl Phosphate (UNII: 836SJG51DR)	
.ALPHATO COPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

l	Packaging			
l	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
	1 NDC:11822-7794-6	236 mL in 1 PACKAGE; Type 0: Not a Combination Product	09/26/2016	
н				

Marketing Infor	mation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/26/2016	

# **Labeler -** Rite Aid (014578892)

# Registrant - Product Quest Mfg (927768135)

Establishment			
Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(11822-7794), label(11822-7794)

Revised: 8/2018 Rite Aid