

**COPPERTONE EVERYTONE SUNSCREEN SPF 50- avobenzene 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% spray**  
Beiersdorf Inc

-----  
**EveryTone Lotion Spray SPF 50**

***Drug Facts***

***Active ingredients***

Avobenzene 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

***Purpose***

Sunscreen

***Use***

- helps prevent sunburn

***Warnings***

**For external use only**

**Flammable:**Do not use near heat, flame, or while smoking

**Do not use** on damaged or broken skin

**When using this product**

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

water, isobutane, SD alcohol 40-B (7.1% v/v), butyloctyl salicylate, diethylhexyl carbonate, glycereth-26, styrene/acrylates copolymer, butylene glycol, diisopropyl adipate, dimethicone, polyamide-8, isododecane, 1,2-hexanediol, ammonium acryloyldimethyltaurate/beheneth-25 methacrylate crosspolymer, glycerin, aloe barbadensis leaf juice, tocopherol (vitamin E), sodium ascorbyl phosphate, hydroxyacetophenone, ethylhexyl methoxycrylene, arachidyl alcohol, xanthan gum, behenyl alcohol, arachidyl glucoside, disodium EDTA

### ***Questions?***

1-866-288-3330

Coppertone® Senscreen Lotin Spray

EveryTone

Blends Clear on All Skin Tones

50

No White Residue

Hydrates for Radiant Skin

with Aloe & Nourishing Vitamin E  
 Free of Oxybenzone, Octinoxate,  
 PABA, and Phthalates  
 Water Resistant (80 Minutes)  
 Broad Spectrum SPF 50

**NEW**

  
**Coppertone**<sup>®</sup>  
 SUNSCREEN LOTION SPRAY



**EVERY  
 TONE**

**BLENDS CLEAR  
 ON ALL SKIN TONES**

**50**

**NO WHITE RESIDUE**

**Hydrates for Radiant Skin  
 with Aloe & Nourishing Vitamin E**

Free of Oxybenzone, Octinoxate,  
 PABA and Phthalates

Water Resistant (80 Minutes)  
 Broad Spectrum SPF 50

NET WT 5 OZ (142 g)

**Drug Facts**

Active Ingredients	Purpose
(To Deliver) Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Flammable:** Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

**When using this product**

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- shake well before each use. ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions
- use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

**Inactive Ingredients**

water, isobutane, SD alcohol 40-B (7.1% v/v), butyloctyl salicylate, diethylhexyl carbonate, glycereth-26, styrene/acrylates copolymer, butylene glycol, diisopropyl adipate, dimethicone, polyamide-8, isododecane, 1,2-hexanediol, ammonium acryloyldimethyltaurate/beheneth-25 methacrylate crosspolymer, glycerin, aloe barbadensis leaf juice, tocopherol (vitamin E), sodium ascorbyl phosphate, hydroxyacetophenone, ethylhexyl methoxycrylene, arachidyl alcohol, xanthan gum, behenyl alcohol, arachidyl glucoside, disodium EDTA

**Questions?** 1-866-288-3330



**COPPERTONE EVERYTONE SUNSCREEN SPF 50**

avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-5049
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	9 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)	
<b>POLYAMIDE-8 (4500 MW)</b> (UNII: 77723GV81A)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GLYCERETH-26</b> (UNII: NNE56F2N14)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVW35J00J)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIETHYLHEXYL CARBONATE</b> (UNII: YCD5000Z6L)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (50000 MW)</b> (UNII: 5Z4DPO246A)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	

## Product Characteristics

<b>Color</b>	white (clear to white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-5049-5	142 g in 1 CAN; Type 0: Not a Combination Product	11/03/2023	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/03/2023	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc