

EQUATE READY-TO-USE ENEMA LAXATIVE- sodium phosphate, dibasic, unspecified form and sodium phosphate, monobasic, unspecified form enema

WalMart

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Equate™ Ready-to-Use Enema
Laxative**

Drug Facts

<i>Active ingredients (in each 118 mL delivered dose)</i>	<i>Purpose</i>
Dibasic Sodium Phosphate 7 g	Saline laxative
Monobasic Sodium Phosphate 19 g	Saline laxative

Use

- relieves occasional constipation
- this product generally produces bowel movement in 1 to 5 minutes

Warnings

For rectal use only.

Dosage Warning

Using more than one enema in 24 hours can be harmful.

Do not use

- on children under 2 years of age

Ask a doctor before use if you

- have already used a laxative for more than 3 days
- have kidney disease, have heart problems, or are dehydrated
- are 55 years of age or older
- are on a sodium-restricted diet
- have abdominal pain, nausea, or vomiting
- have a sudden change in bowel habits lasting more than 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

When using this product

- **do not use more than directed. Serious side effects may occur from excess dosage**
- do not use for more than 3 days, without asking a doctor

Stop use and ask a doctor if

- you have rectal bleeding
- you have no bowel movement within 30 minutes of enema use

- you have symptoms of dehydration (thirstiness, dizziness, vomiting, urinating less often than normal)

These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

Directions (or as directed by a doctor)

Single daily dosage (per 24 hours)

Do not use if taking another sodium phosphate product.

Do not use more unless directed by a doctor. See Warnings.

Adults and children 12 years of age and older	1 bottle once daily
Children 2 to under 12 years of age	Use Pediatric Enema
Children under 2 years of age	DO NOT USE

Other information

- **each 118 ml contains** 4.3 g sodium
- store at 15 to 30°C (59 to 86°F)
- additional liquids by mouth are recommended while using this product
- **Tamper Evident:** DO NOT USE IF TOP OR BOTTOM FLAP OF CARTON IS TORN OR MISSING.

Inactive ingredients

benzalkonium chloride, disodium EDTA, purified water

Questions or comments?

1-888-287-1915

**DISTRIBUTED BY: Wal-Mart Stores, Inc.,
Bentonville, AR 72716**

PRINCIPAL DISPLAY PANEL - 2 Bottle Carton

2 PACK

NDC 49035-002-36

equate™

Compare to
Fleet® active
ingredients*

READY-TO-USE

Enema

Sodium

Phosphates

Saline

Laxative

- For relief of occasional constipation

Not made with natural rubber latex

2 - 4.5 FL OZ (133mL) BOTTLES

9 FL OZ (266mL) TOTAL

2
BOTTLES

Tamper Resistant
Do not use if top or bottom flap
of carton is torn or missing.

equate™

READY-TO-USE

Enema

Made in the
USA
Factory Certified

CAUTION:
REMOVE BLUE
PROTECTIVE
SHIELD FROM
ENEMA TIP
BEFORE
INSERTING.
PL10188
V19

2 PACK

NDC 49035-002-36

equate™

READY-TO-USE

Enema

Sodium
Phosphates

Saline
Laxative



- For relief of occasional constipation

Not made with natural rubber latex

2 - 4.5 FL OZ (133mL) BOTTLES
9 FL OZ (266mL) TOTAL

2
BOTTLES

Positions for using this enema

Left-side position: Lie on left side with knees bent and arms resting comfortably.



Knee-chest position: Kneel, then lower head and chest forward until left side of face is resting on surface with left arm folded comfortably.



How to use this enema

- Remove protective shield from enema tip before inserting.
- Hold bottle upright, grasping bottle cap with fingers. Grasp protective shield with other hand and pull gently to remove.



■ **Administering enema:**

- With steady pressure, gently insert enema tip into rectum with a slight side-to-side movement, with tip pointing toward navel. Insertion may be easier if person receiving enema bears down, as if having a bowel movement. Doing so helps relax muscles around anus.
- Do not force enema tip into rectum. Stop using if tip is hard to insert. Forcing the tip into the rectum can cause injury (especially if you have hemorrhoids). If enema tip causes rectal bleeding or pain, get immediate medical care.
- Squeeze bottle until nearly all liquid is gone. It is not necessary to empty bottle completely, as it contains more liquid than needed.
- Remove tip from rectum and stay in position until urge to evacuate is strong (usually 1 to 5 minutes). If no urge is felt after 5 minutes of using, try to empty bowel. Call a doctor promptly if no liquid comes out of the rectum after 30 minutes because dehydration could occur.

* 429703



CARTON SEALED
FOR SAFETY. IF
SAFETY SEAL ON
THE TOP FLAP IS
BROKEN OR
MISSING, DO
NOT USE.

GLUE FLAP
NO COLOR / TEXT
NO COATING

Complete Enema In A Disposable
Squeeze Bottle With Soft,
Pre-Lubricated Tip.

Protective Shield Prevents
Contamination

Comfortable, Lubricated Tip
For Ease Of Insertion

One-Way Safety Valve
Controls Flow And
Prevents Reflux

Soft, Easy To Use
Bottle



Bottle, cap, and shield are
NOT MADE WITH NATURAL
RUBBER LATEX



COATED PAPER
BOX



PLASTIC
BOTTLE

new
recycling
technology



*Not recycled in all communities

READY-TO-USE

Enema

Drug Facts

Active ingredients (In each 118 mL delivered dose)	Purpose
Dibasic Sodium Phosphate 7 g	Saline laxative
Monobasic Sodium Phosphate 19 g	Saline laxative

Use

- relieves occasional constipation
- this product generally produces bowel movement in 1 to 5 minutes

Warnings

Dosage warning: Using more than one enema in 24 hours can be harmful.

For rectal use only.

Do not use on children under 2 years of age

Ask a doctor before use if you

- have already used a laxative for more than 3 days
- have kidney disease, have heart problems, or are dehydrated
- are 55 years of age or older
- are on a sodium-restricted diet
- have abdominal pain, nausea, or vomiting
- have a sudden change in bowel habits lasting more than 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

When using this product

- do not use more than directed. Serious side effects may occur from excess dosage
- do not use for more than 3 days, without asking a doctor

Stop use and ask a doctor if

- you have rectal bleeding
- you have no bowel movement within 30 minutes of enema use
- you have symptoms of dehydration (thirstiness, dizziness, vomiting, urinating less often than normal)

These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions (or as directed by a doctor)

Single daily dosage (per 24 hours)

Do not use if taking another sodium phosphate product.

GLUE FLAP: NO COLOR / TEXT / NO COAT

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716
 *This product is not manufactured or distributed by C.B. Fleet Company Inc., owner of the registered trademark Fleet®.



Do not use more unless directed by a doctor. See warnings.

Adults and children 12 years of age and older	1 bottle once daily
Children 2 to under 12 years of age	Use Pediatric Enema
Children under 2 years of age	DO NOT USE

Other information

- each 118 ml contains sodium 4.3 g
- store at 15 to 30°C (59 to 86°F)
- additional liquids by mouth are recommended while using this product
- Tamper Evident: DO NOT USE IF TOP OR BOTTOM FLAP OF CARTON IS TORN OR MISSING.**

Inactive ingredients
 benzalkonium chloride, disodium EDTA, purified water

Questions or comments? 1-888-287-1915

GLUE FLAP
NO COLOR / TEXT
NO COATING

EQUATE READY-TO-USE ENEMA LAXATIVE

sodium phosphate, dibasic, unspecified form and sodium phosphate, monobasic, unspecified form enema

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-002
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74) (PHOSPHATE ION - UNII:NK08V8K8HR, SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM	7 g in 118 mL
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW) (PHOSPHATE ION - UNII:NK08V8K8HR, SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM	19 g in 118 mL

Inactive Ingredients

Ingredient Name	Strength
Benzalkonium Chloride (UNII: F5UM2KM3W7)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-002-36	2 in 1 CARTON	04/01/2017	
1		133 mL in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package		
2	NDC:49035-002-24	6 in 1 CARTON	04/01/2017	
2		133 mL in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	04/01/2017	

Labeler - WalMart (051957769)**Establishment**

Name	Address	ID/FEI	Business Operations
Natureplex LLC		062808196	MANUFACTURE(49035-002)

Revised: 3/2020

WalMart