# LABOFLEX COOL AND HOT MENTHOL 1.25 PERCENT CAPSAICIN 0.025 PERCENT- menthol, capsaicin patch Laboflex. Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### LABOFLEX Cool & Hot Patch

#### **ACTIVE INGREDIENTS**

Menthol 1.25%

Capsicum extract 0.025% as Capsaicin

#### **INACTIVE INGREDIENTS**

Aluminum Glycinate, Butylhydroxytoluene(BHT), Carboxymethylcellulose Sodium, Glycerin, Disodium EDTA, Kaolin, Polysorbate 80, Povidone-K90, Propylene Glycol, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Purified Water

#### **PURPOSE**

**Topical Analgesic** 

#### WARNINGS

### For external use only

Do not use  $\blacksquare$  On wounds or damaged skin  $\blacksquare$  With a heating pad  $\blacksquare$  If you are allergic to any ingredients of this product.

## Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

#### Uses

For temporary relief of minor aches and pains of muscles and joints associated with ■ Simple backache ■ Arthritis ■ Strains ■ Bruises ■ Sprains

#### **Directions**

## Adult and children 12 years of age and over :

 $\blacksquare$  Clean and dry affected area  $\blacksquare$  Remove film from patch and apply to the skin  $\blacksquare$  Apply to affected area not more than 3 to 4 times daily  $\blacksquare$  Remove patch from the skin after at most 8-hour application.

#### Children under 12 years of age: Consult a doctor

#### Other Information

■ Avoid storing product in direct sunlight ■ Protect product from excessive moisture

#### **Questions or Comments**

Questions or comments? Call toll-free 1-800-655-0252 or email: wooshinlabo-us@wooshinmed.com

#### When using this product

When using this product ■ Use only as directed ■ Avoid contact with the eyes, mucous membranes or rashes ■ Do not bandage tightly ■ Discontinue use at least 1 hour before a bath or shower ■ Do not use immediately after a bath or shower.

#### Stop use and ask a doctor if

**Stop use and ask a doctor if** ■ Skin reactions such as redness, itching, rash excessive irritation, burning sensation, swelling or blistering occur ■ Condition worsen ■ Symptoms persist for more than 7 days ■

Symptoms clear up and occur again within a few days.

## If pregnant or breast-feeding

**If pregnant or breast-feeding**, ask a health professional before use.

#### PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



#### Drug Facts

Active ingredient
Capsicum extract 0.025% as Capsaicin
L-Menthol 1.25%

**Uses** For temporary relief of minor aches and pains of muscles and joints associated with ■ Simple backache ■ Arthritis ■ Strains ■ Bruises ■ Sprains

#### Warnings

Do not use ■On wounds or damaged skin ■With a heating pad ■If you are allergic to any ingredients of this product.

or inis product.

When using this product ■ Use only as directed ■ Avoid contact with the eyes, mucous membranes or rashes ■ Do not bandage tightly ■ Discontinue use at least 1 hour before a bath or shower ■ Do not use immediately after a bath or shower.

immediately after a bath or shower.

Stop use and ask a doctor if # Skin reactions such as redness, itching, rash excessive irritation, burning sensation, swelling or blistering occur # Condition worsen # Symptoms persist for more than 7 days # Symptoms better up and occur again within a few days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center in the away.

DIFECTIONS

Adults and children 12 years of age and over

■ Clean and dry affected area ■ Remove film from patch and apply to the skin ■ Apply to affected area not more than 3 to 4 times daily ■ Remove patch from the skin after at most 8-hour application.

Children under 12 years of age Consult a doctor.

Other Information

■ Avoid storing product in direct sunlight ■ Protect product from excessive moisture

Questions or comments? Call toll-free 1-800-655-0252 or email: wooshinlaho-us@wooshinmed.com



46 Corporate Park, Suite 140 Irvine CA 92606 Made in Slovenia



# LaboFlex™

#### **Maximum Strength**

NDC 83655-102-15



Neck

Shoulders

**Knees & Elbows** 

LaboFlex

COOL & HOT

### **Topical Analgesic**

- Easy to apply
- Lasts up to 8 hours
- Resealable pouch

5 Patches 3.9" x 5.5" (10cm x 14cm)

**Pain Relieving** Hydrogel Patch

Capsaicin 0.025% Menthol 1.25%

3



Drug Facts

**Uses** For temporary relief of minor aches and pains of muscles and joints associated with ■ Simple backache ■ Arthritis ■ Strains ■ Bruises ■ Sprains



immedicately area a dath or shower.

Stop use and ask a doctor if # Skin reactions such as redness, itching, rash excessive irritation, burning sensation, swelling or bilstering occur # Condition worsen # Symptoms persist for more than 7 days # Symptoms clear up and occur again within a few days.

Directions
Adults and children 12 years of age and over
■ Clean and dry affected area ■ Remove film from patch and apply to the skin ■ Apply to affected more than 3 to 4 times daily ■ Remove patch from the skin after at most 8-hour application. Children under 12 years of age Consult a doctor.

Other Information
■ Avoid storing product in direct sunlight ■ Protect product from excessive moisture

tions or comments? Call toll-free 1-800-655-0252 or email: woo



Manufactured to: Laboflex INC. 46 Corporate Park, Suite 140 Irvine CA 92606





# LABOFLEX COOL AND HOT MENTHOL 1.25 PERCENT CAPSAICIN 0.025 PERCENT

menthol, capsaicin patch

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83655-103
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	87.5 mg	
CAPSAICIN (UNII: S07044R1ZM) (CAPSAICIN - UNII:S07044R1ZM)	CAPSAICIN	1.75 mg	

Inactive Ingredients		
Ingredient Name	Strength	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)		
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K6790BS311)		
POVIDONE K90 (UNII: RDH86HJV5Z)		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
TARTARIC ACID (UNII: W48881119H)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
WATER (UNII: 059QF0KO0R)		
POLYSORBATE 80 (UNII: 60ZP39ZG8H)		
KAOLIN (UNII: 24H4NWX5CO)		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:83655-103- 11	2 in 1 CARTON	08/28/2023		
1		5 in 1 POUCH; Type 0: Not a Combination Product			
2	NDC:83655-103- 12	5 in 1 POUCH; Type 0: Not a Combination Product	08/28/2023		

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Marketing End Date Date		
OTC monograph not final	part348	08/28/2023		

## Labeler - Laboflex, Inc. (128394050)

## Registrant - Laboflex, Inc. (128394050)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
WOOSHIN LAPACHE d.o.o.		507385209	manufacture(83655-103)	

Revised: 9/2023 Laboflex, Inc.