

ISOPROPYL RUBBING ALCOHOL- isopropyl alcohol solution
DealMed Medical Supplies LLC

Isopropyl Alcohol 70% USP

Drug Facts

Active Ingredient

Isopropyl Alcohol 70% v/v

Purpose

First Aid Antiseptic

Uses

First aid to help prevent the risk of infection in: minor cuts, scrapes, burns

Warnings

For external use only

Flammable

Keep away from fire or flame, heat, spark, electrical. Flash point 72°F

Do not use with electrocautery procedures

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product

do not get into eyes

do not apply over large areas of the body

do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- clean the affected area
- apply 1 to 3 times a daily
- may be covered with a sterile bandage

- if bandaged, let dry first

Other Information

Does not contain, nor is intended as a substitute for grain or ethyl alcohol

Will produce serious gastric disturbances if taken internally

Inactive Ingredient

purified water



REF: 781080
NDC 70082-222-16

Isopropyl Rubbing Alcohol 70% USP

First Aid Antiseptic

Alcohol Isopropílico 70% USP

Tamper evident cap for your protection. If ring-band is detached from cap or missing do not use.

Manipulación evidente casquillo para su protección. No utilice bands anillo o si esta separado de la tapa.

MADE IN THE USA
Dealmed • Brooklyn, NY 11234
www.dealmed.com

1-07D0022N05DFC

16 fl. oz. (473 mL)

Drug Facts

Active Ingredient	Purpose
Isopropyl Alcohol 70% v/v	First Aid Antiseptic

Uses • first aid to help prevent the risk of infection in:
• minor cuts • scrapes • burns

Warnings For external use only

Flammable • keep away from fire or flame, heat, spark, electrical. Flash point 72°F • do not use with electrocautery procedures.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor.

Stop use and ask a doctor if • the condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• clean the affected area • apply 1 to 3 times a daily • may be covered with a sterile bandage • if bandaged, let dry first

Other Information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive Ingredient Purified Water

1-07D0022N05DBC



WARNING: Flammable
ADVERTENCIA: Inflamable



8 17415 02083 3

ISOPROPYL RUBBING ALCOHOL

isopropyl alcohol solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70082-222
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70082-222-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/27/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/27/2018	

Labeler - DealMed Medical Supplies LLC (068586441)

Revised: 1/2026

DealMed Medical Supplies LLC