

SUNSKI HOT BLOCK MINERAL SUNSCREEN STICK SPF 50- zinc oxide stick
Stewart Charley Ventures LLC dba Sunski

Sunski Hot Block Mineral Sunscreen Stick SPF 50

Drug Facts

Active Ingredients

Zinc Oxide 17.53%

Purpose

Sunscreen

Uses

• Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do you use

on damaged or broken skin

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Apply liberally and evenly 15 minutes before sun exposure. • Reapply:
• After 40 minutes of swimming or sweating
• Immediately after towel drying • At least every two hours
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Inactive Ingredients

C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Helianthus Annuus (Sunflower) Seed Wax, Isostearyl Isostearate, Tribehenin, Diisostearyl Malate, Butyloctyl Salicylate, Silica, Octyldodecanol, Carthamus Tinctorius (Safflower) Seed Oil, Polyhydroxystearic Acid, Stearalkonium Bentonite, Glycine Soja (Soybean) Oil, Hesperetinus a Cremulata Bark Extract, Calcium Aluminum Borosilicate, Isostearic Acid, Polyglyceryl-3 Polyricinoleate, Lecithin, Caprylyl Glycol, Propylene Carbonate, Polyglyceryl-3 Diisostearate, Oryza Sativa (Rice) Germ Extract, Oryza Sativa (Rice) Extract, Ethylhexyl Palmitate, Trihydroxystearin, Sodium Hyaluronate, Glucomannan

Other Information

Protect the product in this container from excessive heat and direct sun

Questions or Comments?

Contact: hello@sunski.com

Package Labeling:

Replace protective cap after use to prevent Hot Block from drying out



Get Your Daily Dose of Nature



Finally,
Suncare
for Outdoor
Adventurers.

Hot Block Mineral Sunscreen Stick

SPF 50

Sunski

Broad Spectrum SPF 50
Water Resistant (40 minutes)
0.53 OZ / 15 g

Drug Facts (continued)

Inactive Ingredients (continued)

Glycine Soja (Soybean) Oil, Hesperethusa Crenulata Bark Extract, Calcium Aluminum Borosilicate, Isostearic Acid, Polyglyceryl-3 Polycinoleate, Lecithin, Caprylyl Glycol, Propylene Carbonate, Polyglyceryl-3 Disostearate, Oryza Sativa (Rice) Germ Extract, Oryza Sativa (Rice) Extract, Ethylhexyl Palmitate, Trihydroxystearin, Sodium Hyaluronate, Glucomannan

Other Information Protect the product in this container from excessive heat and direct sun

Questions or Comments?

Contact: hello@sunski.com

Seamless on-the-go SPF
for high exposure
adventures



DERMATOLOGIST
TESTED



NON-IRRITATING
FOR YOUR EYES

Glide it on. Get outside.
Hot Block's mineral SPF 50 keeps skin protected from surf to summit. No chalk, no mess - just smooth, steady coverage built for pockets, packs, and every sun-soaked adventure.

Made in USA with U.S. and imported Components. Distributed by:
Sunski | San Francisco CA 94122
www.sunski.com

Drug Facts

Active Ingredients

Zinc Oxide 17.53%.....Sunscreen

Purpose

Uses ■ Helps prevent sunburn ■ If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do you use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions



- Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying ■ at least every two hours
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses
 - Children under 6 months: Ask a doctor

Inactive Ingredients

C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Helianthus Annuus (Sunflower) Seed Wax, Isostearyl Isostearate, Tribehenin, Disostearyl Malate, Butyloctyl Salicylate, Silica, Octyldodecanol, Carthamus Tinctorius (Safflower) Seed Oil, Polyhydroxystearic Acid, Stearalkonium Bentonite, ▶



7 59159 71795 5



SUNSKI HOT BLOCK MINERAL SUNSCREEN STICK SPF 50
zinc oxide stick

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:87626-003 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|---|-------------------|-----------------|
| Ingredient Name | Basis of Strength | Strength |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 175.3 mg in 1 g |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| MURRAYA PANICULATA STEM BARK (UNII: 8L814IF64D) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV) | |
| ISOSTEARYL ISOSTEARATE (UNII: IV0Z586Z4Y) | |
| TRIBEHENIN (UNII: 80C9U7TQZ0) | |

| |
|---|
| DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ) |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| OCTYLDODECANOL (UNII: 461N1O614Y) |
| SAFFLOWER OIL (UNII: 65UEH262IS) |
| STEARALKONIUM BENTONITE (UNII: AH5EVE6GTY) |
| SOYBEAN OIL (UNII: 241ATL177A) |
| CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0) |
| ISOSTEARIC ACID (UNII: X33R8U0062) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) |
| RICE GERM (UNII: 7N2B70SFEZ) |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) |
| TRIHYDROXYSTEARIN (UNII: 06YD7896S3) |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) |
| KONJAC MANNAN (UNII: 36W3E5TAMG) |

| Packaging | | | | |
|------------------|------------------|---|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:87626-003-00 | 1 in 1 CARTON | 04/27/2026 | |
| 1 | | 15 g in 1 TUBE; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 04/27/2026 | |

Labeler - Stewart Charley Ventures LLC dba Sunski (079142817)

Registrant - Innovation Labs, Inc. (117109069)