

**DAYTIME COLD/FLU RELIEF- acetaminophen, dextromethorphan hbr,
phenylephrine hcl capsule, liquid filled
ARMY AND AIR FORCE EXCHANGE SERVICE**

exchange select DayTime Cold/Flu Relief

Drug Facts

Active ingredients

(in each Softgel)

Acetaminophen325 mg

Dextromethorphan HBr10 mg

Phenylephrine HCl5 mg

Purpose

AcetaminophenPain reliever/Fever reducer

Dextromethorphan HBrCough suppressant

Phenylephrine HCl Antihistamine

Uses temporarily relieves common cold/flu symptoms: ■ nasal congestion ■ cough due to to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches and pains ■ fever

Warnings**Liver warning** : This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4doses in 24 hrs, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product.

Allergy Alert:Acetaminophen may cause severe skin reactions. Symptoms may include ■ skin reddening ■ blisters ■ rash. If skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use:

■with any other products containing Acetaminophen (prescription or

nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

- if you are now taking a prescription Monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms get worse or "last more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

In case of accidental overdose, get medical help or contact a Poison Control center right away. Quick medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions ■ take only as directed (see Warning)

- do not exceed 4 doses per 24 hours

adults & children 12 yrs & over	2 soft gels with water every 4 hours
children 4 to under 12 years:	ask a doctor
children under 4 years:	do not use

■ when using other
Daytime or Nighttime
products, carefully read
each label to ensure
correct dosing.

Other information

- store at room temperature 20-25° C (68-77° F)
- avoid excessive heat

Inactive ingredients FD&C
Red No. 40, FD&C Yellow No.6,
gelatin, Glycerin,
Polyethylene glycol,
Povidone, propylene glycol,
Purified water, Sorbitol
sorbitan solution, Titanium
dioxide

**Questions? Call Weekdays from 9:30 AM to 4:30 PM EST at
1-877-798-5944**

Product Label: exchange select DayTime Cold/Flu Relief

Drug Facts	
Active ingredients (in each softgel)	Purpose
Acetaminophen 325 mg	Pain relief/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant
Uses temporarily relieves common cold/flu symptoms: nasal congestion & cough due to minor throat & bronchial irritation • sore throat • headache • minor aches & pains • fever	
Warnings Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take: more than 8 Liquid Caps in 24 hrs, which is the maximum daily amount for this product • with other drugs containing acetaminophen • 3 or more alcoholic drinks daily while using this product	
Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.	
Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.	
Do not use	
• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.	
• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a	
Directions	
• take only as directed (see Warnings)	
• do not exceed 4 doses per 24 hrs	
adults & children 12 yrs & over	2 softgels with water every 4 hours
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Drug Facts (continued)	
doctor or pharmacist before taking this product.	
Ask a doctor before use if you have	
• liver disease	• heart disease
• thyroid disease	• diabetes
• high blood pressure	• trouble urinating due to enlarged prostate gland
• cough that occurs with too much phlegm (mucus)	• persistent or chronic cough as occurs with smoking, asthma or emphysema
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.	
When using this product, do not use more than directed.	
Stop use and ask a doctor if	
• you get nervous, dizzy or sleepless	• symptoms get worse or last more than 5 days (children) or 7 days (adults)
• fever gets worse or lasts more than 3 days	• redness or swelling is present
• new symptoms occur	• cough comes back, or occurs with rash or headache that lasts.
These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as children, even if you do not notice any signs or symptoms.	

Drug Facts (continued)	
• when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing	
Other information	
• store at room temperature 20-25°C (68-77°F). • avoid excessive heat	
Inactive ingredients FD&C Red #40, FD&C Yellow #6, gelatin, Polyethylene glycol, Povidone, Propylene glycol, Purified water, Sorbitol solution, Titanium dioxide	
Questions? Call weekdays from 5:26 AM to 4:30 PM EST at 1-877-798-5944	
*This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® DayQuil™ LiquiCap™.	



TRAHER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF ILLUSTRATIONS ARE MISSING OR SHOWS ANY SIGNS OF TAMPERING. KEEP UNTIL CARTON FOR COMPLETE INFORMATION.

SAISFACTION GUARANTEED OR YOUR MONEY BACK. Manufactured For Your Military Exchange By: AptaPharma Inc., 1533 Union Avenue, Pennsauken, NJ 08110 aptapharma.com

BX-150



P000000 6 14299 40452 6

exchange select
DayTime
COLD/FLU RELIEF
24 Softgels

Manufactured For Your Military Exchange
By AptaPharma Inc.,
1533 Union Avenue, Pennsauken, NJ 08110
1-877-798-5944
aptapharma.com
res

DAYTIME COLD/FLU RELIEF

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-604
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	604
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-604-03	2 in 1 CARTON	01/01/2025	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2025	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Registrant - AptaPharma Inc. (790523323)

Establishment

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(55301-604)

Revised: 12/2025

ARMY AND AIR FORCE EXCHANGE SERVICE