

**FLU-TONE- anas barbariae, hepatis et cordis extractum, azadirachta indica, baptisia tinctoria, bryonia (alba), crotales horridus, echinacea (angustifolia), eupatorium perfoliatum, ferrum phosphoricum, gelsemium sempervirens, ginkgo biloba, influenzinum, mucosa nasalis suis, phytolacca decandra, pinus sylvestris, pyrogenium, selenium metallicum, stillingia sylvatica liquid**  
**Energetix Corp**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Flu-Tone**

**Active ingredients:** 59.1 mL contains 4.34% of Anas barbariae 15C, 30C; Azadirachta 12X; Baptisia 4X; Bryonia 12X; Crotales hor 15X; Echinacea 4X; Eupatorium perf 30X, 30C; Ferrum phos 12X; Gelsemium 6X; Ginkgo 4X; Influenzinum 30X, 30C; Mucosa nas 9X, 12X, 6C; Phytolacca 4X; Pinus syl 9X; Pyrogenium 30X, 30C; Selenium 12X; Stillingia 4X.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**Uses**

Temporary relief of flu-like symptoms such as aches, fever, nausea, cough, fatigue.

**Warnings**

In case of overdose, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.**

**Directions**

Take 30 drops orally twice daily or as directed by a healthcare professional. Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.

**Other information**

- Store at room temperature out of direct sunlight.
- Do not use if neck wrap is broken or missing.
- Shake well before use.

**Inactive ingredients** Ethyl Alcohol, Glycerin, Purified Water.

**Distributed by Energetix Corp**  
**Dahlonega, GA 30533**  
**Questions? Comments?**  
**800.990.7085**

**www.energetix.com**

energetix

**Flu-Tone**  
**Homeopathic Remedy**

Flu-like symptoms such as aches, fever,  
nausea, cough, fatigue.

**2 fl oz (59.1 mL) / 15% Ethyl Alcohol**

Questions? Comments?  
800.990.7085  
www.energetix.com



**Flu-Tone<sup>®</sup>**

**Homeopathic Remedy**

Flu-like symptoms such as aches, fever,  
nausea, cough, fatigue

**2 fl oz (59.1 mL) / 15% Ethyl Alcohol**

1  
3  
6457803021

**Drug Facts**

**Active ingredients**

59.1 mL contains 4.34% of Anas bar-  
bariae 15C, 30C; Azadirachta 12X; Bap-  
tisia 4X; Bryonia 12X; Crotalus hor 15X;  
Echinacea 4X; Eupatorium perf 30X,  
30C; Ferrum phos 12X; Gelsemium  
6X; Ginkgo 4X; Influenzinum 30X, 30C;  
Mucosa nas 9X, 12X, 6C; Phytolacca  
4X; Pinus syl 9X; Pyrogenium 30X,  
30C; Selenium 12X; Stillingia 4X.

**Purpose** Temporary relief of flu-like  
symptoms such as aches, fever,  
nausea, cough, fatigue.

**Uses** Temporary relief of flu-like symp-  
toms such as aches, fever, nausea,  
cough, fatigue.

**Warnings**

■ In case of overdose, get medical help  
or contact a Poison Control Center right  
away. ■ **If pregnant or breast-feeding,**  
ask a healthcare professional before  
use. ■ **Keep out of reach of children.**

**Directions** ■ Take 30 drops →

**Drug Facts (continued)**

orally twice daily or as directed by a  
healthcare professional. ■ Consult a  
physician for use in children under 12  
years of age or if symptoms worsen  
or persist.

**Other information** ■ Store at room  
temperature out of direct sunlight. ■ Do  
not use if neck wrap is broken or miss-  
ing. ■ Shake well before use.

**Inactive ingredients**

Ethyl Alcohol, Glycerin, Purified Water.

Claims based on traditional homeopathic  
practice, not accepted medical evidence.  
Not FDA evaluated.

Distributed by Energetix Corp.  
Dahlonega, GA 30533

r10-22 03021

Questions? Comments?  
800.990.7085  
www.energetix.com



# Flu-Tone®

## Homeopathic Remedy

Flu-like symptoms such as aches, fever,  
nausea, cough, fatigue

2 fl oz (59.1 mL) / 15% Ethyl Alcohol



### Drug Facts

#### Active ingredients

59.1 mL contains 4.34% of Anas bar-  
bariae 15C, 30C; Azadirachta 12X; Bap-  
tisia 4X; Bryonia 12X; Crotalus hor 15X;  
Echinacea 4X; Eupatorium perf 30X,  
30C; Ferrum phos 12X; Gelsemium  
6X; Ginkgo 4X; Influenzinum 30X, 30C;  
Mucosa nas 9X, 12X, 6C; Phytolacca  
4X; Pinus syl 9X; Pyrogenium 30X,  
30C; Selenium 12X; Stillingia 4X.

**Purpose** Temporary relief of flu-like  
symptoms such as aches, fever,  
nausea, cough, fatigue.

**Uses** Temporary relief of flu-like symp-  
toms such as aches, fever, nausea,  
cough, fatigue.

#### Warnings

- In case of overdose, get medical help  
or contact a Poison Control Center right  
away. ■ If pregnant or breast-feeding,  
ask a healthcare professional before  
use. ■ Keep out of reach of children.

**Directions** ■ Take 30 drops →

### Drug Facts (continued)

orally twice daily or as directed by a  
healthcare professional. ■ Consult a  
physician for use in children under 12  
years of age or if symptoms worsen  
or persist.

**Other information** ■ Store at room  
temperature out of direct sunlight. ■ Do  
not use if neck wrap is broken or miss-  
ing. ■ Shake well before use.

#### Inactive ingredients

Ethyl Alcohol, Glycerin, Purified Water.

Claims based on traditional homeopathic  
practice, not accepted medical evidence.  
Not FDA evaluated.

Distributed by Energetix Corp.  
Dahlonega, GA 30533 r10-22 03021

□ **Purpose** Temporary relief of flu-like symptoms such as aches, fever, nausea, cough, fatigue.

## FLU-TONE

anas barbariae, hepatis et cordis extractum, azadirachta indica, baptisia tinctoria, bryonia (alba), crotalus horridus, echinacea (angustifolia), eupatorium perfoliatum, ferrum phosphoricum, gelsemium sempervirens, ginkgo biloba, influenzzinum, mucosa nasalis suis, phytolacca decandra, pinus sylvestris, pyrogenium, selenium metallicum, stillingia sylvatica liquid

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:64578-0136 |
| <b>Route of Administration</b> | ORAL           |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength                          | Strength             |
|--|--|----------------------|
| <b>CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE</b> (UNII: RN2HC612GY)<br>(CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE - UNII:RN2HC612GY) | CAIRINA MOSCHATA<br>HEART/LIVER AUTOLYSATE | 15 [hp_C]<br>in 1 mL |
| <b>AZADIRACHTA INDICA BARK</b> (UNII: G580B439YI) (AZADIRACHTA INDICA<br>BARK - UNII:G580B439YI)                                 | AZADIRACHTA INDICA BARK                    | 12 [hp_X]<br>in 1 mL |
| <b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HM5WU) (BAPTISIA TINCTORIA<br>ROOT - UNII:5EF0HM5WU)                                   | BAPTISIA TINCTORIA ROOT                    | 4 [hp_X]<br>in 1 mL  |
| <b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT -<br>UNII:T7J046YI2B)   | BRYONIA ALBA ROOT                          | 12 [hp_X]<br>in 1 mL |
| <b>CROTALUS HORRIDUS HORRIDUS VENOM</b> (UNII: YHA2XLJ956)<br>(CROTALUS HORRIDUS HORRIDUS VENOM - UNII:YHA2XLJ956)               | CROTALUS HORRIDUS<br>HORRIDUS VENOM        | 15 [hp_X]<br>in 1 mL |
| <b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA<br>ANGUSTIFOLIA - UNII:VB06AV5US8)                                   | ECHINACEA ANGUSTIFOLIA                     | 4 [hp_X]<br>in 1 mL  |
| <b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E)<br>(EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)       | EUPATORIUM PERFOLIATUM<br>FLOWERING TOP    | 30 [hp_X]<br>in 1 mL |
| <b>FERRUM PHOSPHORICUM</b> (UNII: 91GQH8I5F7) (FERROSO FERRIC<br>PHOSPHATE - UNII:91GQH8I5F7)                                    | FERRUM PHOSPHORICUM                        | 12 [hp_X]<br>in 1 mL |
| <b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM   | GELSEMIUM SEMPERVIRENS                     | 6 [hp_X]             |

|   |   |                      |
|---|---|----------------------|
| SEMPERVIRENS ROOT - UNII:639KR60Q1Q)  | ROOT  | in 1 mL              |
| <b>GINKGO</b> (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)   | GINKGO  | 4 [hp_X]<br>in 1 mL  |
| <b>INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: Q3P251C5MT) (INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:LD80H821HF)                 | INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)         | 30 [hp_X]<br>in 1 mL |
| <b>INFLUENZA A VIRUS A/SINGAPORE/INFIMH-16-0019/2016 NIB-104 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: 2ZSC17S1J6) (INFLUENZA A VIRUS A/SINGAPORE/INFIMH-16-0019/2016 NIB-104 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:1R31M8U8H9) | INFLUENZA A VIRUS A/SINGAPORE/INFIMH-16-0019/2016 NIB-104 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED) | 30 [hp_X]<br>in 1 mL |
| <b>INFLUENZA B VIRUS B/MARYLAND/15/2016 ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: 8V4458342X) (INFLUENZA B VIRUS B/MARYLAND/15/2016 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:OES3CXI7E9)   | INFLUENZA B VIRUS B/MARYLAND/15/2016 ANTIGEN (FORMALDEHYDE INACTIVATED)                             | 30 [hp_X]<br>in 1 mL |
| <b>INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: B93BQX9789) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:9HB0XUS9TM)   | INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (FORMALDEHYDE INACTIVATED)                             | 30 [hp_X]<br>in 1 mL |
| <b>SUS SCROFA NASAL MUCOSA</b> (UNII: ID3Z1X61WY) (SUS SCROFA NASAL MUCOSA - UNII:ID3Z1X61WY)   | SUS SCROFA NASAL MUCOSA   | 9 [hp_X]<br>in 1 mL  |
| <b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)   | PHYTOLACCA AMERICANA ROOT   | 4 [hp_X]<br>in 1 mL  |
| <b>PINUS SYLVESTRIS LEAFY TWIG</b> (UNII: Q1RGP4UB73) (PINUS SYLVESTRIS LEAFY TWG - UNII:Q1RGP4UB73)  | PINUS SYLVESTRIS LEAFY TWG  | 9 [hp_X]<br>in 1 mL  |
| <b>RANCID BEEF</b> (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)   | RANCID BEEF   | 30 [hp_X]<br>in 1 mL |
| <b>SELENIUM</b> (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)   | SELENIUM  | 12 [hp_X]<br>in 1 mL |
| <b>STILLINGIA SYLVATICA ROOT</b> (UNII: QBR70R4FBK) (STILLINGIA SYLVATICA ROOT - UNII:QBR70R4FBK)   | STILLINGIA SYLVATICA ROOT   | 4 [hp_X]<br>in 1 mL  |

## Inactive Ingredients

| Ingredient Name                    | Strength |
|------------------------------------|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)    |          |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX) |          |

## Packaging

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:64578-0136-1 | 59 mL in 1 PACKAGE; Type 0: Not a Combination Product | 11/01/2018           |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 11/01/2018           |                    |

