

**CHILDRENS COUGH AND BRONCHIAL- antimony pentasulfide, bryonia alba root, drosera rotundifolia, eucalyptus globulus leaf, ipecac, illicium anisatum whole syrup
Schwabe North America, Inc**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Children's Cough and Bronchial Syrup

Active Ingredients:

Antimonium sulphuratum aureum 6X

Bryonia 3X

Drosera rotundifolia 4X

Eucalyptus globulus 3X

Illicium anisatum 3X

Ipecacuanha 4X

Inactive Ingredients:

Aronia Juice

Citric Acid

Ethyl Alcohol (1%)

Fructose

Natural flavor

Potassium Sorbate

Purified Water

Dosage and Administration:

Shake well before use.

Children 6 to 12 Years: two teaspoons (tsp) (10mL) every two hours.

For severe coughs, repeat every 20 minutes for first hour, then every two hours.

Children under 6 years of age: Consult a doctor.

OTC Purpose:

Temporarily relieves coughs due to minor throat and bronchial irritations as may occur with a cold.

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.

Indications and Usage:

Temporarily relieves coughs due to minor throat and bronchial irritations as may occur with a cold.

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.

Do not use: this product for children with persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus).

Ask a doctor before use if your child has a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or is accompanied by excessive phlegm (mucus).

☐Stop use and ask a doctor if:

☐New symptoms occur, symptoms worsen, or do not get better within 7 days, if cough is accompanied by fever, rash or persistent headache.

These could be signs of a serious conditions.

☐Keep Out of Reach of Children:

☐Keep out of reach of children.

Overdose:

☐In case of overdose, seek medical help or contact a Poison Control Center immediately.

☐Pregnant or Breast-feeding:

☐If pregnant or breast-feeding, ask a healthcare professional before use.

621250054-08



Children's Cough & Bronchial Syrup

Premium



NDC 53499-8393-5

Children's Cough & Bronchial Syrup

NON-DROWSY



- Expectorant^{††}
- Cough Suppressant^{††}

HOMEOPATHIC
4 FL OZ (118 mL)
(1% Alcohol)

Children's

Drug Facts (continued)

If pregnant or breast-feeding, ask a healthcare professional before use. **Keep out of reach of children.** In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions

■ Shake well before use.

Age	Dose
Children 6 to 12 years of age	Take 2 teaspoons (tsp) (10 mL) every 2 hours. For severe coughs, repeat every 20 minutes for first hour, then every 2 hours.
Children under 6 years of age	Consult a doctor.

Other information

Store at room temperature 20-25° C (68-77° F) in a dry place out of direct sunlight.

Inactive ingredients

aronia juice, citric acid, ethyl alcohol, fructose, natural flavor, potassium sorbate, purified water

Questions? 1-800-9NATURE / natureway.com

^{††}There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

TAMPER EVIDENT. For your protection this bottle has a cap with a perforated ring attached. Do not use if the ring is broken or missing.

©2019 Distributed by Boericke & Tafel, a division of Nature's Way Brands, LLC
Green Bay, WI 54311 USA
Product of Mexico

Children's Cough & Bronchial NON-DROWSY Syrup

- Relieves coughs^{††}
- Clears bronchial congestion^{††}
- Cherry flavored; No artificial colors
- Non-narcotic

Other Boericke & Tafel® Cough & Bronchial Syrups

- Daytime Formula (non-drowsy)
- Nighttime Formula promotes restful sleep^{††}
- Zinc Formula with Zincum gluconicum

LBN21900393.C01 BLQ7643C



3 08079 00393 0

Drug Facts

Active ingredients	Purpose
(3.80 g in two teaspoons (tsp) = 10 mL)	
Antimonium sulphuratum.....	Cough Suppressant (dry, hard cough); Decongestant ^{††}
Bryonia 3X.....	Cough Suppressant (hacking, painful cough); Expectorant ^{††}
Drosera 4X.....	Cough Suppressant (dry, barking cough); Expectorant ^{††}
Eucalyptus globulus 3X.....	Cough Suppressant (irritative cough); Pain Reliever ^{††}
Illicium verum 3X.....	Cough Suppressant (painful cough) ^{††}
Ipecacuanha 4X.....	Cough Suppressant (irritating, tickling cough) ^{††}

Uses

- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.^{††}
- Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.^{††}

Warnings

Do not use this product for children with persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus).

Ask a doctor before use if your child has a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema or is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if ■ new symptoms occur, symptoms worsen or do not get better within 7 days ■ if cough is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

Print Carton
Dieline: turnkey vendor

SM



621250054-08



Children's Cough & Bronchial Syrup

Premium



NDC 53499-8393-5

Children's Cough & Bronchial Syrup

NON-DROWSY



- Expectorant^{††}
- Cough Suppressant^{††}

HOMEOPATHIC
4 FL OZ (118 mL)
(1% Alcohol)

Children's

Drug Facts (continued)

If pregnant or breast-feeding, ask a healthcare professional before use. **Keep out of reach of children.** In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions

■ Shake well before use.

Age	Dose
Children 6 to 12 years of age	Take 2 teaspoons (tsp) (10 mL) every 2 hours. For severe coughs, repeat every 20 minutes for first hour, then every 2 hours.
Children under 6 years of age	Consult a doctor.

Other information

Store at room temperature 20-25° C (68-77° F) in a dry place out of direct sunlight.

Inactive ingredients

aronia juice, citric acid, ethyl alcohol, fructose, natural flavor, potassium sorbate, purified water

Questions? 1-800-9NATURE / natureway.com

^{††}There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

TAMPER EVIDENT. For your protection this bottle has a cap with a perforated ring attached. Do not use if the ring is broken or missing.

©2019 Distributed by Boericke & Tafel, a division of Nature's Way Brands, LLC
Green Bay, WI 54311 USA
Product of Mexico

Children's Cough & Bronchial NON-DROWSY Syrup

- Relieves coughs^{††}
- Clears bronchial congestion^{††}
- Cherry flavored; No artificial colors
- Non-narcotic

Other Boericke & Tafel® Cough & Bronchial Syrups

- Daytime Formula (non-drowsy)
- Nighttime Formula promotes restful sleep^{††}
- Zinc Formula with Zincum gluconicum

LBN21900393.C01 BLQ7643C



3 08079 00393 0

Drug Facts

Active ingredients

Active ingredients	Purpose
(3.80 g in two teaspoons (tsp) = 10 mL)	
Antimonium sulphuratum.....	Cough Suppressant (dry, hard cough); Decongestant ^{††}
Bryonia 3X.....	Cough Suppressant (hacking, painful cough); Expectorant ^{††}
Drosera 4X.....	Cough Suppressant (dry, barking cough); Expectorant ^{††}
Eucalyptus globulus 3X.....	Cough Suppressant (irritative cough); Pain Reliever ^{††}
Illicium verum 3X.....	Cough Suppressant (painful cough) ^{††}
Ipecacuanha 4X.....	Cough Suppressant (irritating, tickling cough) ^{††}

Uses

- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.^{††}
- Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.^{††}

Warnings

Do not use this product for children with persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus).

Ask a doctor before use if your child has a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema or is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if ■ new symptoms occur, symptoms worsen or do not get better within 7 days ■ if cough is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

Print Carton
Dieline: turnkey vendor

SM



621250054-08



Children's Cough & Bronchial Syrup

Premium



NDC 53499-8393-5

Children's Cough & Bronchial Syrup

NON-DROWSY



- Expectorant^{††}
- Cough Suppressant^{††}

HOMEOPATHIC
4 FL OZ (118 mL)
(1% Alcohol)

Children's

Drug Facts (continued)

If pregnant or breast-feeding, ask a healthcare professional before use. **Keep out of reach of children.** In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions

■ Shake well before use.

Age	Dose
Children 6 to 12 years of age	Take 2 teaspoons (tsp) (10 mL) every 2 hours. For severe coughs, repeat every 20 minutes for first hour, then every 2 hours.
Children under 6 years of age	Consult a doctor.

Other information

Store at room temperature 20-25° C (68-77° F) in a dry place out of direct sunlight.

Inactive ingredients

aronia juice, citric acid, ethyl alcohol, fructose, natural flavor, potassium sorbate, purified water

Questions? 1-800-9NATURE / natureway.com

^{††}There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

TAMPER EVIDENT. For your protection this bottle has a cap with a perforated ring attached. Do not use if the ring is broken or missing.

©2019 Distributed by Boericke & Tafel, a division of Nature's Way Brands, LLC
Green Bay, WI 54311 USA
Product of Mexico

Children's Cough & Bronchial NON-DROWSY Syrup

- Relieves coughs^{††}
- Clears bronchial congestion^{††}
- Cherry flavored; No artificial colors
- Non-narcotic

Other Boericke & Tafel® Cough & Bronchial Syrups

- Daytime Formula (non-drowsy)
- Nighttime Formula promotes restful sleep^{††}
- Zinc Formula with Zincum gluconicum

LBN21900393.C01 BLQ7643C



3 08079 00393 0

Drug Facts

Active ingredients

Active ingredients	Purpose
(3.80 g in two teaspoons (tsp) = 10 mL)	
Antimonium sulphuratum.....	Cough Suppressant (dry, hard cough); Decongestant ^{††}
Bryonia 3X.....	Cough Suppressant (hacking, painful cough); Expectorant ^{††}
Drosera 4X.....	Cough Suppressant (dry, barking cough); Expectorant ^{††}
Eucalyptus globulus 3X.....	Cough Suppressant (irritative cough); Pain Reliever ^{††}
Illicium verum 3X.....	Cough Suppressant (painful cough) ^{††}
Ipecacuanha 4X.....	Cough Suppressant (irritating, tickling cough) ^{††}

Uses

- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.^{††}
- Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.^{††}

Warnings

Do not use this product for children with persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus).

Ask a doctor before use if your child has a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema or is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if ■ new symptoms occur, symptoms worsen or do not get better within 7 days ■ if cough is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

Print Carton
Dieline: turnkey vendor

SM





CHILDRENS COUGH AND BRONCHIAL

antimony pentasulfide, bryonia alba root, drosera rotundifolia, eucalyptus globulus leaf, ipecac, illicium anisatum whole syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53499-8393
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ANTIMONY PENTASULFIDE (UNII: 1433F1I86N) (ANTIMONY PENTASULFIDE - UNII:1433F1I86N)	ANTIMONY PENTASULFIDE	6 [hp_X] in 237 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	3 [hp_X] in 237 mL
DROSEROTAUNDIFOLIA FLOWERING TOP (UNII: 75O014T1HG) (DROSEROTAUNDIFOLIA FLOWERING TOP - UNII:75O014T1HG)	DROSEROTAUNDIFOLIA FLOWERING TOP	4 [hp_X] in 237 mL
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	3 [hp_X] in 237 mL
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	4 [hp_X] in 237 mL
ILICIIUM ANISATUM WHOLE (UNII: 96MVO223I9) (ILICIIUM ANISATUM WHOLE - UNII:96MVO223I9)	ILICIIUM ANISATUM WHOLE	3 [hp_X] in 237 mL

Inactive Ingredients	
Ingredient Name	Strength
ARONIA MELANOCARPA FRUIT JUICE (UNII: D2EVP827PJ)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ALCOHOL (UNII: 3K9958V90M)	
FRUCTOSE (UNII: 6YSS42VSEV)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY (natural flavor)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53499-8393-5	1 in 1 BOX	04/18/2017	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:53499-8393-9	1 in 1 BOX	04/18/2017	
2		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/18/2017	

Labeler - Schwabe North America, Inc (831153908)

Establishment

Name	Address	ID/FEI	Business Operations
Schwabe Mexico S.A. de C.V.		812805901	manufacture(53499-8393)

Revised: 10/2019

Schwabe North America, Inc