

**NEUTROGENA AGE SHIELD FACE OIL FREE SUNSCREEN BROAD SPECTRUM SPF 70- avobenzone, homosalate, octisalate, and octocrylene lotion**  
Kenvue Brands LLC

-----  
**Neutrogena® Age Shield® oil-free sunscreen BROAD SPECTRUM SPF 70**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

## **Inactive ingredients**

Water, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Silica, Dimethicone, Potassium Cetyl Phosphate, Benzyl Alcohol, Beeswax, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Cetyl Dimethicone, Caprylyl Glycol, Ethylhexylglycerin, Aluminum Starch Octenylsuccinate, Behenyl Alcohol, Acrylates/Dimethicone Copolymer, Xanthan Gum, Chlorphenesin, Dimethicone/PEG-10/15 Crosspolymer, Sodium Polyacrylate, Hydrolyzed Jojoba Esters, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice, Fragrance, Disodium EDTA, Ethylhexyl Stearate, Glycine Soja (Soybean) Seed Extract, Tocopheryl Acetate, BHT, Jojoba Esters, Trideceth-6

## **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**Kenvue Brands LLC**

Summit, NJ 07901

## **PRINCIPAL DISPLAY PANEL - 88 mL Tube Carton**

**Neutrogena**®

DERMATOLOGIST RECOMMENDED BRAND

**Age Shield**®

**Face**

oil-free

sunscreen

**BROAD SPECTRUM SPF 70**

**70**

**helioplex**®

**broad spectrum uva.uvb**

shields skin 6-layers deep

from skin-aging UVA rays

oxybenzone free

water resistant (80 minutes)

3.0 FL OZ (88 mL)

Neutrogena®

Neutrogena®  
Age Shield® Face Lotion  
Broad Spectrum SPF 70

**Drug Facts**

**Active ingredients** } ..... **Purpose**  
Avobenzene (3%), Homosalate (15%),  
Octisalate (5%), Octocrylene (10%) } ..... Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
■ **For external use only** ■ **Do not use** on damaged or broken skin ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ apply liberally 15 minutes before sun exposure ■ **reapply:** ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m ■ wear long-sleeved shirts, pants, hats and sunglasses ■ children under 6 months of age: Ask a doctor

**Other information** ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

**Inactive ingredients** Water, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Silica, Dimethicone, Potassium Cetyl Phosphate, Benzyl Alcohol, Beeswax, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Cetyl Dimethicone, Caprylyl Glycol, Ethylhexylglycerin, Aluminum Starch Octenylsuccinate, Behenyl Alcohol, Acrylates/Dimethicone Copolymer, Xanthan Gum, Chlorphenesin, Dimethicone/PEG-10/15 Crosspolymer, Sodium Polyacrylate, Hydrolyzed Jojoba Esters, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice, Fragrance, Disodium EDTA, Ethylhexyl Stearate, Glycine Soja (Soybean) Seed Extract, Tocopheryl Acetate, BHT, Jojoba Esters, Trideceth-6

**Questions?**  
Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: **Kenvue Brands LLC**  
Summit, NJ 07901 © Kenvue Brands LLC 2025 Pat. [www.kenvuepats.com](http://www.kenvuepats.com)

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Age Shield®  
Face  
oil-free  
sunscreen

BROAD SPECTRUM SPF 70

70


**helioplex®**  
broad spectrum uva-uvb

shields skin 6-layers deep  
from skin-aging UVA rays  
oxybenzone free  
water resistant (80 minutes)


3.0 FL OZ (88 mL)

Neutrogena® Age Shield®  
Face Lotion—Superior  
Protection From Skin Aging

UVB rays harm the skin's surface and are the primary cause of sunburn. UVA's more penetrating rays damage collagen and elastin that results in the signs of premature aging: fine lines, wrinkles, sagging, age spots, broken capillaries and uneven skin tone.



Neutrogena® brings you superior protection against both types of harmful rays, with a true breakthrough in sunscreen technology.



HELIOPLEX® technology works two ways:  
1) helps screen out UVB burning rays,  
2) helps stop UVA aging rays from penetrating surface layers for deep cellular protection. The formula helps combat sun-induced free-radical damage that can accelerate the signs of aging. The lightweight lotion protects and cares for your skin to help maintain skin's youthful appearance.

Neutrogena® Age Shield®  
Face Lotion—Superior  
Protection From Skin Aging

- With antioxidants
- Oil-free, non-greasy feel
- PABA-free
- Non-comedogenic (won't clog pores)
- Sweat & water resistant (80 minutes)
- Oxybenzone free

For a lifetime of healthy, beautiful skin, practice these sun safe habits year round:

- **Apply and reapply sunscreen** per directions to maintain protection from the sun.
- **Seek shade**, especially in the middle of the day when the sun's rays are strongest (10am-2pm).
- **Cover up** with protective clothing to guard as much skin as possible.
- **Wear a hat**, preferably one with a wide brim, to shade your face, ears and neck.
- **Wear sunglasses** with 99%-100% UV absorption to provide optimal protection for your eyes & the surrounding skin.



30059548

# NEUTROGENA AGE SHIELD FACE OIL FREE SUNSCREEN BROAD SPECTRUM SPF 70

avobenzone, homosalate, octisalate, and octocrylene lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0672
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW)</b> (UNII: S7ZA3CCJ4M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>HYDROLYZED JOJOBA ESTERS (ACID FORM)</b> (UNII: UDR641JW8W)	
<b>FEVERFEW</b> (UNII: Z64FK7P217)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ETHYLHEXYL STEARATE</b> (UNII: EG3PA2K3K5)	
<b>SOYBEAN</b> (UNII: L7HT8F1ZOD)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	

<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>JOJOBA OIL, RANDOMIZED</b> (UNII: 7F0EV20QYL)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0672-3	1 in 1 CARTON	08/14/2020	
1		88 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/14/2020	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 8/2025

Kenvue Brands LLC