

**LIQUID BANDAGE- benzethonium chloride plus dyclonine hydrochloride liquid  
Premier Brands of America Inc.**

-----  
**Endzone Liquid Bandage**

***Active ingredients***

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

***Purpose***

First aid antiseptic

Topical analgesic

***Uses***

- first aid to help prevent infection in minor cuts, scrapes, and burns
- first aid for the temporary relief of pain in minor cuts, scrapes, and burns

***Warnings***

For external use only.

**Flammable:**

Keep away from fire or flame.

**Do not use**

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- conditions persists or gets worse
- infection occurs
- symptoms persist for than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or call a Poison Control Center right away.

### ***Directions***

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- may be covered with a sterile bandage
- if bandaged, let dry first
- children under 2 years of age; do not sure, consult a doctor

### ***Other information***

- cap bottle tightly
- store between 20° to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off
- do not allow to come into contact with fabrics, floors, countertops or other surfaces
  - will stain

### ***Inactive ingredients***

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

### **Questions**

Call 1-866-964-0939

### **Principal Display Panel**

KILLS 99.9% OF GERMS

TO HELP PREVENT INFECTION

EndZone

LIQUID

BANDAGE

FOR SMALL CUTS & WOUNDS

BENZETHONIUM CHLORIDE 0.2%/FIRST AID ANTISEPTIC

DYCLONINE HYDROCHLORIDE 0.75%/TOPICAL ANALGESIC

SEALS TO PROTECT

Helps Prevent Infection

Water-Resistant, Invisible & Flexible

1.0 FL OZ (29.6 mL)



KILLS 99.9% OF GERMS  
TO HELP PREVENT INFECTION\*

# ENDZONE™

## LIQUID BANDAGE

FOR SMALL CUTS & WOUNDS

BENZETHONIUM CHLORIDE 0.2% / FIRST AID ANTISEPTIC  
DYCLONINE HYDROCHLORIDE 0.75% / TOPICAL ANALGESIC

### SEALS TO PROTECT

Helps Prevent Infection

Water-Resistant, Invisible & Flexible

1.0 FL. OZ. (29.6 ml)

#### Use Liquid Bandage for:

Blisters, chapped & cracked fingertips, hangnails, paper cuts,  
shaving nicks & help in preventing the formation of calluses.

#### Great for:

Athletes, active lifestyles & occupations, outdoor activities.

53-033EZ

ENDZONE™

## LIQUID BANDAGE

FOR SMALL CUTS & WOUNDS

1.0 FL. OZ. (29.6 ml)

NO VARNISH  
AREA  
(WHITE ONLY)

Distributed by: Premier Brands of America Inc.  
White Plains, NY 10601  
Questions? Call 1-888-964-0939  
Made in USA with U.S. and imported parts  
©2023 Premier Brands of America Inc.  
All rights reserved.  
ENDZONE is a trademark of  
Premier Brands of America Inc.



\*KILLS 99.9% OF 3 OF THE TOP GERMS  
WITHIN 60 MINUTES OF CONTACT.


Questions? Call 1-888-964-0939

**Inactive ingredients** acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40  
surfaces -- will stain.

■ do not allow to come into contact with fabrics, floors, countertops or other  
upon application ■ to remove, apply more Liquid Bandage and quickly wipe off  
each use ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting  
Other information ■ cap bottle tightly ■ wipe top of bottle clean after

■ children under 2 years of age: do not use, consult a doctor  
and let dry ■ may be covered with a sterile bandage ■ if bandaged, let dry first  
Directions ■ for adults and children 2 years of age and older ■ clean the  
affected area ■ apply a small amount of this product on the area 1 to 3 times daily

Keep out of reach of children. If swallowed, get medical help or call a Poison  
Control Center right away.  
occurs ■ symptoms persist for more than 7 days or clear up and occur again within  
a few days



## LIQUID BANDAGE

benzethonium chloride plus dyclonine hydrochloride liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:56104-502 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength       | Strength       |
|--|-------------------------|----------------|
| <b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP) | BENZETHONIUM CHLORIDE   | 2 mg in 1 mL   |
| <b>DYCLONINE HYDROCHLORIDE</b> (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)  | DYCLONINE HYDROCHLORIDE | 7.5 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name                         | Strength |
|---|----------|
| <b>AMYL ACETATE</b> (UNII: 92Q24NH7AS)  |          |
| <b>CASTOR OIL</b> (UNII: D5340Y219G)    |          |
| <b>ETHYL ACETATE</b> (UNII: 76845O8NMZ) |          |
| <b>PYROXYLIN</b> (UNII: KYR8BR2X6O)     |          |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)       |          |
| <b>ACETONE</b> (UNII: 1364PS73AF)       |          |

### Packaging

| # | Item Code  | Package Description | Marketing Start Date | Marketing End Date |
|---|------------|---------------------|----------------------|--------------------|
| 1 | NDC:56104- | 1 is 1 CARTON       | 09/11/2022           |                    |

| 502-00                       | 1 in 1 CARTON   | 09/11/2023           |                    |
|------------------------------|---|----------------------|--------------------|
| 1                            | 29.6 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product |                      |                    |
| <b>Marketing Information</b> |   |                      |                    |
| Marketing Category           | Application Number or Monograph Citation                                | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug           | M003  | 09/11/2023           |                    |

**Labeler** - Premier Brands of America Inc. (063849780)

Revised: 10/2025

Premier Brands of America Inc.