

LIQUID CALLUS REMOVER- salicylic acid liquid
Premier Brands of America Inc.

Endzone Liquid Callus Remover

Active ingredient

Salicylic acid 17% w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic or if you have poor blood circulation

When using this product

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

Stop and ask a doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry

- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other information

- store between 20° to 25°C (68° to 77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabrics, floors, countertops or other surfaces
-- will stain

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Principal Display Panel

EndZone

LIQUID

CALLUS

REMOVER

SALICYLIC ACID 17% / CORN & CALLUS REMOVER

Safely removes corns & calluses

0.33 FL OZ (9.8 mL)



SALICYLIC ACID 17% / CORN & CALLUS REMOVER

MEDICATED

Safely Removes Corns & Calluses

0.33 FL. OZ. (9.8 mL)

ENDZONE™

53-030EZ

ENDZONE™

**LIQUID
CALLUS REMOVER**

0.33 FL. OZ. (9.8 mL)

**NO VARNISH
AREA
(WHITE ONLY)**

Distributed by: Premier Brands of America Inc.
White Plains, NY 10601
Questions? Call 1-888-964-0939
Made in USA with U.S. and imported parts
©2025 Premier Brands of America Inc.
All rights reserved.
ENDZONE is a trademark of
Premier Brands of America Inc.



Questions? Call 1-888-964-0939

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Inactive ingredients

- do not allow to come into contact with fabrics, floors, countertops or other surfaces - will stain
- wipe top of bottle clean after each use
- close tightly to prevent solidification
- avoid surrounding skin when applying product
- store between 20°-25°C (68°-77°F)

Other information

- may soak corn/callus in warm water for 5 minutes to assist in removal (until corn/callus is removed)
- repeat this procedure once or twice daily as needed for up to 14 days
- let dry
- corn/callus
- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each

Directions

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if discomfort persists.

Cap bottle tightly and store at room temperature away from heat.

Avoid inhaling vapors.

If product gets into the eye, flush with water for 15 minutes.

When using this product

■ if you are a diabetic or if you have poor blood circulation

■ on irritated skin

■ if you have a diabetic or if you have poor blood circulation

Do not use

■ keep away from fire or flame

Flammable

For external use only.

Warnings

■ relieves pain by removing corns and calluses

Uses

■ for the removal of corns and calluses

Salicylic acid 17% w/w.....Corn and callus remover


Active ingredient

Purpose

**PUT AN END TO CALLUSES,
SO YOU CAN STAY IN THE ZONE**



IMPORTANT: CLOSE CAP TIGHTLY AFTER USE



LIQUID CALLUS REMOVER

salicylic acid liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:56104-501 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 170 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CASTOR OIL (UNII: D5340Y2I9G) | |
| PYROXYLIN (UNII: KYR8BR2X6O) | |
| CAMPHOR (NATURAL) (UNII: N20HL7Q941) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:56104-501-00 | 1 in 1 CARTON | 09/11/2023 | |
| 1 | | 9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M030 | 09/11/2023 | |

Labeler - Premier Brands of America Inc. (063849780)

Revised: 10/2025

Premier Brands of America Inc.