

LIQUID CALLUS REMOVER- salicylic acid liquid
Premier Brands of America Inc.

Endzone Liquid Callus Remover

Active ingredient

Salicylic acid 17% w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic or if you have poor blood circulation

When using this product

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

Stop and ask a doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry

- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other information

- store between 20° to 25°C (68° to 77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabrics, floors, countertops or other surfaces
-- will stain

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Principal Display Panel

EndZone

LIQUID

CALLUS

REMOVER

SALICYLIC ACID 17% / CORN & CALLUS REMOVER

Safely removes corns & calluses

0.33 FL OZ (9.8 mL)



SALICYLIC ACID 17% / CORN & CALLUS REMOVER

MEDICATED

Safely Removes Corns & Calluses

0.33 FL. OZ. (9.8 mL)

ENDZONE™

53-030EZ

ENDZONE™

**LIQUID
CALLUS REMOVER**

0.33 FL. OZ. (9.8 mL)

**NO VARNISH
AREA
(WHITE ONLY)**

Distributed by: Premier Brands of America Inc.
White Plains, NY 10601
Questions? Call 1-888-964-0939
Made in USA with U.S. and imported parts
©2025 Premier Brands of America Inc.
All rights reserved.
ENDZONE is a trademark of
Premier Brands of America Inc.



Questions? Call 1-888-964-0939

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Inactive ingredients

- do not allow to come into contact with fabrics, floors, countertops or other surfaces - will stain
- wipe top of bottle clean after each use
- close tightly to prevent solidification
- avoid surrounding skin when applying product
- store between 20°-25°C (68°-77°F)

Other information

- may soak corn/callus in warm water for 5 minutes to assist in removal (until corn/callus is removed)
- repeat this procedure once or twice daily as needed for up to 14 days
- let dry
- corn/callus
- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each

Directions

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if discomfort persists.
Cap bottle tightly and store at room temperature away from heat.

When using this product:
■ if product gets into the eye, flush with water for 15 minutes
■ avoid inhaling vapors

Do not use:
■ on irritated skin
■ on any area that is irritated or reddened
■ if you are a diabetic or if you have poor blood circulation

Warnings

For external use only.

Uses

■ for the removal of corns and calluses

■ relieves pain by removing corns and calluses

Drug Facts

Active ingredient


Salicylic acid 17% w/w.....Corn and callus remover

Purpose

**PUT AN END TO CALLUSES,
SO YOU CAN STAY IN THE ZONE**



IMPORTANT: CLOSE CAP TIGHTLY AFTER USE



Active ingredient: Salicylic acid (17% w/w)
Purpose: Corn and callus remover **Uses:** For the removal of corns and calluses. Relieves pain by removing corns and calluses. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Do not use** this product on irritated skin, on any area that is infected or reddened, if you are a diabetic, or if you have poor blood circulation. **Stop use and ask a doctor** if discomfort persists.

LIQUID CALLUS REMOVER

SALICYLIC ACID 17% / CORN & CALLUS REMOVER

MEDICATED

Safely Removes Corns & Calluses

CLOSE CAP TIGHTLY AFTER USE

0.33 FL. OZ. (9.8 mL)

When using this product if product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. Cap bottle tightly and store at room temperature away from heat. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed). May soak corn/callus in warm water for 5 minutes to assist in removal. **Other information:** Store at 20° – 25° C (68° – 77° F). Close tightly to prevent solidification. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose **Keep packaging for complete drug facts information**

Distributed by: Premier Brands of America Inc. White Plains, NY 10601
 Questions? Call 1-888-964-0939
 Made in USA with U.S. and imported parts
 ©2023 Premier Brands of America Inc. All rights reserved.
 ENDZONE is a trademark of Premier Brands of America Inc.

NO VARNISH AREA

0.5315"

50-030EZ

LIQUID CALLUS REMOVER

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56104-501
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y219G)	
PYROXYLIN (UNII: KYR8BR2X6O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56104-501-00	1 in 1 CARTON	09/11/2023	

1	9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	09/11/2023	

Labeler - Premier Brands of America Inc. (063849780)

Revised: 10/2024

Premier Brands of America Inc.