

CHILDRENS CETIRIZINE HYDROCHLORIDE - cetirizine hydrochloride solution
Health Mart

Health Mart® Pharmacy Children's Cetirizine Hydrochloride

Drug Facts

**Active ingredient
(in each 5 mL teaspoonful)**

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- use only with enclosed dosing cup

adults and children | 1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily

adults and children 6 years and over	depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.
adults 65 years and older	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.
children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose

Questions?

Call **1-866-923-4914**

Distributed by McKesson
One Post Street
San Francisco, CA 94104

PRINCIPAL DISPLAY PANEL - 118 ml Bottle Carton

NDC 62011-0093-1

Health Mart®
PHARMACY

compare to
Children's Zyrtec®
active ingredient*

children's
cetirizine
hydrochloride
oral solution

1 mg/mL antihistamine

indoor & outdoor allergies

24 hour relief of:
sneezing; runny nose;
itchy, watery eyes; itchy throat or nose

2 Yrs. & older

bubble gum flavor

dosing cup included
 sugar free • dye free
 4 FL OZ (118 ml)

Drug Facts (continued)
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
 • drowsiness may occur • avoid alcoholic drinks
 • alcohol, sedatives, and tranquilizers may increase drowsiness
 • be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding:
 • if breast-feeding, not recommended
 • if pregnant, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).
Directions • use only with enclosed dosing cup
 adults and children 6 years and over 1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.
 adults 65 years and older 1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.
 children 2 to under 6 years of age 1/2 teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
 children under 2 years of age ask a doctor
 consumers with liver or kidney disease ask a doctor
Other information
 • store between 20° to 25°C (68° to 77°F)
Inactive ingredients bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose
Questions? Call 1-866-923-4914
McKesson Distributed by McKesson One Post Street San Francisco, CA 94104 Money Back Guarantee Made in Israel.
www.healthmart.com/healthmartbrand

CHILDRENS CETIRIZINE HYDROCHLORIDE

cetirizine hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0093
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Cetirizine hydrochloride (UNII: 64O047KTOA) (Cetirizine - UNII:YO7261ME24)	Cetirizine hydrochloride	1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
acetic acid (UNII: Q40Q9N063P)	
glycerin (UNII: PDC6A3C0OX)	
methylparaben (UNII: A218C7H19T)	

propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0KO0R)	
sodium acetate anhydrous (UNII: NVG71ZZ7P0)	
sucralose (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0093-1	1 in 1 CARTON	05/20/2011	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA201546	05/20/2011	

Labeler - Health Mart (177667227)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries, Ltd.		600072078	MANUFACTURE(62011-0093)