VITAPIRENA- acetaminophen granule, for solution Pharmadel LLC

Vitapirina Acetaminophen (APP)

Drug Facts

Active ingredient & Purposes

Active ingredient (in each packet)	Purposes
Acetaminophen 500 mg	Pain reliever/ fever reducer

Uses

For the temporary relief of minor aches and pains associated with

- sore throat
- headache
- the common cold/ flu
- muscular aches
- backache
- minor pain from arthritis
- and to reduce fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if:

 adult takes more than 8 packets in 24 hours, which is the maximum daily amount for this

product

- child takes more than **5 packets** in 24 hours
- with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks everyday while using this product

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if allergic to acetaminophen or any other of the inactive ingredients in this product

Ask a doctor before use if the user

- has liver disease
- is a child with pain from arthritis

Ask a doctor or pharmacist before use if the user is

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- adult's pain gets worse or lasts more than 10 days
- child's pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children.

In case of an accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed

Age	Dose
adults and children 12 years of age and over	take one (1) packet, every 4 hours. Do not exceed; adults 8 packets or children 5 packets in 24 hours
children under 12 years of age	do not use

Other information

- each 5g packet contains: 1 **78 mg sodium**
- store at room temprature 77-86° F (25-30° C)

Inactive ingredients

chamomile lemon flavor, citric acid monohydrate, fructose, povidone k30, silicon dioxide, sodium bicarbonate, sucralose, water

Questions?

+1-866--359-3478 (M-F) 9 AM - 5 PM EST or www.pharmadel.com

Distributed by:

PHARMADEL LLC.

New Castle, DE 19720

Principal Display Panel



VITAPIRENA

acetaminophen granule, for solution

_			
Drod		Intorm	STIAN
rivu	uct	Inform	alivii

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 500 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
POVIDONE K30 (UNII: U725QWY32X)	
WATER (UNII: 059QF0KO0R)	
FRUCTOSE (UNII: 6YSS42VSEV)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	LEMON (+Chamomile)	Imprint Code	
Contains			

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:55758-012- 05	5 in 1 BOX	10/25/2023		
1		1 in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/25/2023	

Labeler - Pharmadel LLC (030129680)

Revised: 11/2023 Pharmadel LLC