

ADULT LOW DOSE ENTERIC COATED ASPIRIN- aspirin tablet, coated
Preferred Pharmaceuticals Inc.

gc 983

Active ingredient (in each tablet)

Aspirin 81 mg(NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

- for the temporary relief of minor aches and pains
- ask your doctor about other uses for aspirin

Warnings

Reye's Syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning:

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use if your are allergic to aspirin or any other pain reliever/fever reducer.

Ask a doctor before use if

- the stomach bleeding warning applies to you
- you are taking a diuretic
- you have a history of stomach problems, such as heartburn
- you have: -high blood pressure -heart disease -liver cirrhosis -kidney disease -asthma

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout or arthritis

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding: -feel faint -vomit blood -have bloody or black stools -have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- fever gets worse or lasts more than 3 days
- any new symptoms occur
- ringing in the ears or loss of hearing occurs

These can be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose , get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass of water with each dose
- swallow whole, do not chew or crush
- do not exceed recommended dose
- adults and children 12 years and older: take 4-8 tablets every 4 hours, as needed, not more than 48 tablets in 24 hours, or as directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 20-25°C (68-77°F); excursions permitted between 15°C-30°C (59°F-86°F)

Inactive ingredients

cellulose, croscarmellose sodium, D&C Yellow #10 Lake, lactose monohydrate, methacrylic acid co-polymer, PEG, polacrillin potassium, polyvinyl alcohol, silica, sodium lauryl sulfate, soya powder, talc, titanium dioxide, triethyl citrate

Relabeled By: Preferred Pharmaceuticals Inc.

NDC 68788-8565-8

Questions or comments?

1-800-540-3765

package label

**Aspirin Tab 81mg
Low Dose Enteric
Coated**

Generic for Bayer® Low Dose Aspirin
Each tablet contains: Aspirin 81mg (NSAID)
... Pain reliever

Pkg Size: Exp Date:
Lot#:
Batch#:
Ins:
Mfg: Geri-Care Pharmaceutical Corp
Prod#:
Warning

Store at controlled room temperature between 20°-25°C (68°-77°F) **Reye's Syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness. **Allergy Alert:** Aspirin may cause a severe allergic reaction. **Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. Do not use if you are allergic to aspirin or any other pain reliever/fever reducer. Store at controlled room temperature. Tablet is round, yellow, and imprinted with P



CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed

Aspirin Tab 81mg Low Dose Enteric Coated
Qty: Ins:
Lot#: Bat#:

Prod# (NDC):

Aspirin Tab 81mg Low Dose Enteric Coated
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Aspirin Tab 81mg Low Dose Enteric Coated
Qty:
Insurance NDC:
Lot#: Bat#:

Aspirin Tab 81mg Low Dose Enteric Coated
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):



Instrucciones Espanol:
Tomelo como se indica

Directions English
Take as Directed



Log

Chart

Billing

Patient

ADULT LOW DOSE ENTERIC COATED ASPIRIN			
aspirin tablet, coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-8565(NDC:57896-983)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg	
Inactive Ingredients			
Ingredient Name	Strength		
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)			
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
POLACRILIN POTASSIUM (UNII: 0BZ5A00FQU)			
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)			
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)			

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SOYBEAN (UNII: L7HT8F1ZOD)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8565-8	120 in 1 BOTTLE; Type 0: Not a Combination Product	01/12/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/12/2024	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-8565)

Revised: 11/2024

Preferred Pharmaceuticals Inc.