

LIDOCAINE PATCH- lidocaine 4%, menthol 1% patch
Anhui Miao De Tang Pharmaceutical Co., Ltd.

Lidocaine Patch

Lidocaine Patch

Lidocaine 4%,Menthol 1%

For the temporary relief of pain

For the temporary relief of pain, TOPICAL ANESTHETIC

For external use only

more than 1 patch on your body at a time or on cut, irritated or swollen skin

use only as directed. Read and follow all directions and warnings on this label.

rare cases of serious burns have been reported with products of this type

do not apply to wounds or damaged, broken or irritated skin

do not allow contact with the eyes and mucous membranes

do not bandage tightly or apply local heat (such as heating pads) to the area of use

do not use at the same time as other topical analgesics

condition worsens

redness is present

irritation develops

symptoms persist for more than 7 days or clear up and occur again within a few days

you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

if swallowed, get medical help or contact Poison Control Center right away.

Adults and children 12 years of age and over:

clean and dry affected area

remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle

carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area

once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area

use 2 patch for up to 24 hours

Children under 12 years of age:consult a doctor

Store in a clean, dry place outside of direct sunlight. Protect product from excessive moisture.

Aluminum Glycinate

Aluminum Hydroxide

Cellulose Gum

Glycerin

Methylparaben

PEG-40 Hydrogenated Castor Oil

Polyacrylic Acid

Polysorbate 80
 Propylene Glycol
 Ricinus Communis Seed Oil (Castor)
 Silica
 Sodium Polyacrylate
 Tartaric Acid
 Titanium Dioxide
 Urea
 Water



| PRODUCT NAME | COLOR PROFILE: CMYK |
|-------------------------|------------------------|
| LIDOCAINE PATCH | C=0% M=0% Y=0% K=0% |
| | C=47% M=0% Y=88% K=0% |
| | C=0% M=44% Y=89% K=0% |
| | C=60% M=2% Y=0% K=0% |
| | C=73% M=15% Y=5% K=0% |
| | C=84% M=44% Y=7% K=10% |
| C=42% M=53% Y=48% K=19% | |

CARE MADE BETTER

DRUG FACTS

| | |
|---------------------------|--------------------|
| Active Ingredients | Purpose |
| Lidocaine 4% | Topical Anesthetic |
| Menthol 1% | Topical Analgesic |

Uses: For the temporary relief of minor aches and pains of muscles and joints

Warnings: For external use only

When using this product

- use only as directed
- avoid contact with eyes
- do not apply to wounds or damaged skin
- do not bandage tightly or apply any other heating pads to the affected area

Stop use

- if condition worsens
- if symptoms clear up and occur again within a few days
- if redness and irritation develop
- if symptoms persist for more than 7 days, consult a doctor

If pregnant or breast feeding

- ask a health professional before use.

Keep out of reach of children

Directions

Adults and children 2 years of age and older

- clean and dry affected area
- remove backing from patch and firmly grasp both ends, gently pull backing until it separates up to the middle
- slowly apply the patch to the affected area and gently remove any remaining backing from the patch
- apply to affected area not more than 3 to 4 times daily

Children under 12 years of age

- do not use, consult a doctor.

Other Information

- Store in a clean, and dry place outside of direct sunlight.

Inactive Ingredients:
 aluminum glycinate, aluminum hydroxide, cellulose gum, DMDM hydantoin, glycerin, PEG-40 hydrogenated castor oil, polyacrylic acid, polysorbate 80, propylene glycol, ricinus communis seed oil (castor), silica, sodium polyacrylate, tartaric acid, titanium dioxide, urea, water

Questions or Comments?
 Call +1 (833) 420 11 83

MANUFACTURED FOR:
 JACK JACQUELLE
 SOME WISSE
 PNB 3342
 Miami, FL 33179-3899, USA
 Made in China

MFG. DATE: 2023-11-20
 EXP. DATE: 2025-11-20
 BATCH/LOT NO.: 02132282

JJCareUSA.com

JJ CARE

LIDOCAINE PATCH

TOPICAL ANALGESIC

4% LIDOCAINE

MAXIMUM STRENGTH
 12 HOUR RELIEF
 FAST-ACTING
 5.5" X 4"

30 PATCHES

| | | | | LIDOCAINE PATCH (蓝色盒子) | |
|-------------|------------|-------------|--------------|------------------------|------|
| 定稿日期 | 2023/10/19 | 成品尺寸 | 130*76*180mm | 数量 | 1860 |

JJ CARE

130*18*180

JJ CARE

TOPICAL ANESTHETIC

LIDOCAINE PATCH

4% LIDOCAINE, 1% MENTHOL



NON-IRRITATING



12-HOUR RELIEF



MAXIMUM STRENGTH



TARGETED

6 PATCHES

4 X 5.5 INCHES

DRUG FACTS

Active Ingredients

Lidocaine 4% Topical Anesthetic
Menthol 1% Topical Analgesic

Purpose

Uses: For the temporary relief of pain

Warnings: For external use only

Do not use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- do not allow contact with the eyes and mucous membranes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breastfeeding

- ask a health professional before use.

Keep out of reach of children

- if swallowed, get medical help or contact Poison Control Center right away.

Directions

Adults and children 12 years of age and over:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 2 patch for up to 24 hours

Children under 12 years of age:

- consult a doctor

Other information

- Store in a clean, dry place outside of direct sunlight. Protect product from excessive moisture.

Inactive Ingredients:

aluminum glycinate, aluminum hydroxide, cellulose gum, glycerin, methylparaben, PEG-40 hydrogenated castor oil, polyacrylic acid, polysorbate 80, propylene glycol, ricinus communis seed oil (castor), silica, sodium polyacrylate, tartaric acid, titanium dioxide, urea, water

Questions or Comments?

Call +1 (833) 420 11 83

CARE MADE BETTER

JJCareUSA.com

180 mm

18 mm

MANUFACTURED FOR
JACK JACK LLC
382 NE 191st St
PMB 33423
Miami, FL 33179-3899, US
Made in China

MFG. DATE: 2023-08-20
EXP. DATE: 2025-08-20
BATCH/LOT NO.: 02603202

LIDOCAINE PATCH

lidocaine 4%, menthol 1% patch

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:81484-901 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------|
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 0.01 g |
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 0.04 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W) | |
| SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J) | |
| UREA (UNII: 8W8T17847W) | |
| TARTARIC ACID (UNII: W4888I119H) | |
| WATER (UNII: 059QF0KO0R) | |

| |
|--|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K) |
| CARBOXYMETHYLCELLULOSE (UNII: 05JZI7B19X) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) |
| METHYLPARABEN (UNII: A2I8C7HI9T) |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) |
| CASTOR OIL (UNII: D5340Y2I9G) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) |

| Packaging | | | | |
|------------------|------------------|---|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:81484-901-03 | 2 in 1 PACKAGE | 09/14/2023 | |
| 1 | NDC:81484-901-02 | 6 in 1 BOX | | |
| 1 | NDC:81484-901-01 | 1 in 1 BAG; Type 0: Not a Combination Product | | |
| 2 | NDC:81484-901-04 | 30 in 1 BOX | 11/14/2023 | |
| 2 | NDC:81484-901-01 | 1 in 1 BAG; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M017 | 09/14/2023 | |

Labeler - Anhui Miao De Tang Pharmaceutical Co., Ltd. (405744102)

| Establishment | | | |
|---|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Anhui Miao De Tang Pharmaceutical Co., Ltd. | | 405744102 | manufacture(81484-901) |

Revised: 11/2023

Anhui Miao De Tang Pharmaceutical Co., Ltd.