

HYDROCORTISONE PLUS 12 MOISTURIZERS- hydrocortisone cream

RITE AID CORPORATION

Hydrocortisone Plus 12 Moisturizers

Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
 - eczema
 - psoriasis
 - poison ivy, oak, sumac
 - insect bites
 - detergents
 - jewelry
 - cosmetics
 - soaps
 - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **for itching of skin irritation, inflammation, and rashes:**
 - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
 - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
 - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
 - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
 - apply to affected area not more than 3 to 4 times daily
 - children under 12 years of age: ask a doctor

Other information

- to open: unscrew cap, pull tab to remove foil seal, and screw cap back onto tube
- store at 20° to 25° C (68° to 77° F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

aloe powder, cetearyl alcohol/sodium lauryl sulfate/sodium cetearyl sulfate, chamomile oil, citric acid, corn oil, glycerin, glyceryl monostearate, isopropyl palmitate, maltodextrin, methylparaben, mineral oil, paraffin wax, propylene glycol, propylparaben, purified water, stearyl alcohol, vitamin A & vitamin D3 liquid, vitamin E, white petrolatum.

Questions?

Call **1-866-923-4914**

DISTRIBUTED BY:

RITE AID, 200 NEWBERRY COMMONS ETTERS, PA 17319

www.riteaid.com

MADE IN CANADA

PRINCIPAL DISPLAY PANEL - 56.8 Tube Carton

MAXIMUM STRENGTH

HYDROCORTISONE CREAM 1%

PLUS 12 MOISTURIZERS

ANTI-ITCH

RELIEVES ITCH FAST

For skin irritations

- Enriched with vitamins A, D3 & Vitamin E

NET WT 1 OZ (28.4

(COLOR BLEED)

NDC 11822-2090-2

Compare to the active ingredient in
Cortizone-10® Plus*

MAXIMUM STRENGTH
HYDROCORTISONE CREAM 1%

PLUS 12 MOISTURIZERS

ANTI-ITCH

RELIEVES ITCH FAST

For skin irritations • Enriched With Vitamins A & D3, & Vitamin E

MAXIMUM STRENGTH
HYDROCORTISONE CREAM 1%

PLUS 12 MOISTURIZERS

ANTI-ITCH

MAXIMUM STRENGTH
HYDROCORTISONE CREAM 1%

PLUS 12 MOISTURIZERS

ANTI-ITCH

NET WT 1 OZ (28.4 g)

MAXIMUM STRENGTH
HYDROCORTISONE CREAM 1%
PLUS 12 MOISTURIZERS
ANTI-ITCH



*All trademarks are property of their respective owners.
This product is not affiliated with the makers/owners of Cortizone-10® Plus.

DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319
www.riteaid.com
MADE IN CANADA

**SATISFACTION
GUARANTEE**

If you're not satisfied, we'll
happily refund your money.



0 11822 66136 2

5249041
0424
69

25/32

728
B52.3
ENG19.07

<p>Drug Facts (continued)</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <p>• for itching of skin irritations, inflammation, and rashes:</p> <ul style="list-style-type: none"> • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • children under 2 years of age: ask a doctor <p>For external anal and genital itching, adults:</p> <ul style="list-style-type: none"> • when practical, clean the affected area with mild soap and warm water and rinse thoroughly • gently dry by patting or blotting with toilet tissue or a soft cloth before applying • apply to affected area not more than 3 to 4 times daily • children under 12 years of age: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> • to open unscrew cap, pull tab to remove foil seal, and screw cap back onto tube • store at 20° to 25° C (68° to 77° F) • see cap or tube crimp for lot number and expiration date <p>Inactive ingredients</p> <p>also powder, cetylalcohol, sodium lauryl sulfate, sodium cetyl sulfate, chromiolum, oil, citric acid, cetyl oil, glycerin, glyceryl monostearate, isopropyl palmitate, maledextrin, methylparaben, mineral oil, paraffin wax, propylene glycol, propylparaben, purified water, stearic alcohol, vitamin A & vitamin D3 liquid, vitamin E, white petrolatum.</p> <p>Questions? Call 1-866-823-8914</p>	<p>Drug Facts</p> <p>Active ingredient</p> <p>Hydrocortisone 1%, ... Anti-itch</p> <p>Purpose</p> <p>Temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:</p> <ul style="list-style-type: none"> • eczema • insect bites • poison ivy, oak, sumac • contact dermatitis • hives • sunburn • allergic reactions • hemorrhoids • itching of the nose • itching of the throat • itching of the eyes • itching of the ears • itching of the mouth • itching of the scalp • itching of the hands • itching of the feet • itching of the neck • itching of the chest • itching of the back • itching of the arms • itching of the legs • itching of the torso • itching of the face • itching of the neck • itching of the chest • itching of the back • itching of the arms • itching of the legs • itching of the torso • itching of the face <p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> • in the genital area if you have a vaginal discharge. Consult a doctor. • for the treatment of diaper rash. Consult a doctor. <p>When using this product</p> <ul style="list-style-type: none"> • avoid contact with eyes • do not use more than directed unless told to do so by a doctor • do not put directly into the rectum by using fingers or any mechanical device or applicator <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> • condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor • rectal bleeding occurs
---	---

MAXIMUM STRENGTH
HYDROCORTISONE CREAM 1%
PLUS 12 MOISTURIZERS
ANTI-ITCH

HYDROCORTISONE PLUS 12 MOISTURIZERS

hydrocortisone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-2090
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SODIUM CETOSTEARYL SULFATE (UNII: 7ZBS06BH4B)	
CHAMOMILE FLOWER OIL (UNII: 60F80Z61A9)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN OIL (UNII: 8470G57WFM)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX25C1OH)	
WATER (UNII: 059QF0KO0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-2090-2	1 in 1 CARTON	07/21/2023	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11822-2090-3	1 in 1 CARTON	07/21/2023	
2		56.8 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/21/2023	

Labeler - RITE AID CORPORATION (014578892)

Registrant - TARO PHARMACEUTICALS U.S.A., INC. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	manufacture(11822-2090)

Revised: 4/2024

RITE AID CORPORATION