# NEUTROGENA SPORT ACTIVE DEFENSE SPF 30- avobenzone, homosalate, octisalate, octocrylene spray Kenvue Brands LLC

\_\_\_\_\_

#### Neutrogena Sport Active Defense SPF 30

#### **Drug Facts**

Active ingredients	Purpose
Avobenzone (3%),	Sunscreen
Homosalate (8%),	Sunscreen
Octisalate (5%),	Sunscreen
Octocrylene (8%)	Sunscreen

#### Uses

• helps prevent sunburn

• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

#### For external use only

Do not use on damaged or broken skin

#### When using this product

- keep out of eyes. Rinse with water to remove.
- · keep away from face to avoid breathing it

#### Stop use and ask a doctor if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Warning: FLAMMABLE. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

#### Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions.

- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

#### Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

#### Inactive ingredients

Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate

#### **Questions?**

Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www. neutrogena.com

Distributed by:

#### JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

#### PRINCIPAL DISPLAY PANEL - 141 g Can Label

NFW Neutrogena ® DERMATOLOGIST RECOMMENDED BRAND Sport active defense

sunscreen

### 30

**BROAD SPECTRUM SPF 30** 

skin barrier protection

## helioplex $^{\ensuremath{\mathbb{R}}}$

broad spectrum uva●uvb

# ANTIOXIDANTS

### VITAMINS C & E

SWEAT + SUN + H2O DEFENSE protects & refreshes non-sticky • quick-drying water resistant (80 minutes) NET WT 5.0 OZ (141 g)

#### NEW

# Neutrogena<sup>®</sup>

DERMATOLOGIST RECOMMENDED BRAND

Sport active defense sunscreen

# **30** BROAD SPECTRUM SPF 30



#### ANTIOXIDANTS VITAMINS C & E

SWEAT + SUN + H2O DEFENSE protects & refreshes non-sticky • quick-drying

water resistant (80 minutes)

NET WT 5.0 OZ (141g)

NEUTROGENA® Sport Active Defense SPF 30 provides broad spectrum UVA/UVB protection that stays on through sweat during active outdoor activities. This spray is formulated with antioxidants vitamins C & E with a refreshing mint fragrance.



#### **Drug Facts**

Active ingredients Avobenzone (3%), Homosalate (8%), Octisalate (5%), Octocrylene (8%)Sunscreen USES - helps prevent sunburn + if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun       Sunscreen         Warnings For external use only Do not use on damaged or broken skin When using this product - keep out of eyes. Rinse with water to remove keep away from face to avoid breathing it Stop use and ask a doctor if rash occurs       Image: Control Center right away Warning: FLAMMABLE. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store otnate a Poison Control Center right away Warning: FLAMMABLE. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed .Intentional masse by deliberately concentrating and inhaling the contents can be harmful or fatal.         Directions • spray liberally and spread evenly by hand then apply to face. Rub in • do not apply in windy conditions. • use in a well-wetilated area • reapply. • after 80 minutes of swimming or sweeting • immediately after twel dring • at least every 2 hours. • Sun Protection Measures. Spending time in the sun necessive heat and tirect sun • may stain some fabrics:         Image: Divertion of the actor shift apply in windy conditions. • use in a well-wetilated area • reapply. • after 80 minutes of swimming or sweeting • immediately after twel dring • at least every 2 hours. • Sun Protection Measures. Spending time in the sun necessive heat and tirect sun • may stain some fabrics:         Image: Divertion of the actor shift apply in windy conditions • use in a well-wetilated area • reapply. • after 80 minutes of swimming or swell • children under 6 moths of		<u> </u>	E e				
Warnings For external use only       Image: Control Contrel Contrel Control Control Control Control Control Co		Octisalate (5%), Octocrylene (8%)Sunscreen	Oxybenzo is, and dy				
For external use only       Image of broken skin         Do not use on damaged or broken skin       Image of broken skin         When using this product - keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it       Image of the state of the state of the state of the state state area to be perturned area + capply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including • limit the in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including • limit the in the sun especially from 0.00000000000000000000000000000000000		protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	Free of: Paraber				
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it       It is is in the provided in the second in the second in the second inclusion of the processor of the processor. The proceeding is included in the processor of the processor of the processor of the processor. The processor of the proces		Warnings For external use only					
remove. • keep away from face to avoid breathing it       stop use and ask a doctor if rash occurs         Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away       warning: FLAMMABLE. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be hamful or fatal.       Image: Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be hamful or fatal.       Image: Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be hamful or fatal.       Image: Contents under pressure. Do not use near fire, heat or while smoking. Do not part directly into face. Spray on hands and then apply to face. Rub in . • do not apply in windy conditions. • use in a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor       Image: Contents with agine. Contents with agine. Contents with agine. Contents with agine. Coopheryl Acetate, Ascorbyl Palmitate         Image: Content with agine. Coopheryl Acetate, Ascorbyl Palmitate       Coopheryl Acetate, Ascorbyl Palmitate       Coopheryl Acetate, Ascorbyl Palmitate         Image: Coopheryl Acetate, Ascor		Do not use on damaged or broken skin					
misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Directions • spray liberally and spread evenly by hand 15 minutes before sun exposure • hold container 4-6 inches from the skin to apply. Rub in. • do not apply in windy conditions. • use in a well-ventilated area • ecapply. • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor Other information • protect this product from excessive heat and direct sun • may stain some fabrics Inactive ingredients Alcohol Denat, Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Regore, Tocopheryl Acetate, Ascorbyl Palmitate 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com		remove. • keep away from face to avoid breathing it	s.				
misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Directions • spray liberally and spread evenly by hand 15 minutes before sun exposure • hold container 4-6 inches from the skin to apply. Rub in. • do not apply in windy conditions. • use in a well-ventilated area • ecapply. • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor Other information • protect this product from excessive heat and direct sun • may stain some fabrics Inactive ingredients Alcohol Denat, Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Regore, Tocopheryl Acetate, Ascorbyl Palmitate 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com			nal nal				
misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Directions • spray liberally and spread evenly by hand 15 minutes before sun exposure • hold container 4-6 inches from the skin to apply. Rub in. • do not apply in windy conditions. • use in a well-ventilated area • ecapply. • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor Other information • protect this product from excessive heat and direct sun • may stain some fabrics Inactive ingredients Alcohol Denat, Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Regore, Tocopheryl Acetate, Ascorbyl Palmitate 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com	com	contact a Poison Control Center right away	Formu in anir				
Directions • spray liberally and spread evenly by hand     15 minutes before sun exposure • hold container 4-6 inches from the     skin to apply. Rub in. • do not spray directly into face. Spray on hands and     then apply to face. Rub in. • do not apply in windy conditions. • use in a     well-ventilated area • ecaply.• a thera 80 minutes of swimming or     sweating • immediately after towel drying • at least every 2 hours • Sun     Protection Measures. Spending time in the sun increases your risk of     sun career and early skin aging. To decrease this risk, regularly use a     sunscreen with a Broad Spectrum SPF value of 15 or higher and other     sun protection measures including: • limit time in the sun, especially from     10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses     • children under 6 months of age: Ask a doctor     Other information • protect this product from excessive heat     and direct sun • may stain some fabrics     Inactive ingredients Alcohol     Denat, Isobutane, Dicapnylyi     Carbonate, Polyester-7,     Acrylates/Octylacrylamide Copolymer,     Neopentyl Glycol Diheptanoate,     Fragrance, Tocopheryl Acetate,     Ascorbyl Palmitate     Questions? Call toll-free     Su0-299-4786 or     215-273-8755 (collect)     or vist     www.neutrogena.com     Dot 20 M5706	t. www.jjcipats.	near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be	Vegan. I tested o				
<ul> <li>15 minutes before sun exposure - hold container 4-6 inches from the skin to apply. Rub in. • do not spray directly into face. Spray on hands and then apply to face. Rub in. • do not apply in windy conditions. • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses</li> <li>• children under 6 months of age: Ask a doctor</li> <li>Other information • protect this product from excessive heat and direct sun • may stain some fabrics</li> <li><b>Inactive ingredients</b> Alcohol Denat, Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate</li> <li><b>Questions?</b> Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com</li> <li>DOT 20 M5706</li> </ul>	Pa						
skin to apply. Rub in. • do not spray directly into face. Spray on hands and then apply to face. Rub in. • do not apply in windy conditions. • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor Other information • protect this product from excessive heat and direct sun • may stain some fabrics <b>Inactive ingredients</b> Alcohol Denat, Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate <b>Questions?</b> Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com DOT 20 M5706	023	15 minutes before sun exposure • hold container 4-6 inches from the					
then apply to face. Rub in. • do not apply in windy conditions. • use in a well-ventilated area • ecapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor <b>Other information</b> • protect this product from excessive heat and direct sun • may stain some fabrics <b>Inactive ingredients</b> Alcohol Denat, Isobutane, DicaprlyI Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Dineptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com DOT 20 M5706	CI 2	skin to apply. Rub in. • do not spray directly into face. Spray on hands and					
<ul> <li>Well-ventilated area • (eapply) • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor</li> <li>Other information • protect this product from excessive heat and direct sun • may stain some fabrics</li> <li>Inactive ingredients Alcohol Denat, Isobutane, Dicaprlyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Dineptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate</li> <li>Questions? Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com</li> <li>DOT 20 M5706</li> </ul>	J&J		න ප				
Weaking • Initiation Weaking • Initiation • Initiati	0						
<ul> <li>The calculation is a sum cases your substrate and the sum multi-sum multis sum multi-sum multi-sum multi-sum multi-sum multi-sum mult</li></ul>	3558		gy				
Sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor <b>Other information</b> • protect this product from excessive heat and direct sun • may stain some fabrics Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Dineptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate <b>Ruestions?</b> Call toll-free <b>800-299-4786</b> or <b>215-273-8755</b> (collect) or visit www.neutrogena.com DOT 20 M5706	30 L	skin cancer and early skin aging. To decrease this risk, regularly use a	olo i v r				
sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor Other information • protect this product from excessive heat and direct sun • may stain some fabrics Inactive ingredients Alcohol Denat, Isobutane, Dicaptryki Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate 00000000000000000000000000000000000	n, N	sunscreen with a Broad Spectrum SPF value of 15 or higher and other	with				
10 a.m. – 2 p.m. • wear long-sleeved shifts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor <b>Other information</b> • protect this product from excessive heat and direct sun • may stain some fabrics <b>Inactive ingredients</b> Alcohol Denat., Isobutane, Dicaption, Jones Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate <b>Questions?</b> Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com DOT 20 M5706 30054525	Ima	sun protection measures including: • limit time in the sun, especially from	ed				
Collider Under 6 months of age: Ask a doctor     Other information • protect this product from excessive heat     and direct sun • may stain some fabrics     Inactive ingredients Alcohol     Denat, Isobutane, Dicaprylyl     Carbonate, Polyester-7,     Acrylates/Octylacrylamide Copolymer,     Neopentyl Glycol Diheptanoate,     Fragrance, Tocopheryl Acetate,     Ascorbyl Palmitate     Questions? Call toll-free     S00-299-4786 or     215-273-8755 (collect)     or visit     www.neutrogena.com     DOT 20 M5706     30054525	Skil	10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	alex				
Under Information • protect this product from excessive heat and direct sun • may stain some fabrics         Inactive ingredients         Inactive ingredients         Accylates/Octylacrylamide         Corbonate, Polyester-7, Acrylates/Octylacrylamide         Accylates/Octylacrylamide         Ouestions?         Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit         DOT 20 M5706         DOT 20 M5706	NC.	• children under 6 months of age: Ask a doctor					
Inactive ingredients Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate <b>Questions?</b> Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com DOT 20 M5706 30054525	JMER	and direct sun • may stain some fabrics	ΞΩ				
Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate <b>000000000000000000000000000000000000</b>	CONSI		• 🖂				
Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate <i>Questions?</i> Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com DOT 20 M5706 30054525	N	Carbonato Polyostar 7					
Neópentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate Questions? Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com DOT 20 M5706 30054525	SI						
Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate Questions? Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com DOT 20 M5706 30054525	5	Neopentyl Glycol Diheptanoate,	<b>_</b>				
Ascorbyl Palmitate Questions? Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com DOT 20 M5706 30054525	N 8		2				
Questions? Call toll-free       800-299-4786 or       215-273-8755 (collect)       or visit       www.neutrogena.com       DOT 20 M5706       30054525	ISC	Ascordyi Palmitate					
800-299-4786 or       215-273-8755 (collect)       or visit       www.neutrogena.com       DOT 20 M5706       30054525	Ð	Questions? Call toll-free	5				
215-273-8755 (collect) or visit           box www.neutrogena.com           DOT 20 M5706           30054525	by:	800-299-4786 or O					
UNVIXIE WWW.neutrogena.com DOT 20 M5706 30054525	uted						
DOT 20 M5706 .30054525	tribu						
DUT 20 MIS706 30054525	Dis						
		DUT 20 M5706 30054525	-				

# **NEUTROGENA SPORT ACTIVE DEFENSE SPF 30**

avobenzone, homosalate, octisalate, octocrylene spray

**Product Information** 

<ul> <li># Item Cod</li> <li>1 NDC:69968- 0824-5</li> </ul>	Product	N; Type 0: Not a Combinati Lion	12	2/04/2023 Mark	eting Start	Mark	eting End
<ul> <li># Item Cod</li> <li>1 NDC:69968- 0824-5</li> </ul>	Product		ion 12	2/04/2023			
# Item Coo 1 NDC:69968-		N; Type 0: Not a Combinati	ion 12	2/04/2023			
# Item Coo	1.41 . 1.04						
I dekuğing	de Pa	ckage Description			ate		ate
Packaging				Markot	ing Start	Marko	ting End
ALPHA-TOCOF	HEROL ACETATE	(UNII: 9E8X80D2L0)					
	INII: BXR49TP611)						
(UNII: JU3XHR8V					LIMER (7500	5 141 44 (	
		IOATE (UNII: 5LKW3C543X) RYLATE/N-TERT-OCTYLAC			I YMED (7500)		
	(UNII: 0841698D2F	·					
	ARBONATE (UNII:						
ALCOHOL (UNI	I: 3K9958V90M)						
ASCORBYL PA	LMITATE (UNII: QN	183US2B0N)					
		Ingredient Nar	ne				Strengt
Inactive In	gredients						
OCTISALATE (	UNII: 4X49Y0596W)	(OCTISALATE - UNII:4X49Y0	)596W)		OCTISALATE	5	50 mg in 1 g
OCTOCRYLEN	CRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) OCTOCRYLENE				80 mg in 1 g		
HOMOSALATE	(UNII: V06SV4M955	5) (HOMOSALATE - UNII:V06	- UNII:V06SV4M95S) HOMOSALATE			8	80 mg in 1 g
AVOBENZONE	•	)X) (AVOBENZONE - UNII:G6	3QQF2NO				80 mg in 1 g
J		edient Name			Basis of St	renath	Strength
Active Ingr	edient/Active	Moiety					
	ninistration	TOPICAL					
Route of Adı				m Code (Source) NDC:69968-			0-0024

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC