STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled CVS PHARMACY, INC

DRUG FACTS

Active ingredient (in each softgel)

Docusate Sodium USP, 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after using a laxative. These could be a sign of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-2222-1222) right away.

Directions

take with a glass of water

years and over	take 1-3 softgels daily. This dose may be taken as a single daily dose or in divided doses	
children 2 to under 12 years of age	take 1 softgel daily	
children under 2 years ask a doctor		

Other information

- each softgel contains: sodium 7 mg
- store at 25°C (77°F); excursion permitted between 15-30°C (59-86°F)

Inactive ingredients

citric acid, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Dulcolax® Stool Softener*

Stool Softener

DOCUSATE SODIUM 100 mg

Stool Softener Laxative

- Relief of occasional constipation
- Works gradually
- Safe to take

Gentle, softening relief

SOFTGELS

*This product is not manufactured or distributed by Chattem, Inc., distributor of Dulcolax® Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: CVS Pharmacy, Inc. One CVS Drive Woonsocket, RI 02895

Product Label



Gentle Relief

- Relieves occasional constipation
- Works gradually
- Safe to take



Compare to the active ingredient in Dulcolax® Stool Softener® NDC 51316-107-25

DOCUSATE SODIUM, 100 mg Stool Softener Laxative

Gentle, softening relief

25 SOFTGELS





Compare to the active ingredient in Dulcolax® Stool Softener* NDC 51316-107-25



TAMPER ENDENT: DO NOT USE IF PRINTED SAFETY

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION SEAL UNDER CAP IS BROKEN OR

#317683

PLD-1790A FC008418

Lot No.:

DOCUSATE SODIUM, 100 mg Stool Softener Laxative

Gentle, softening relief

25 SOFTGELS

Actual Size

distributor of Dulcolax® Stool Softener. "This product is not manufactured or distributed by Chattem, Inc.,

> C911 J-8111-123-3829 Woudsk-Friday 9AM-5PM EST Questions or comments?

polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink INSCUVE INGREDIENTS citric acid, FD&C ned #40, FD&C yellow #6, gelatin, glycerin,

- sous st S2,C (11,E): excrusious beunitted petween 12-30,C (29-98,E) escy soutie; coupsus: soqnim \ m8
 - подътот побрания

Drug Facts (continued)


A	over the look to the test and the
эгу в досрх.	children under 2 years
Viliab Hegitice it solet	children 2 to under 12 years of age
take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.	adults and children 12 years and over

Directions = take with a glass of water

Control Certier (1-800-222-1222) right away. If pregnant or breast-feeding, sak a health professional before use. Keep out of reach of children, in case of overdose, get medical help or confact a Poison

- you need to use a laxaffve for more than 1 week
- you have rectal bleeding or no bowel movement after using a laxative. These could be

signs of a serious condition. Stop use and ask a doctor if s andden change in bowel habits that lasts more than 2 weeks Balamach pain ■ nausea ■ vomiting Ask a doctor before use if you have



CVS HEALTH Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product	Inform	ation
1 I Oudet		IGLIOII

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51316-107(NDC:53345-008)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) DOCUSATE SODIUM 100 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	

FD&C YELLOW NO. 6 (UNII: H77VEI93A8)

GELATIN (UNII: 2G86QN327L)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

WATER (UNII: 059QF0KO0R)
SORBITOL (UNII: 506T60A25R)
GLYCERIN (UNII: PDC6A3C0OX)

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

SORBITAN (UNII: 6092ICV9RU)

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE	Size	13mm
Flavor		Imprint Code	PC1
Contains			

ш	-	ka	\sim	М	\sim
	а	Na	u		

# Item Code	Package Description	Marketing Start Date	Marketing End Date
		Date	Date

1	NDC:51316-	1 in 1 BOX	12/30/2022	
1		25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:51316- 107-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/30/2022	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	12/30/2022		

Labeler - CVS PHARMACY, INC (062312574)

Revised: 3/2024 CVS PHARMACY, INC