# PM GET RELIEF- acetaminophen and diphenhydramine hydrochloride tablet Eagle Distributors, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **PM Get Relief**

### **Drug Facts**

Active ingredients (in each caplet)	Purposes
Acetaminophen 500 mg	Pain reliever
Diphenhydramine HCl 25 mg	Nighttime sleep aid

#### Uses

temporarily relieves occasional headaches and minor aches and pains with accompanying sleeplessness

## Warnings

### Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

#### Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

### Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

### Stop use and ask a doctor if

• sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

Keep out of reach of children.

### Overdose warning

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

Adults and children 12 years of age and over	Take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
Children under 12 years of age	Do not use this adult strength product. This will provide more than the recommended dose (overdose) and could cause serious health problems

#### Other information

- store between20-25 C (68-77 F)
- do not use if pouch is torn or open

### **Inactive ingredients**

croscarmellose sodium, FD&C blue #1, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, starch, stearic acid, titanium dioxide. May contain polyvinyl alcohol, silicon dioxide, sodium starch glycolate, talc.

### Questions or comments?

Call 1-800-570-8650 (M-F 9am to 5pm PST)

Product manufactured for: *Eagle Distributors,Inc.*Los Angeles, CA 90011

#### PRINCIPAL DISPLAY PANEL - 50 Pouch Carton


See New Warnings Information & Directions Compare to the Active Ingredients in  $Tylenol\ PM^{®}*$ 

Extra Strength PM Get Relief

Pain Reliever Nighttime Sleep Air

Acetaminophen, Diphenhydramine HCI











Tylenol PM " Compare to the Active Ingredients in See New Warnings Information & Directions

Drug Facts

Active ingredients (in each caplet) Acetaminophen 500 mg

Pain relieves

Diphenhydramine HCI 25 mg

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug
- contains acetaminophen, ask a doctor or pharmacist.

  with any product containing diphenhydramine, even one used on skin in children under 12 years of age if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have
■ liver disease ■ a breathing problem such as emphysema or chronic bronchitis
■ trouble urinating due to an enlarged prostate gland ■ glaucoma

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin taking sedatives or tranquilizers

#### When using this product ■ drowsiness will occur ■ avoid alcoholic drinks ■ do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

step use anu ask a doctor it

septilessness persists continuously for more than 2 weeks, insomnia may be a symptom of serious underlying medical illness
mean gets worse or lasts more than 10 days
redness or swelling is present menew symptoms occur
These could be signs of a serious condition.

These could be signs on a serious continuon.

If pregnant or breast-feeding, ask a health professional before use,

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage, in case of overdose, get medical help or contact a Poison Control Center right away, (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions


■ do not take more than directed (see overdose warning)

■ take 2 caplets at bedtime ■ do not take more than 2 caplets of this product in 24 hours
do not use this adult product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage

Other information
store between 20-25'C (68-77'F)
do not use if card or pouch is torn or open
see side panel for lot number and expiration date



cals Division of McNeil PPC, Inc. Tylenol® PM trademark.



## PM GET RELIEF

acetaminophen and diphenhydramine hydrochloride tablet

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68737-224
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Acetaminophen (UNII: 362091TL9D) (Acetaminophen - UNII:362091TL9D)	Acetaminophen	500 mg	
Diphenhydramine Hydrochloride (UNII: TC2D6JAD40) (Diphenhydramine - UNII:8GTS82S83M)	Diphenhydramine Hydrochloride	25 mg	

Inactive Ingredients			
Ingredient Name	Strength		
croscarmellose sodium (UNII: M28 OL1HH48)			
FD&C blue no. 1 (UNII: H3R47K3TBD)			
hypromelloses (UNII: 3NXW29V3WO)			
cellulose, microcrystalline (UNII: OP1R32D61U)			
polyethylene glycols (UNII: 3WJQ0SDW1A)			
povidone (UNII: FZ989GH94E)			
stearic acid (UNII: 4ELV7Z65AP)			
titanium dioxide (UNII: 15FIX9V2JP)			
polyvinyl alcohol (UNII: 532B59J990)			
silicon dioxide (UNII: ETJ7Z6XBU4)			
talc (UNII: 7SEV7J4R1U)			

Product Characteristics				
Color	BLUE		Score	2 pieces

Shape	OVAL (Capsule shape)	Size	17mm
Flavor		Imprint Code	AZ;020
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:68737-224-08	50 in 1 BOX		
1	2 in 1 POUCH		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/30/2012	

# **Labeler** - Eagle Distributors,Inc. (929837425)

Revised: 6/2012 Eagle Distributors,Inc.