BRONCOMAR- acetaminophen, dextromethorphan hbr, guaifenes in, phenylephrine hcl liquid Gadal Laboratories Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Acvtive ingredients:	(in 10 ml) Purpose
----------------------	-----------	-----------

Acetaminophen 200 mg Analgesic

Dextromethorphan HBr 13.33 mg Cough Suppressant

Guaifenesin 200 mg Expectorant

Phenylephrine HCl 5 mg Decongestant

Purpose

 \square Analgesic

Cough Suppressant

Expectorant

Decongestant

Uses

- ©For temporary relief of bronchial and nasal congestion
- Teporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold

Warnings

Do not exceed recommended dosage

Liver warning: This product contains Acetaminophen. Sever liver damage may occur if

- Adult takes more than 6 doses in 24 hours, which is the maximum daily amount
- Child takes more than 5 doses in 24 hours
- Taken with other drugs containing Acetaminophen
- Adult has 3 or more alcoholic drinks everyday while using this product
- Do not give to children under 3 years of age or use for more than 10 days unless directed by a physician

Do not use

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI)(certain drugs for depression, psychiatric conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug.
- if you do not know if your prescription drug contains on MAOI ask your doctor or pharmacist before taking this product
- if you have a chronic pulmonary disease or shortness of breath unless directed by a doctor
- avoid alcoholic beverages while you are taking this product
- do not use with any other drug containing Acetaminophen (prescirption or nonprescription). If you are not sure whether a drug contains Acetaminophen, ask a doctor or a pharmacist.

Ask the doctor before use if you have

• Cough that occurs with too much phlegm (mucus)

- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema
- heart disease, high blood pressure, thyroid disease, or difficulty in urination due to the enlargement of prostate gland.
- The user has liver disease
- The user is taking the blood thinning drug Warfarin.

Stop use and ask the doctor if

- ¶Nervoisness, dizziness or sleeplessness occurs.
- Cough persists for more than 1 week, tends to recur, or accompanied by fever, rash or persistent headache. A persistent cough may be sign of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

IKeep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• Do not take more than 6 doses in any 24-hour period

\square Age	Dose
IAdults and children 12 years and over	10 mL (2 tsps) every 6 hours
Children 6 to under 12 years of age.	5 mL (1 tsps) every 6 hours
Children under 6 years of age	Do not use

Inactive ingredients

Aloe vera, citric acid, disodium EDTA, FD&C Red #40, hydroxyethyl cellulose, natural strawberry flavor, propylene glycol, water, sodium benzoate, sorbitol 70%, sucralose



Broncomar

Broncomar

EXPECTORANT

ACETAMINOPHEN

Great Strawberry Flavor



Relieves Bronchial Congestion **Loosens Mucus**





Drug Facts

Active ingredients: (in 10 ml)..... Purpose Acetaminophen 250 mg. Dextromethorphan HBr 13.33 mg......Cough Suppressant Guaifenesin USP 200mg..... ... Expectorant Phenylephrine HCL 5mg..

Uses

- For temporary relief of Bronchial and Nasal Congestion
- Help loosen phlegm (mucus) and thin bronchial secretions to drai bronchial tubes and make cough more productive.
- Temporarily relieves cough due the minor throat and bronchial irritation as may occur with the common cold.

Do not exceed recommended dosage.

Liver Warning: This product contains Acetaminophen. Sever liver damage may occur if

Adult takes more than 6 doses in 24 hours , which is the

- naximum daily amount. Child takes more than 5 doses in 24 hours.
- Taken with other drugs containing Acetaminophen.

 Adult has 3 or more alcoholic drinks everyday while using this product.
- Do not give to children under 3 years of age or use for more than 10 days unless directed by a physician
- on not use

 If you are now taking a prescription monoamine oxidase inhibito
 (MAOI) (certain drugs for depression, psychiatric conditions, o Parkinson's disease) or for 2 weeks after stopping the MAOI
- drug.
 If you do not know if your prescription drug contains an MAOI
 ask your doctor or pharmacist before taking this product.
 If you have a chronic pulmonary disease or shortness of breatl unless directed by a doctor.
- Avoid alcoholic beverages while you taking this product.

 Do not use with any other drug containing Acetaminophen (prescription or nonprescription). If you are not sure whether: drug contains Acetaminophen, ask a doctor or a pharmacist.

Ask the doctor before use if or you have

- Cough that occurs with too much phlegm (mucus) Cough that last or is a chronic such as occurs with smoking asthma , chronic bronchitis or emphysema.

 Heart disease, high blood pressure, thyroid disease, or
- difficulty in urination due enlargement of prostate gland.
- The user has Liver disease
 - The user is taking the blood thinning drug Warfarin.

Stop use and ask the doctor if

- Nervousness, dizziness or sleeplessness occurs
- Cough persists for more than 1 week, tends to recur, or accompanied by fever, rash or persistent headache. A persistent cough may be sign serious condition

Broncomar

EXPECTORANTE

Agradable Sabor a Fresa



Alivia la Congestión **Bronquial**

Afloja la Flema y la Mucosidad





If pregnant or breast-feeding, ask a health professional before use Keep out of reach of children. In case of overdose, get medical nelp or contact a Poison Control Center right away

Si esta embarazada o en periodo de l'actancia

Consulte con un profesional de la salud antes de usar este producto Mantenga fuera del alcance de los niños, en caso de sobredosis obtenga ayuda medica o póngase en contacto con un centro de envenenamiento inmediatamente.

Directions:

Do not take more than 6 doses in any 24-hour period

Age	Dose
Adults and Children 12 years and over	10ml (2 tsps) every 6 hours
Children 6 to under 12 years of age.	5ml (1 tsps) every 6 hours
Children under 6 years of age	Do not use

Instrucciones :

No tome mas de 6 dosis en un periodo de 24 horas.

Edad	Dosis
Adultos y niños mayores de 12 años	10ml (2 Ctas.) cada 6 horas
Niños de 6 hasta 12 años	5ml (1 Cdta.) cada 6 horas
Niños menores de 6 años de edad	No Utilice este producto

Other Information

- Each 10 ml contains: sodium 2 mg Store Between 15-30° C (59-86° F)
- Tamper Evident Feature Do not use if seal under cap is tom, broken or missing

Inactive Ingredients

Aloe Vera , Citric Acid, Disodium EDTA, FD&C Red # 40, Hydroxyethyl Cellulose, Natural Strawberry Flavor, Propyler Glycol USP, Purified Water, Sodium Benzoate, Sorbitol 70% USP,

Ingredientes inactivos

Aloe Vera, Acido Cítrico, Sucrolosa, Hidroxietil Celulosa , EDTA Disodico, Benzonato Sodico, Propilen Glycol USP, Color Rojo FD &C # 40, Sabor Fresa natural , Agua Purificada, Sorbitol 70%

Questions or Comments?

s from 9:30 AM to 5 PM EST at Tel 305 2618762

Preguntas o Comentarios? Llamar de 9:30 AM a

Distributed by essential Oroducts Miami, Fl, 33126 www.jjjdistributors.com Made In U.S.A.



NDC 53113-215-06

BRONCOMAR

acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53113-215
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	250 mg in 10 mL	
DEXTROMETHO RPHAN HYDRO BRO MIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	13.33 mg in 10 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6 MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL	

Inactive Ingredients	
Ingredient Name	Strength
ALOE VERA WHOLE (UNII: KIZ4X2EHYX)	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISO DIUM (UNII: 7FLD9 1C8 6 K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYDRO XYMETHYL CELLULO SE (UNII: 273FM27VK1)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:53113-215-06	1 in 1 CARTON		
1	177 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/01/2014	

Labeler - Gadal Laboratories Inc (841305639)

Revised: 6/2014 Gadal Laboratories Inc