INFLUENZINUM- influenza a virus a/victoria/4897/2022 ivr-238 (h1n1) antigen (formaldehyde inactivated), influenza a virus a/darwin/9/2021 ivr-228 (h3n2) hemagglutinin antigen (uv, formaldehyde inactivated),influenza b virus b/michigan/01/2021 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

## **INFLUENZINUM 12C MD**

Active ingredient\*\*

Influenzinum 12C HPUS

See product name on front panel (contains 0.443 mg of the active ingredient per pellet)

Relieves after effects of flu or flu-like symptoms \*

See symptoms on front panel.

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use

## Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@Boiron.com Distributed by Boiron, Inc.

Newtown Square, PA 19073


Do not use if pellet dispenser seal is broken. Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. \*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.






## Drug Facts

Active ingredient": See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.



## INFLUENZINUM

influenza a virus a/victoria/4897/2022 ivr-238 (h1n1) antigen (formaldehyde inactivated), influenza a virus a/darwin/9/2021 ivr-228 (h3n2) hemagglutinin antigen (uv, formaldehyde inactivated), influenza b virus b/michigan/01/2021 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-5085			
Route of Administration	ORAL					

ANTIGEN (FORMALDE (INFLUENZA B VIRUS B/ (FORMALDEHYDE INACTI INFLUENZA B VIRUS B ANTIGEN (FORMALDE (INFLUENZA B VIRUS B/ (FORMALDEHYDE INACTI	HYDE INACTIVA PHUKET/3073/20 VATED) - UNII:9H B/MICHIGAN/01	8/2013 HEMAGO Ated) (Unii: 9He			Basis of Stro	ength	Strength
ANTIGEN (FORMALDE (INFLUENZA B VIRUS B/ (FORMALDEHYDE INACTI INFLUENZA B VIRUS B ANTIGEN (FORMALDE (INFLUENZA B VIRUS B/ (FORMALDEHYDE INACTI	HYDE INACTIVA PHUKET/3073/20 VATED) - UNII:9H B/MICHIGAN/01	ATED) (UNII: 9HE			INFLUENZA B VIRUS		
ANTIGEN (FORMALDE (INFLUENZA B VIRUS B/ (FORMALDEHYDE INACTI		INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTINININFLUENZA B VIRUSANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: 9HB0XUS9TM)B/PHUKET/3073/2013(INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGENHEMAGGLUTININ ANTIG(FORMALDEHYDE INACTIVATED) - UNII:9HB0XUS9TM)(FORMALDEHYDE INACTIVATED) - UNII:9HB0XUS9TM)					12 [hp_C]
NFLUENZA A VIRUS A	INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: CQV855H5FG)INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:CQV855H5FG)INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:CQV855H5FG)					1 TIGEN	12 [hp_C]
INFLUENZA A VIRUS A/VICTORIA/4897/2022 IVR-238 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: AU5C98U4BB) (INFLUENZA A VIRUS A/VICTORIA/4897/2022 IVR-238 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:AU5C98U4BB) (FORMALDEHYDE INACTIVATED) - UNII:AU5C98U4BB)						12 [hp_C]	
INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2)INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2)HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED)INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2)HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED) -INTIGEN (UV, FORMALDEHYDE INACTIVATED) -UNII:GRN94TP8YV)UNI:GRN94TP8YV)					ININ	12 [hp_C]	
Inactive Ingredie							
	In	gredient Na	me			Str	ength
LACTOSE, UNSPECIFI	ED FORM (UNII:	J2B2A4N98G)					
SUCROSE (UNII: C151H	18M554)						
Product Charact	eristics						
Color	white		Score				
Shape	ROUN	D	Size			4mr	n
Flavor	Imprint Code		de				
Contains							
Packaging							
	Ma		Mar	rketing Start Marketing E		ing End	
# Item Code	Package Description		Piul	Date	Date		
NDC:0220-5085- 41 80 in 1 TUBE; Type 0: Not a Combination Product 09/18/2023							
Marketing In	formation						
Marketing Category				) <b>M</b>	larketing Start Date		ting End ate
unapproved				0.0	/18/2023		

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment						
Name	Address	ID/FEI	<b>Business Operations</b>			
Boiron		282560473	manufacture(0220-5085)			

Revised: 9/2023

Boiron