

BANANA BOAT- avobenzene,homosalate,octisalate,octocrylene spray
Edgewell Personal Care Brands LLC

Active Ingredients

Avobenzene 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

• **For external use only. Flammable:** Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking.

May stain some fabrics and surfaces.

Do not use

on damaged or broken skin.

When using this product

Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

KEEP OUT OF REACH OF CHILDREN,

ESPECIALLY WHEN REFILLING PRODUCT. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

Directions

• Hold container 4 to 6 inches from the skin to apply. Don't spray directly into face. Apply on hand then apply to face. Spray evenly and liberally on your skin. Use in a well-ventilated area. Apply 15 minutes before sun exposure. Reapply throughout the day • at least every 2 hours, • after 80 minutes of swimming or sweating • immediately after towel drying • Sun Protection Measures. Spending time in the sun increases your risk of

skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients:

Alcohol Denat., Caprylic/Capric Triglyceride, Isododecane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract

Other Information

- protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

BANANA BOAT(R)
KiDS
360 COVERAGE
advanced control mist
BROAD SPECTRUM SPF 50+ SUNSCREEN
50+
won't run into eyes
Water Resistant
(80 Minutes)
Aerosol Free*
5.5 FL. OZ. (162 mL)

BANANA BOAT
KiDS
360 COVERAGE
advanced control mist
BROAD SPECTRUM SPF 50+ SUNSCREEN

50+
won't run into eyes
Water Resistant (80 Minutes)
Aerosol Free*

5.5 FL. OZ. (162 mL)

HOW TO REFILL

REMOVE

REPLACE

READY

Drug Facts	
Active Ingredients	Purpose
Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings • For external use only <i>Flammable</i> : Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. • Do not use on damaged or broken skin. • When using this product Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • KEEP OUT OF REACH OF CHILDREN, ESPECIALLY WHEN REFILLING PRODUCT. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY. May stain some fabrics and surfaces.	
Directions • Hold container 4 to 6 inches from the skin to apply. Don't spray directly into face. Apply on hand then apply to face. Spray evenly and liberally on your skin. Use in a well-ventilated area. Apply 15 minutes before sun exposure. Reapply throughout the day • at least every 2 hours, • after 80 minutes of swimming or sweating • immediately after towel drying • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor	
Other Information	
■ protect this product from excessive heat and direct sun	
Inactive Ingredients: Alcohol Denat., Caprylic/Capric Triglyceride, Isododecane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract	
Questions or comments? Call 1-800-SafeSun, Mon-Fri	
Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com © 2024 Edgewell.	 93044632 *No propellant packaging

0 79656 14030 9

AEROSOL-FREE REFILL AEROSOL-FREE
BANANA BOAT(R)
KiDS
360 COVERAGE
advanced control mist
BROAD SPECTRUM SPF 50+ SUNSCREEN
50+
won't run into eyes
Water Resistant
(80 Minutes)
5.5 FL. OZ. (162 mL)

AEROSOL-FREE*

REFILL

AEROSOL-FREE*



360 COVERAGE
advanced control mist

BROAD SPECTRUM SPF 50+ SUNSCREEN



won't run into eyes
Water Resistant
(80 Minutes)

5.5 FL. OZ. (162 mL)

HOW TO REFILL



REMOVE



REPLACE



READY

Drug Facts

Active Ingredients

Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.0% . . . Sunscreen

Purpose

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only **Flammable:** Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. • Do not use on damaged or broken skin. • When using this product Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • **KEEP OUT OF REACH OF CHILDREN, ESPECIALLY WHEN REFILLING PRODUCT. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.** May stain some fabrics and surfaces.

Directions • Hold container 4 to 6 inches from the skin to apply. Don't spray directly into face. Apply on hand then apply to face. Spray evenly and liberally on your skin. Use in a well-ventilated area. Apply 15 minutes before sun exposure. Reapply throughout the day • at least every 2 hours, • after 80 minutes of swimming or sweating • immediately after towel drying • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Other Information

■ protect this product from excessive heat and direct sun

Inactive Ingredients: Alcohol Denat., Caprylic/Capric Triglyceride, Isododecane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract.

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC

Shelton, CT 06484
www.bananaboat.com

© 2024 Edgewell.



93044634

*No propellant packaging



STARTER PACK 1 SPRAYER + 1 REFILL
BANANA BOAT(R)
BUNDLE AND SAVE
Kids
360 COVERAGE
advanced control mist
BROAD SPECTRUM SPF 50+ SUNSCREEN
50+
PROTECTS
FROM UP TO 98%
OF BURNING RAYS
won't run into eyes
Water Resistant
(80 Minutes)
2 - 5.5 FL.OZ. (162 mL) Bottles - Total Net Wt. 11 FL.OZ. (324 mL)

STARTER PACK | 1 SPRAYER + 1 REFILL

BANANA BOAT
KIDS
360 COVERAGE
 advanced control mist
 BROAD SPECTRUM SPF-50+ SUNSCREEN
50+
 PROTECTS FROM UP TO 98% OF BURNING RAYS
 won't run into eyes
 Water Resistant (80 Minutes)
 2 - 5.5 FL.OZ. (162 mL) Bottles - Total Net Wt. 11 FL.OZ. (324 mL)

HOW TO REFILL

REMOVE
 REPLACE
 READY

Drug Facts

Active Ingredients
 Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.8%
Purpose
 Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only **Flammable:** Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. • Do not use on damaged or broken skin. • When using this product keep away from face to avoid breathing it. • Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • **KEEP OUT OF REACH OF CHILDREN. ESPECIALLY WHEN REFILLING PRODUCT. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.** May stain some fabrics and surfaces.

Directions • Hold container 4 to 6 inches from the skin to apply. Don't spray directly into face. Apply on hand then apply to face. Spray evenly and liberally on your skin. Use in a well-ventilated area. Apply 15 minutes before sun exposure. Reapply throughout the day • at least every 2 hours, • after 80 minutes of swimming or sweating • immediately after towel drying • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients: Alcohol Denat., Caprylic/Capric Triglyceride, Isododecane, Valseryl Malate/Isobornyl Acrylate Copolymer, Caprylic Glycol, Dimethicone, Tocopherol Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadosensis Leaf Extract.

Other information
 #protect this product from excessive heat and direct sun

Questions or comments?
 Call 1-800-SafeSun, Mon-Fri

Distributed by:
 EDGELL PERSONAL CARE BRANDS, LLC
 Shelton, CT 06484
 www.bananaboat.com
 © 2023 Edgewell.

Edgewell®
 93041667

BANANA BOAT

avobenzone,homosalate,octisalate,octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-166
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	2.7 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
MINERAL OIL (UNII: T5L8T28FGP)	
PANTHENOL (UNII: WW9CM0067Z)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE (UNII: 92RU3N3Y10)	
ISODODECANE (UNII: A8289P68Y2)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-166-14	162 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/01/2023	
2	NDC:63354-166-17	324 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2023	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 11/2024

Edgewell Personal Care Brands LLC