

BANANA BOAT- avobenzene,homosalate,octisalate,octocrylene spray
Edgewell Personal Care Brands LLC

Active Ingredients

Avobenzene 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.0%.

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

• **For external use only, Flammable:** Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking.

May stain some fabrics and surfaces.

Do not use

on damaged or broken skin.

When using this product

Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

KEEP OUT OF REACH OF CHILDREN,

ESPECIALLY WHEN REFILLING PRODUCT. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

Directions

• Hold container 4 to 6 inches from the skin to apply. Don't spray directly into face. Apply on hand then apply to face. Spray evenly and liberally on your skin. Use in a well-ventilated area. Apply 15 minutes before sun exposure. Reapply throughout the day • at least every 2 hours, • after 80 minutes of swimming or sweating • immediately after towel drying • Sun Protection Measures. Spending time in the sun increases your risk of

skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients:

Alcohol Denat., Caprylic/Capric Triglyceride, Isododecane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Fragrance, Tocopheryl Acetate, Mineral Oil, Water, Panthenol, Aloe Barbadensis Leaf Extract.

Other Information

- protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

BANANA BOAT(R)
SPORT(TM)
360 COVERAGE
advanced control mist
BROAD SPECTRUM SPF 50+ SUNSCREEN
50+
Sweat | Water Resistant
(80 Minutes)
Aerosol Free*
5.5 FL. OZ. (162 mL)

BANANA BOAT
SPORT
360 COVERAGE
advanced control mist
BROAD SPECTRUM SPF 50+ SUNSCREEN
50+
Sweat | Water Resistant
(80 Minutes)
Aerosol Free*
5.5 FL. OZ. (162 mL)

HOW TO REFILL

REMOVE
REPLACE
READY

Drug Facts

Active Ingredients	Purpose
Avo benzene 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.0% Sunscreen	
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings • For external use only Flammable : Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. • Do not use on damaged or broken skin. • When using this product Keep away from face to avoid breathing it. • Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • KEEP OUT OF REACH OF CHILDREN, ESPECIALLY WHEN REFILLING PRODUCT. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY. May stain some fabrics and surfaces.	
Directions • Hold container 4 to 6 inches from the skin to apply. Don't spray directly into face. Apply on hand then apply to face. Spray evenly and liberally on your skin. Use in a well-ventilated area. Apply 15 minutes before sun exposure. Reapply throughout the day • at least every 2 hours, • after 80 minutes of swimming or sweating • immediately after towel drying • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor	
Other Information ■ protect this product from excessive heat and direct sun	
Inactive Ingredients: Alcohol Denat., Caprylic/Capric Triglyceride, Isododecane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Fragrance, Tocopheryl Acetate, Mineral Oil, Water, Panthenol, Aloe Barbadensis Leaf Extract.	
Questions or comments? Call 1-800-SafeSun, Mon-Fri	
Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com © 2024 Edgewell.	 93044631 *No propellant packaging

0 79656 14029 3

AEROSOL-FREE REFILL AEROSOL-FREE
BANANA BOAT(R)
SPORT(TM)
360 COVERAGE
advanced control mist
BROAD SPECTRUM SPF 50+ SUNSCREEN
50+
Sweat | Water Resistant
(80 Minutes)
5.5 FL. OZ. (162 mL)

AEROSOL-FREE*

REFILL

AEROSOL-FREE*



SPORT™

360 COVERAGE
advanced control mist

BROAD SPECTRUM SPF 50+ SUNSCREEN



Sweat | Water Resistant
(80 Minutes)

5.5 FL. OZ. (162 mL)

HOW TO REFILL



REMOVE



REPLACE



READY

Drug Facts

Active Ingredients Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.0% . . . Sunscreen **Purpose**

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only **Flammable:** Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. • Do not use on damaged or broken skin. • When using this product Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • **KEEP OUT OF REACH OF CHILDREN, ESPECIALLY WHEN REFILLING PRODUCT. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.** May stain some fabrics and surfaces.

Directions • Hold container 4 to 6 inches from the skin to apply. Don't spray directly into face. Apply on hand then apply to face. Spray evenly and liberally on your skin. Use in a well-ventilated area. Apply 15 minutes before sun exposure. Reapply throughout the day • at least every 2 hours, • after 80 minutes of swimming or sweating • immediately after towel drying • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Other Information

■ protect this product from excessive heat and direct sun

Inactive Ingredients: Alcohol Denat., Caprylic/Capric Triglyceride, Isododecane, VA/Butyl Maleate/isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Fragrance, Tocopheryl Acetate, Mineral Oil, Water, Panthenol, Aloe Barbadosis Leaf Extract.

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE
BRANDS, LLC

Shelton, CT 06484
www.bananaboat.com



93044633

© 2024 Edgewell.

*No propellant packaging



0 79656 14032 3

STARTER PACK 1 SPRAYER + 1 REFILL
BANANA BOAT(R)
BUNDLE AND SAVE
SPORT(TM)
360 COVERAGE
advanced control mist
BROAD SPECTRUM SPF 50+ SUNSCREEN
50+
PROTECTS
FROM UP TO 98%
OF BURNING RAYS
Water Resistant
(80 Minutes)

2 - 5.5 FL.OZ. (162 mL) Bottles - Total Net Wt. 11 FL.OZ. (324 mL)

STARTER PACK | 1 SPRAYER + 1 REFILL



SPORT™

360 COVERAGE
advanced control mist
BROAD SPECTRUM SPF-50+ SUNSCREEN



PROTECTS FROM UP TO 98% OF BURNING RAYS

Water Resistant (80 Minutes)

2 - 5.5 FL.OZ. (162 mL) Bottles - Total Net Wt. 11 FL.OZ. (324 mL)

HOW TO REFILL



Drug Facts

Active Ingredients	Purpose
Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.8%	Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only **Flammable:** Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. • Do not use on damaged or broken skin. • When using this product keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • **KEEP OUT OF REACH OF CHILDREN. ESPECIALLY WHEN REFILLING PRODUCT. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.** May stain some fabrics and surfaces.

Directions • Hold container 4 to 6 inches from the skin to apply. Don't spray directly into face. Apply on hand then apply to face. Spray evenly and liberally on your skin. Use in a well-ventilated area. Apply 15 minutes before sun exposure. Reapply throughout the day • at least every 2 hours, • after 80 minutes of swimming or sweating • immediately after towel drying • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients: Alcohol Denat., Caprylic/Capric Triglyceride, Isododecane, Vikemil Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Fragrance, Tocopheryl Acetate, Mineral Oil, Water, Panthenol, Aloe Barbadensis Leaf Extract.

Other Information

Protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2024 Edgewell.



BANANA BOAT

avobenzone,homosalate,octisalate,octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-181
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	2.7 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	7 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
ALCOHOL (UNII: 3K9958V90M)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE (UNII: 92RU3N3Y10)	
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PANTHENOL (UNII: WW9CM0067Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-181-14	162 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/01/2023	
2	NDC:63354-181-17	324 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/01/2024	10/01/2027

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2023	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 11/2025

Edgewell Personal Care Brands LLC