FEDRIN- acetaminophen, phenylephrine tablet Afassco Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients (In Each Tablet)

Acetaminophen 500 mg, Phenylephrine HCl 5 mg

Pain reliever/fever reducer, Nasal decongestant

Uses:

For temporary relief of nasal congestion associated with sinusitis.

Temporarily relieves headache and sinus pain.

Warnings:

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 8 tablets in 24 hours, if you take with other drugs containing acetaminophen (prescription or nonprescription), or if you have 3 or more alcoholic drinks every day while using this product.

Ask a doctor before use if you have: heart disease, high blood pressure, thyroid disease, diabetes, trouble urinating due to an enlarged prostate gland, cough that occurs with too much phlegm (mucus), chronic cough that lasts such as occurs with smoking, asthma, or emphysema or chronic bronchitis.

Stop use and ask a doctor if: you get nervous, dizzy or sleepless, cough lasts more than 7 days, comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions: Do not use more than directed.

Adults and children: (12 years and older) Take 2 tablets with water every 6 hours as needed. Do not take more than 8 tablets in 24 hours, or as directed by doctor.

Children: (under 12 years)

Do use unless directed by a doctor.

SEE ORIGINAL BOX FOR COMPLETE PRODUCT INFORMATION



Active Ingredients (In Each Tablet) Purposes
Acetaminophen 500 mgPain reliever/fever reducer
Phenylephrine HCl 5 mgNasal decongestant

Uses: For temporary relief of nasal congestion associated with sinusitis. Temporarily relieves headache and sinus pain.

Warnings:

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 8 tablets in 24 hours, if you take with other drugs containing acetaminophen (prescription or nonprescription), or if you have 3 or more alcoholic drinks every day while using this product.

Ask a doctor before use if you have: heart disease, high blood pressure, thyroid

Questions? Contact Afassco Minden, NV 89423
Store at room temperature
Tamper evident: Do not use packet if torn or cut.
Manufactured for
Afassco Inc. Minden, NV 89423

Warnings (continued)

disease, diabetes, trouble urinating due to an enlarged prostate gland, cough that occurs with too much phlegm (mucus), chronic cough that lasts such as occurs with smoking, asthma, or emphysema or chronic bronchitis. Stop use and ask a doctor if: you get nervous, dizzy or sleepless, cough lasts more than 7 days, comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions: Do not use more than directed.
Adults and children: (12 years and older)
Take 2 tablets with water every 6 hours as needed. Do not take more than 8 tablets in 24 hours, or as directed by doctor.

Children: (under 12 years) Do use unless directed by a doctor.

SEE ORIGINAL BOX FOR COMPLETE PRODUCT INFORMATION

res

FEDRIN

acetaminophen, phenylephrine tablet

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:51532-0140 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | |
|--|----------------------|----------|--|
| Ingredient Name | Basis of Strength | Strength | |
| ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D) | ACETAMINOPHEN | 500 | |
| PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE | 5 | |

| Inactive Ingredients | |
|------------------------------------|----------|
| Ingredient Name | Strength |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| PO VIDO NE (UNII: FZ989 GH94E) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |

SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B) **MICRO CRYSTALLINE CELLULO SE** (UNII: OP1R32D61U)

| Product Characteristics | | | |
|-------------------------|-------|--------------|----------|
| Color | blue | Score | no score |
| Shape | ROUND | Size | 12mm |
| Flavor | | Imprint Code | FR33 |
| Contains | | | |

| Packaging | | | |
|--------------------|--|----------------------|--------------------|
| # Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 NDC:51532-0140-2 | 2 in 1 PACKET; Type 0: Not a Combination Product | 10/25/2016 | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph final | part341 | 10/25/2016 | |
| | | | |

Labeler - Afassco Inc. (609982723)

Revised: 12/2019 Afassco Inc.