

**MOMMYS BLISS INFANTS PAIN AND FEVER- acetaminophen suspension**  
**Mom Enterprises, LLC.**

-----  
**Mommys Bliss Infants Pain and Fever**

**Active Ingredient**

Active ingredient: (in each 5 mL) Acetaminophen 160mg

**Keep out of reach of children.**

Overdose warning:

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Prompt medical attention is critical even if you do not notice any signs or symptoms.

**Purpose:**

Pain reliever/fever reducer

Uses temporarily:

- reduces fever
- relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache

**Stop use and ask a doctor.**

Stop use and ask a doctor if:

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

These could be signs of a serious condition.

**Inactive ingredients:**

anhydrous citric acid, glycerin, microcrystalline cellulose and carboxymethylcellulose sodium, natural flavors, organic elderberry juice concentrate, purified water, sodium benzoate, sucrose, xanthan gum

**Warnings**

## Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription.) If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has liver disease

Ask a doctor before use if your child is taking the blood thinning drug warfarin

When using this product do not exceed recommended dose (see overdose warning)

## Dosing & Directions

### Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- shake well before using
- mL=milliliter
- find right dose on chart below
- if possible, use weight to dose; otherwise, use age
- remove cap and seal, then insert the adapter plug by pushing down firmly until a tight seal is formed
- top of plug should be flush with bottle neck and not removeable
- push air out of syringe and insert syringe tip into adapter plug opening
- flip bottle upside down
- pull plunger of syringe up to correct dose
- dispense liquid slowly into child's mouth, toward inner cheek
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- replace cap tightly to maintain child resistance

Weight (lb) Age (yr) Dose (mL)\*

under 24 lbs under 2 years ask a doctor

24-35 lbs 2-3 years 5 mL

\*or as directed by a doctor

Attention: use only enclosed syringe specifically designed for use with this product. Do not use any other dosing device.

## Usage

Purpose: Pain reliever/fever reducer

Uses temporarily:

- reduces fever
- relieves minor aches and pains due to:
- the common cold
- flu
- headache
- sore throat
- toothache

## Infants' Pain and Fever Acetaminophen 160mg per 5mL oral suspension

Pain Reliever - Fever Reducer, 2 fl oz (59 mL) plastic bottle in retail carton, Natural Berry Flavor, Dosing Syringe included

<p><b>Drug Facts (continued)</b></p> <p>Stop use and ask a doctor if:</p> <ul style="list-style-type: none"><li>- pain gets worse or lasts more than 5 days</li><li>- fever gets worse or lasts more than 3 days</li><li>- redness or swelling is present</li><li>- any new symptoms appear</li></ul> <p>These could be signs of a serious condition.</p> <p>Keep out of reach of children.</p> <p>Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Prompt medical attention is critical even if you do not notice any signs or symptoms.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"><li>- this product does not contain directions or complete warnings for adult use</li><li>- do not give more than directed (see overdose warning)</li><li>- shake well before using</li><li>- mL=milliliter</li><li>- find right dose on chart below</li><li>- if possible, use weight to dose; otherwise, use age</li><li>- remove cap and seal, then insert the adapter plug by pushing down firmly until a tight seal is formed</li><li>- top of plug should be flush with bottle neck and not removable</li><li>- push air out of syringe and insert syringe tip into adapter plug opening</li><li>- flip bottle upside down</li><li>- pull plunger of syringe up to correct dose</li><li>- dispense liquid slowly into child's mouth, toward inner cheek</li><li>- repeat dose every 4 hours while symptoms last</li><li>- do not give more than 5 times in 24 hours</li><li>- replace cap tightly to maintain child resistance</li></ul> <table border="1"><thead><tr><th>Weight (lb)</th><th>Age (yr)</th><th>Dose (mL)*</th></tr></thead><tbody><tr><td>under 24 lbs</td><td>under 2 years</td><td>ask a doctor</td></tr><tr><td>24-35 lbs</td><td>2-3 years</td><td>5 mL</td></tr></tbody></table> <p>*or as directed by a doctor</p> <p>Attention: use only enclosed syringe specifically designed for use with this product. Do not use any other dosing device.</p> <p><b>Other Information</b></p> <ul style="list-style-type: none"><li>- each 5 mL contains: sodium 2 mg</li><li>- store between 20-25°C (68-77°F)</li><li>- do not use if carton or bottle seal is broken or missing</li></ul> <p><b>Inactive Ingredients</b></p> <p>anhydrous citric acid, glycerin, microcrystalline cellulose and carboxymethylcellulose sodium, natural flavors, organic elderberry juice concentrate, purified water, sodium benzoate, sucrose, xanthan gum</p> <p><b>Questions or comments?</b></p> <p>call weekdays 9AM to 5PM PST at 1-877-457-4955 (toll-free)</p> <p>Distributed by MOM Enterprises, LLC, Richmond, CA 94804, USA   t: 877.457.4955 mommysbliss.com</p>	Weight (lb)	Age (yr)	Dose (mL)*	under 24 lbs	under 2 years	ask a doctor	24-35 lbs	2-3 years	5 mL	<p>Medicine for Peace of Mind</p> <p>As moms, we want to quickly make things "all better" for our little ones, without compromising on the quality of the products we give them. When I became a mom, I saw an opportunity to create safe and effective pain relief that you can truly feel good about - no dyes or artificial sweeteners, delicious tasting and with a commitment to being planet conscious. To me, this is peace of mind.</p> <p>- Yasmin Kaderali   Mom &amp; CEO</p> <p><b>INFANTS' Pain &amp; Fever</b></p> <p>Safe and effective medicine meets yummy natural berry flavor - free of unnecessary additives.</p> <p><b>Free Of:</b></p> <ul style="list-style-type: none"><li>✓ Dyes</li><li>✓ Alcohol</li><li>✓ Parabens</li><li>✓ Artificial flavors &amp; sweeteners</li><li>✓ High-fructose corn syrup</li><li>✓ Top 9 allergens<sup>†</sup></li></ul> <p><sup>†</sup> Top 9 allergens are peanuts, wheat, eggs, milk, fish, shellfish, tree nuts, soy, and sesame.</p> <p><b>clean label PROJECT CERTIFIED</b></p> <p><b>MOM</b> Founded + Led <b>CCO2</b> PLANET→FWD™</p> <p>See all of our health and wellness products at: <a href="http://www.mommysbliss.com">www.mommysbliss.com</a></p>	<p><b>NEW</b> Medicine for Peace of Mind</p> <p><b>mommy's BLISS</b></p> <p><b>INFANTS'</b></p> <p><b>pain &amp; fever</b></p> <p><b>acetaminophen 160 mg per 5 mL</b></p> <p><b>Oral Suspension   Pain Reliever-Fever Reducer</b></p> <p><b>Free Of:</b></p> <ul style="list-style-type: none"><li>✓ Dyes</li><li>✓ Alcohol</li><li>✓ Artificial flavors &amp; sweeteners</li><li>✓ High-fructose corn syrup</li><li>✓ Top 9 allergens<sup>†</sup></li></ul> <p><b>clean label PROJECT CERTIFIED</b></p> <p><b>Natural Berry Flavor</b></p> <p><b>2 FL OZ (59 mL)</b></p> <p>*Same as Mommy's Bliss Children's Pain &amp; Fever</p> <p><b>EASY DOSE SYRINGE</b></p> <p><b>INFANT</b></p>	<p><b>Drug Facts</b></p> <p><b>Active Ingredient (In each 5 mL)</b></p> <p>Acetaminophen 160mg.....Pain reliever/fever reducer</p> <p><b>Purpose</b></p> <p><b>Uses temporarily:</b></p> <ul style="list-style-type: none"><li>- reduces fever</li><li>- relieves minor aches and pains due to:<ul style="list-style-type: none"><li>- the common cold</li><li>- flu</li><li>- headache</li><li>- sore throat</li><li>- toothache</li></ul></li></ul> <p><b>Warnings</b></p> <p><b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if your child takes</p> <ul style="list-style-type: none"><li>- more than 5 doses in 24 hours, which is the maximum daily amount</li><li>- with other drugs containing acetaminophen</li></ul> <p><b>Allergy alert:</b> acetaminophen may cause severe skin reactions. Symptoms may include:</p> <ul style="list-style-type: none"><li>- skin redness</li><li>- blister</li><li>- rash</li></ul> <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p><b>Sore throat warning:</b> if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> <p><b>Do not use:</b></p> <ul style="list-style-type: none"><li>- with any other drug containing acetaminophen (prescription or nonprescription.) If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</li><li>- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.</li></ul> <p><b>Ask a doctor before use if your child has liver disease</b></p> <p><b>Ask a doctor before use if your child is taking the blood thinning drug warfarin</b></p> <p>When using this product do not exceed recommended dose (see overdose warning)</p> <p>NDC 71444-893-01 Drug Facts (continued)</p>
Weight (lb)	Age (yr)	Dose (mL)*										
under 24 lbs	under 2 years	ask a doctor										
24-35 lbs	2-3 years	5 mL										

**Free Of:**

- ✓ Dyes
- ✓ Alcohol
- ✓ Parabens
- ✓ Artificial flavors & sweeteners
- ✓ High-fructose corn syrup
- ✓ Top 9 allergens†

†Top 9 allergens are peanuts, wheat, eggs, milk, fish, shellfish, tree nuts, soy, and sesame.



Safe and effective medicine meets yummy natural berry flavor - free of unnecessary additives.



**acetaminophen (160 mg per 5 mL)\***

**Oral Suspension**  
Pain Reliever-Fever Reducer

**2 FL OZ (59 ML)**

**Natural Berry Flavor**



**INFANT**

**Directions**

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- shake well before using
- mL=milliliter
- find right dose on chart below
- if possible, use weight to dose; otherwise, use age
- remove cap and seal, then insert the adapter plug by pushing down firmly until a tight seal is formed
- top of plug should be flush with bottle neck and not removable
- push air out of syringe and insert syringe tip into adapter plug opening
- flip bottle upside down
- pull plunger of syringe up to correct dose
- dispense liquid slowly into child's mouth, toward inner cheek
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- replace cap tightly to maintain child resistance

**Dosing Chart**

Weight (lb)	Age (yr)	Dose (mL)*
under 24 lbs	under 2 years	ask a doctor
24-35 lbs	2-3 years	5 mL

\*or as directed by a doctor  
**Attention:** use only enclosed syringe specifically designed for use with this product. Do not use any other dosing device.

Open to read complete product information

**Drug Facts**

**Active ingredient (in each 5 mL)**      **Purpose**  
Acetaminophen 160mg ..... Pain reliever/fever reducer

**Uses temporarily:**

- reduces fever
- relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use:**

- with any other drug containing acetaminophen (prescription or nonprescription.) If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has liver disease**

**Ask a doctor before use if your child is taking the blood thinning drug warfarin**

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if:**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

These could be signs of a serious condition.

**MOMMYS BLISS INFANTS PAIN AND FEVER**

acetaminophen suspension

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71444-893
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
AMERICAN ELDERBERRY (UNII: 7610Y219OC)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUCROSE (UNII: C151H8M554)	

**Product Characteristics**

<b>Color</b>	purple (light purple to light brown liquid)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY (sweet berry flavor)	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71444-893-01	59 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/19/2024	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M013	02/19/2024	

**Labeler** - Mom Enterprises, LLC. (135903776)