# ORAL GEL ORAL PAIN RELIEF- benzocaine benzalkonium chloride gel Savvy Care and Cosmetics

-----

### Oral gel

## **Active Ingredient**

Benzocaine 20%

Benzalkonium Chloride 0.1%

#### **Purpose**

Oral pain reliever

Antiseptic

#### Use

■ for the temporary relief of pain due to toothaches ■ to help protect against infectionin minor oral irritation

## Warnings

■ Allergy alert:do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine or other "caine" anesthetics

#### Do not use

 $\blacksquare$  more than directed  $\blacksquare$  for more than 7 days unless directed by a physician or healthcare provider

## Stop use and ask a physician if

■ swelling, rash or fever develops ■ irritation, pain or redness persists or worsens ■ symptoms do not improve in 7 days

## Keep out of reach of children

In case of overdose or allergic reaction get medical help or contact a Poison Control Center right away

#### **Directions**

■ adults and children 2 years of age and over: apply a small amount of the product to the cavity and around the gum surrounding the teeth Use up to 4 times daily or as

directed by a physician or healthcare provider 

■ children under 12 years: should be supervised in the use of this product ■ children under 2 years of age: ask a physician or health care provider

#### Other information

■ this preparation is intended for use in cases of toothache, only as a temporary expedient until a physican can be consulted ■ do not use continuously ■ avoid using toothpaste or drinking soft drinks or fruit juices for at least one hour after applying do not use if tube seal under cap is broken, missing or if the tube tip is cut prior to opening

#### Inactive ingredients

ammonium glycyrrhizate, flavor, polyethylene glycol, sodium saccharin, sorbic acid

#### Package Label



#### Drug Facts Active Ingredients Purpose .Oral pain reliever Benzocaine 20% Benzalkonium Chloride 0.1% ..... Use ■ for the temporary relief of pain due to toothaches ■ to help protect against infection in minor oral irritation Warnings Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics Do not use ■ more than directed ■ for more than 7 days unless directed by a physician or healthcare provider Stop use and ask a physician if swelling, rash or fever develops ■ irritation, pain or redness persists or worsens ■ symptoms do not

Keep out of reach of children. In case of overdose or allergic reaction, get medical help or contact a Poison Control Center right away

Drug Facts (continued)

#### Directions

adults and children 2 years of age and over: apply a small amount of product to the cavity and around gum surrounding the teeth. Use up to 4 times daily or as directed by a physician or healthcare provider children under 12 years of age: should be supervised in the use of

this product children under 2 years of age: ask a physician or healthcare provider

#### Other information

this preparation is intended for use in cases of toothache, only as a temporary expedient until a physician can be consulted ■ do not use continuously ■ avoid using toothpaste or drinking soft drinks or fruit juices for at least one hour after applying do not use if tube seal under cap is broken, missing or if the tube tip is cut prior to opening

Inactive ingredients ammonium glycyrrhizate, flavor, polyethylene glycol, sodium saccharin, sorbic acid

This product is not manufactured or distributed by Church & Dwight Co., Inc., owner of the registered trademark Orajel®.

Specially Manufactured for DELTA BRANDS INC., Larchmont, NY 10538 www.deltabrands.com ITEM NO: 10373 / MADE IN INDIA 10373/01(007)

#### ORAL GEL ORAL PAIN RELIEF

benzocaine benzalkonium chloride gel

#### **Product Information**

improve in 7 days

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:83650-101

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g		
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZ ALKONIUM CHLORIDE	0.1 g in 100 g		

Inactive Ingredients	
Ingredient Name	Strength
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBIC ACID (UNII: X045WJ989B)	

I	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:83650-101-	42.5 g in 1 TUBE; Type 0: Not a Combination Product	09/22/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M022	09/22/2023		

## Labeler - Savvy Care and Cosmetics (915039748)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Savvy Care and Cosmetics		915039748	manufacture(83650-101)	

Revised: 12/2024 Savvy Care and Cosmetics