

GENTLE IODINE WOUND- iodine spray
Neogen Corp

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Gentle Iodine Wound Spray

Topical Antiseptic

Net Contents: 1 gallon (3.785 liters)

FOR ANIMAL USE ONLY.

NOT FOR HUMAN USE.

Active Ingredients:

Alpha (p-Nonylphenyl) Omega-Hydroxypoly (Oxyethylene) Iodine
Complex (providing 1% Minimum Titratable Iodine) 5%

Inert Ingredients:

Water and Nonionic Surfactant 95%

Warning: Harmful or fatal if swallowed. Do not apply to the eyes, mucous membranes or large areas of abraded skin. Avoid inhalation of mist.

Storage: Store at a temperature between 15°-30°C (59°-86°F).

Keep container tightly closed when not in use.

KEEP OUT OF REACH OF CHILDREN.

FOR EXTERNAL ANIMAL USE ONLY.

Indications: For use in cattle, horses and swine as a topical antiseptic prior to surgical procedures such as castrating and tail docking; for application to the umbilical stump (navel) of newborn animals; and for minor cuts, teat sores, bruises, and abrasions.

Directions For Use: Use gallon container to refill 16 oz spray container. Hold container approximately 4 to 6 inches from the area to be sprayed. Point valve at the area to be sprayed. Pull trigger of valve and spray area once lightly. May be repeated daily, if necessary, until the area is healed. Apply to the umbilical stump of newborns 2-3 times per day until stump has dried.

When using prior to surgical procedures, allow 10 minutes contact time.

Note: When used on or near the teats or udders of dairy animals, the teats and udders should be thoroughly washed before the next milking to prevent contamination of milk.

Caution: If redness, irritation, or swelling persists or increases discontinue use and consult a veterinarian. Not for use on burns or in body cavities or deep wounds.

Distributed by:

Neogen Corporation
944 Nandino Blvd.

Lexington, KY 40511
 859-254-1221/800-621-8829
 animalsafety.neogen.com

Made in the U.S.A

**KEEP OUT OF REACH OF CHILDREN
FOR EXTERNAL USE ONLY**


Indications: For use in cattle, horses and swine as a topical antiseptic prior to surgical procedures such as castrating and tail docking; for application to the umbilical stump (navel) of newborn animals; and for minor cuts, teat sores, bruises and abrasions.

Directions For Use: Use gallon container to refill 16 oz spray container. Hold spray container approximately 4 to 6 inches from the area to be sprayed. Point valve at the area to be sprayed. Pull trigger of valve and spray area once lightly. May be repeated daily, if necessary, until the area is healed. Apply to the umbilical stump of newborns 2-3 times per day until stump has dried.

When using prior to surgical procedures, allow 10 minutes contact time.

Note: When used on or near the teats or udders of dairy animals, the teats and udders should be thoroughly washed before the next milking or nursing young to prevent contamination of milk.


Caution: If redness, irritation or swelling persists or increases, discontinue use and consult a veterinarian. Not for use on burrs, in body cavities or in deep wounds.



NDC: 59051-227-01

Gentle Iodine Wound Spray

Topical Antiseptic



**FOR ANIMAL USE ONLY
NOT FOR HUMAN USE**

Active Ingredients:
Alpha (p-Ncnylphenyl) Omega-Hydroxypoly (Oxyethylene) Iodine Complex (providing 1% Minimum Titratable Iodine) 5%

Inert Ingredients:
Water and Nonionic Surfactant 95%

Warning: For external use only. Harmful or fatal if swallowed. Do not apply to the eyes, mucous membranes or large areas of abraded skin. Avoid inhalation of mist.


Storage: Store at a temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

Made in the U.S.A.

Distributed by:
Neogen Corporation
944 Nandino Blvd.
Lexington, KY 40511
859-254-1221 • 800-621-8829
animalsafety.neogen.com

Lot No.
Exp. Date:

Item No. 79215



7 26087 79215 6

Net Contents:
1 gallon (3.785 liters)

L617-0217

GENTLE IODINE WOUND				
iodine spray				
Product Information				
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59051-2270	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)		IODINE	0.01 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)			0.99 mg in 1 mL	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59051-2270-1	3785 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/24/2024	

Labeler - Neogen Corp (042125879)

Establishment

Name	Address	ID/FEI	Business Operations
Centaur Inc		174239087	api manufacture, manufacture, pack, label

Revised: 10/2024

Neogen Corp